	Crossv	walk of All RI	OHIC Aligno	ed Measure	Sets	This spreadsheet in ACO, Acute Care H Care Measure Sets	ncludes all five RIO lospital, Behavioral	HC Aligned Measure Se Health Hospital, Behavio	ts in aggregate, specifically ral Health, Maternity, and Pri	to inary	Spicinic 7-14-0021									OHC Alo	oned Measure Sets for 2021		
		NOF	NGP Endors ement Status as of Enteres	Street	Description		Conditi ce	Measur e Type	Pooula Da	Facility-based or Profes sional-based			Link to Measure Specifications (Wass: Deferred to ARDIS MY 2000 specifications, then to CMS specifications (first MPS 2000 then «COM 2001) before	Equity Assessment Is there evidence of discarding in performance as a reliens to race, ethnicits, because, disability		Degree of Chance	in Aligned Measure Set?	Materially Care, J	Acute Care Hospi	Acute Care	Sool Mealth Nospital Measure Se Betavi oral Maters Health by Hospit Care at	ns Updated for 2022, o Outpatient Behavioral	Cutpatient Setuvional Health •
1	Jacks J No. 33 April 200 A		Sindors februs Sindors ed	Coordens for Medicare o B. Medicai d Service s	For monitors to years of ago and older, the control of the control	Propulati on Health					And the state of t	usa dala	where control (CCC) quantization is any amounted for all managements that play from the control (CCC) and the control (CCC) CCC Communication (CCC) and the control (CCC) and the control (CCC) to the control (CCC) and the control (CCC) and the control (CCC) to the control (CCC) and the control (CCC) and the control (CCC) to the control (CCC) and the control (CCC) and the control (CCC) to	An experimental and a second of control and a second o	Bioglior galante to Esche enhanced in contractions	d Action	MASSICE Set? Yes	20			Cone (2002)	Herena Herena Herana	Subtrace Use Treatment
2	Adult Major Paper solv o Dissolate o Disso	NA.	NA.	Amadic Bi Psychol ogical Associa Sian	Speciation of material remarks of photons on the part of the material remarks of photons of the part o	Acate Care	Mirerall Health	Process s.	Adail Cin	nimat Profess Sicial Iona- based	million and colors (1997). In the colors of		For Comment of the Comme	The control of the co	No chappe for M-2021 Residue of registrate for MY-2020 Stemmand Residue of acquities for MY-2020 Stemmand Residue of the Stemman of the Residue of Residue	Major charge cha	Yes					Manu (Roselist for 2022)	
2	Adul Major Depressive Disanter (MCO) Suicide Rox Assessment	0154	Endors ed	AlliA- PCPI (America an Medical Associa Size- cansver d Physici an Consort ium for Perform ance improve ment)	Percentage of patients aged 14 pases and older with non-dispused removate equivalent removate equivalent design particular design particular design patients design patients design patients design patients design patients design patients	Preventi ori Early Delecti on	Mertal Health	Proces s	Aduz Cis	Proless ionsi- based	Control for Section 1997. The control for the		For Commons time:  Cold COSE (ME)  Trigo, mucup sessific guidep-secTay fools, yap*1	Lings that confidence has the "Supplies requires consure" and "(\$6" > 20" or "grapher happing (\$10" > 20").  If the "Supplies (\$10" > 20") and "Supplies requires (\$10" > 10" or "grapher happing (\$10" > 10").  If the "Supplies (\$10" > 10" or "grapher happing (\$10" > 10" or "grapher happ	Related working of the description to reflect the speaked value of the restaure. Allowing solution to the control of the control of their desired case.	Minor edits - no charge required	Yes	Menu				Menu	
4	Advance Care Plan	6326	Endors ed	CMS	Percentage of palents aged 66 years and sides who have an administ case plan or the medical record or documentation in the medical record or documentation in the medical record that an administ case plan was discussed but the patient did not wisho was not always to name a surrogate decision, makes or provide an advance case plan.	Other	Patient Salety	Proces s	Older Cli Adult Cli Da	nimal rical da	2010 for housed Rooms All 10 for AC Section  Section 10 for AC Section  Section 10 for AC Section  Section 10 for AC Section 10 for the Microsi Activities on contract. Activities  procling are not and code in a CAC Section 10 for the Microsi Activities or simple section  regulation regarding the Algore Microsi Activities of the Microsi  regulation regarding the Algore Microsi Activities or  Advantage contracts. The Activities  Advantage contracts are perfect to approximate variables to report or Cost for  COSE ACIDIC - ACRES COST MICROSI (10 for the perfect or  COSE ACIDIC - ACRES COST MICROSI (10 for the perfect or  COSE ACIDIC - ACRES COST MICROSI (10 for the contractivities) is, in to 46  COST ACIDIC -		Eur Communical Unite:  CASE MIPS' #602 CASE MIPS #	Littles are the little little with the little littl			Yes	Menu					
s	Alcohol & Other Drug Unite Disorded Framework of Discharge (INVB-Ba)	1664	No League Endors ed	The Jaint Commit salon	The communities appropriate as an invested into present of ages and classes in schools and communities are sufficient to the communities of the co	Hospital	Substa nca Allune	Process s.	Adde Ga	roiceá Professo da lonei- bassed	Section of the control of the contro		To Comment of the Com	Sough the condition to the National Assessment of the Condition Sough Service (Section 1) and the Condition Sough Service (Section 1) and the Condition Section 1) and the Condition Section Service (Section 1) and the Condition Section 1) and the Condition Section Service (Section 1) and the Condition Section 1) and the Condition Section Section Section 1) and the Condition Section Section Section 1) and the Condition Section 1) and the Condition Section Section 1) and the Condition 1) and th	Money is but information (2004 houses "The first of the control of	Clinicates if change in needed in 5029	Yes			Menu	Menu		
4	American College of Surgeons – Centers for Disease Control and Prevention (ACS-CDC) Harmonized Procedure Specific Surgical Site Infection (SSI)	763	Endors ed	for Diseas e Control and	Hotologia miserum tor the faculty adjusted Standardzed Infaction Ratio (SIR) of deep incinional and organityano Surgiasi Sibe infections (SSI) at the primary incinion sibe among adult patients aged >= 18 years as anonged through the ATS Matienal Groupiral	Hospital	Patient Safety	Outcom e	Adult Cit	nical Facility- ta based	2011 Annual Roules Personnel Tentenume because Riperformance desconstrated opportunity for Improvement.  -Participants expressed interested in retaining HM measures because of stillly as a composite.		For Contractual Use: CDC: https://www.cdc.gov/nhen/scute-care-hospitallesilindes/htm	-In a cross-sectional study of 168,741 participants from multiple states, Medicald insurance status and living lina low-lecome sign code were associated with higher \$58 rates after collectomy; even after adjusting for clinical risk, For hystericotry; no nocial for factors that were exemined in this study had statistically significant associations with \$58 raths adjustment for clinical risk; (Qi et al., 2016).	No change	No edits - no change required	Yes			Menu			
7	Antideposeant Medication Massagement	0105	Endors ed	National Commit tee for Quality Assura 100	appoint trisuply the ACS Mission Surgical Procurage or meditors to place or age and done no view broaded with middly present medication, had adaptased or facility depression and also measured to a to the control of the control of the 1.5 Effective Acute Phase Featment: The personage of members who remained or and and opposite and medication for a trisual tell days (12 weeks). 2.5 Effective Acute Phase Testiment The procurage of members who remained along (12 weeks).	Medicasi on Manage ment	Mortal Health	Proces s	Asir Ci	Professe ional- based	2010 Neural Resear.  17th White Change of the Parkers in adding this measure back to the Printing Can fee.  17th White Change of the Parkers in adding this measure back to the Printing Can fee.  10th Yange Design.  10th Yange Design.  10th Yange Design.  10th House of the Parkers of Canage.  10th 20th Yange Design.  10th Yange De		For Commonal than HELDS - Add	Dudy Not According to the time as the Supplies sensitive research using NCPs 2007 Departies Project Contributions (MC). 2009.  In a bit of particular sensitive representation of the Supplies of the Supplie	No change	No edis -	Yes					Menu	
	Behavioral Health Plak Assessment Screenings	NA.	NA.	PCPI (Americ an Medical Associa tion- consum ed Physici an consort kan for	Percentage of patients, regardless of age, who gave birth during a 12-month period seen at least once for prenatel care who received a shortward health come for committing the assessment that includes the following accessing at the fast prenate with the state of the fast prenate witherce.	Presents on/ Early Detecti on	Mertal Health	Process s	Adult Su	Profess ional- based	Control Editor  Control Editor	This measure has been retired by the resease interested and in sorger included in the CMS Medicals Chair Core Serfor 25th. Therefore, there are no earlier versions of openification available.	For Commission Unit. AHRC: https://doi.org/AHRC-34494G	And the second of the control of the	No Change		Yes	Menu			Com		
	Bread Cancer Screening	2372	Endors ed	National Commit tee for County Assura Acce	Percenting of women 5074 percent of age with bits a mannering and to access for these contents.	Provinces ord E Early Delection	Cancer	Proces s	Adult and Older Adult	Profusa Socia- bassed	STATEMENT AND THE PROPERTY OF		Fac Command One Markey CS. 08	Chapter State Ch			Yes		Core				
10	CAUTE Cather-Associated Urinary Tract Infection (HAI-2)	0138	Endors ed	Center for Disease e Control and Preventi	numerouses seemen numer persy or healthcare-sesociated, catheter-sesociated wireay tract infections (CALTI) will be calculated among patients in the following patient care locations:  Intensive Case (CICIN) (including patients in resonated ICIN) (INCIN: Level IVIII	Hospital	Patient Safety	Outcom e	All Ages Cli	nical Facility- tia based	2021 Aresual Studiese -Restinate The measure Sections Riperformance demonstrated opportunity for -Participate appreciabilities Riperformance demonstrated opportunity for -Participated appreciabilities demonstrated in retaining IMV measures Sections of URBy as a composition.  2015-0514-0514-0514-0514-0514-0514-0514-0		For Contractual Use: CDC: https://www.cdc.gov/rihan/acute-care- fourpair/care/rinder.html	The MLE ALTON DEVIATION OF THE MATERIAN CONTRACTOR AND	No change	No edis - no charge required	Yes			Core			
11	Cervical Cancer Soverring	9632	findors ed	National Commit tee for Quality Assura 006	Preventings of manner \$2.44 perc of age to execute the man of the following clarities are supported by the following clarities of the following clarities are produced by the following clarities are produced percentage and produced percentage are produced by the following percentage are produced percentage are produced by the following percentage are produced by t	Proventi on/ Early Detecti on	Cancer	Proces s	Able Cir Cir Ca	nimar Profess ricial lone- ta based	State of a foliage		Fe Common Halle Haller COS	Large State Conference on the State State Conference on State Conf			Yes	Menu	Menu				

					This measure assesses the number of nulliparous women with a term, singleton baby in a vertex position delivered by						2001 Annual Shaling  -One participant noted that only one hospital's performance is available thro Joint Commission.	p.	For Contractual Use: TUC: PC-02 https://manual.jointcommission.org/neleases/TUC3021A/Perinatal	-Buying Wake identified this to be a "dispertise-sensitive measure" using NQF's 2017 Dispertises Project Final Report (NQF, 2017).							
12	Cesarean Rate for Nulliparous Singleton Vertex (PC-02)	0471	Endors ed	The Joint Commit salon	saby in a versa passion determed by ceasures section. This measure is part of a set of five nationally implemented measures that address perivatel care (PC-OT: Elective Delivery, PC-OT: Americal Election, PC-OI: Habith Care-Associated Bloodstream Infections in Newborns, PC-OI: Exclusive Elevant Milk Feeding).	Hospital	Pragna ncy	Outcom	Address ent and Adult	Claims/ Clinical Data	One participant runed that only one hospital's performance is available through Joint Commission.  -One participant said data should be readly wailable from the state's vital in rolless, askins for all latters.  -Retained because of significant opportunity for improvement in Ril performs on contrasted trade.	00	34.700	<ul> <li>in Ricating 2017-2019 desarrain delivery rates were highest for white listants (32.5%), followed by blacks (22.0%), Hispanics (51.1%), American Indian/Waska Natives (30.5%) and Asian/Pacific Islanders (32.5%) (March of Dinns, 2021).</li> </ul>	No change	No edits - no change required	a Ma	nu	Menu	Manu (Revisit Core for 2022)	
	angente verez (PC-42)			ssion	Delivery, PC-63: Antenatal Stanside, PC-64: Health Care-Associated Bloodstream		-		Adult	Data	ased on Cesawan takes.  2009 Annual Renime There are no publicly assistate performance data for this measure this year.			in California among Med-Cal patients the first-birth Cesarean rate is highest among African Americans (23.8%), followed by Asian/Pacific Islanders (25.6%). Hispanics (23.8%) and Whites		required				for 2022)	
					Breast Mik Feeding)							uhich Is.	Ex Contracted Day	(23.8%) had the lowest rates (Lefs Get Healthy-California, 2001).  Applicable Member 1861 to be a "Managina appoint a page 187 Chr. 2017 Disneyties Stroker."							
				ALC:							2018 Annual Review  - Score in the Work Group noted that performing the screen is routine but the there are challenges getting the data out of the EHR to implement the mean	I III	For Contractual Use: CMS eCOAt #177 https://ecoj.healthit.gov/ep-ec?sp-tabe_ep=1	-Buying Value Identified this to be a "dispartise-sensitive measure" using NQF's 2017 Dispartise Project Final Report (NOF, 2017).							
				ABBA- PCPI (Americ an Medical							<ul> <li>suche in the Work Cooking foreign that performing the Access is souther out to these are challenges againing the data out of the SHPA to implement the measure.</li> <li>Recommended moving the measures from the Sethandord Health Core Set Menu. Set to make because for plants to recognize a burnarious health place.</li> <li>Work Crossy wasted to maintain the measure in Menu as it is important to a plant to use these measures in contracts.</li> </ul>	ha w		in RI, rates of self-reported depression and suicidal ideation and suicida attempts among students are well above the rational average. In a 2019-2014 survey, 28% of enided somoid students reported depression, 38% reported recent suicida attempts, and takes a suicida attempts to the asset survey. 28% of thing is stood attackers approach operation, 41% reported recent suicida attempt, to the same survey. 28% of thing is stood attackers approach depression, 41% reported recent suicida ideation, and 20% reported some suicida least Asset and 20% reported some suicida least Asset and 20% reported some suicida least Asset asset and 20% reported some suicida least Asset asset and 20% reported some suicida least Asset asset asset asset asset asset asset as a suicida attended to the contract access attempts.							
				Medical Associa Son-		Preventi					2016 Sehavioral Health Measures Work Group Discussion										
13	Child and Adolescent Major Depressive Disorder: Suicide Risk Assessment	1365	Endors ed	Associa for- conven ed Physici an Consort ium for Perform ance improve	Percentage of patient visits for those patients aged 6 through 17 years with a diagnosis of major depressive claurear with an assessment for suicide disk	on/ Early	Mortal Health	Proces s	Pedatri	Clinical Data	2019 Behavioral Health Measures Work Group Flanussion • Should be included because it is required for behavioral health providers a emphasize coordination of case. Amand in use by \$4400H	1 will		<ul> <li>RI, according to the 2019 Youth Risk Behavior Survey, the percentage of high school students who seriously considered attempting salicide during the 12 months before the survey was similar between</li> </ul>	No charge	No edits - no change required	a Ma	nu nu		Menu	
	HOM ASSESSMENT			an Consort	assessment for suicide dak	on on					3003			selously-considered attempting saidable during the 12th months before the survey was similar between Willham (12.1%), and bispassics (12.1%). They and lowest among blaces (12.4%), they concerninged of submits who made a plan about how they would attempt saidde was highest among Blacks (16.4%) and Happanics (12.1%), and lowest among blacks (16.1%) and bispassics (17.7%) and closest among blacks (16.1%) and happanics (12.1%) and lowest among blacks (16.1%) and bispassics (17.7%) and closest among white made and the said of the sai		nequired					
				Perform ance										section with reginest among structure (19.2%) and respective (17.7%), and howest among window (12.7%). Among middle schooliers, the percentage of students who ever thought servicely about killing themselves was highest among Hepanics (19.8%) and Blacks (18.0%) and lowest among Whites (15.2%).							
				ment)										Phode Island Youth Risk Behavior Survey, 2019).							
							-		-		2022 Armost Sevine		For Contractual Reporting HEDIST: WCV	Old				+			
											2009 Ameni Floring: NCQA combined the Adolescent Well Care measure with the Well-Child Vis the Third, Fourth, Fifth and Solith Years of Life measures to create a new Chil Addrescent Well-Care Visits measure. This new measures only has admiss specifications.	and stice	For OHC and CTC-Ri Reporting from International CTC-Ri Reporting	Child: AMAACO performance for well-child wishs in the first 15 months showed highest performance for Blacks. (SIN) and lowest performance for Other Race (BIN) and lower rates for Hepanics (BIN) than non-Hepanics (BIN-ACO research, 2021).							
											Adopting the adolescent age stratifications for the new Child and Adolescen	Mad-	http://www.onc.ingovonc-retornantpolocy-pc/intens.php	-A MA Health System performance for well-child visits in the first 15 months showed higher performance in tithibes (65%) than in Hispanics (73%) (MA Health System, 2020).							
											Care Visit measure is the cosest repacement to the previous Addresses's Care Visit measure.			-A.MA.ACO performance was similar for English and non-English language preference individuals, but lower rates for Portuguese speakers (NR.ACO research, 2021).							
				National		Preventi								Children with severe disabilities are at a greater risk for receiving less than optimal health care than children with less debilitating conditions (Sannicandro et al., 2017).							
54	Child and Adolescent Well-Care Visits	NA	NA.	Commit tee for Quality Assura	Percentage of members 3-31 years of age who had at least one comprehensive well- care visit with a PCP or an OS/GNN practitioner during the measurement year	on/ Early Detecti	NA.	Proces	Pedatri	Claims	roless mai- aned			Children with developmental disabilities have the most profound inequality in their health care experiences. (Prolog et al., 2017).		Ye	s Me	nu Menu			
				Accura nos	practitioner during the measurement year	on								Attimost							
														-844 Health Systems performance showed higher performance for Withdes than for Blacks for ages 15-01: 10% White; 50% Black or African American (MA Health System, 3000).  A MA ACV Wald Field 5th morform accord MM Admin community 1, 200, Other Blacks 90% Millions on Laboratory 1, 200, Other Blacks 90% Millions 1, 200, Other Blacks							
														-A MA-ACO Well-Child 3-6 performance: 64% Asian-compared to 70% Other Race; 62% Hapanic or Latino compared to 77% not Hapanic or Latino, AWC: 79% Asian-compared to 68% multiple races; 72% Hapanic or Latino (68A-ACO research, 2001).							
														484 Health System performance showed higher performance for Withless than for Blacks (this was not true of the MA ACO data) across all age ranges (MA Health System, 2000).							
								-			2019 Accust Review		For Contractual Use:	-in 2016, 71% of Rhode latend's children by age 24 months were fully immuniced, above the national average of 66% (Phode latend KIDG COUNT, 2000).			_			$\overline{}$	
					Decreations of children from the con-						2019 Annual Raview - Fit performance in high relative to rational benchmarks Participants said that there is still room for absolute performance improves and that this is an important pediatric measure.	and a	For Contractual Use: HEDIS*: CIS (Combo 10 sate)	An analysis of the National Instruction General Point Style in SYCT found that children annular in							
					had four diptribets, search a solution perture is (DTaP); three polic (PV); one						2015-2016 Work Group Discussions	art to		<ul> <li>An angues of the department immunication sourcey—time ziths to zero touch static chains enrolled in Medication or with no health immuno heal lower socionation converge than privately insured children; among these groups, the previsionde of being completely unsucclinated was 1.3, 4.1, and 6.8 percent, sespectively-field at 8, 2023;</li> </ul>							
	Childhood Immunization Status	0038	Endors ed	National Commit tee for Quality Assura non	Procurage of claims 1 years of age who are for organisms and to a cightness, stress and occurage personal (CTIPS) there pole (PV), true makes, many and nobells (MRST) three hearnophilus influences type in (MRST) three hearnophilus influences type in (MRST) three hearnophilus influences (a polygit three hearnophilus influences (a polygit three hearnophilus in (MRST), one officient proc (VSV); that present conscious (anniques in procession (MRST), and the influences (MRST) and the influences (MRST) and the influences (MRST) in the instances of the influences of the	Preventi on/ Early Detecti on	Infectio un	Proces s	Pedatri	Claims/ Clinical Data	2015-2016 third direct discounting.  A walkin set discount instance is all, even if state baseline table are high; which is stated as the set of the control high; when of the con-compliant numbers are because providers missed the desired when they needed to admiristance vaccinations, not that patients did not received and the control of the control	eby		An analysis of the National Immunization Survey-Child 2016-2017 found that coverage for the combined 7-		Ye	s Mo	nu Menu			
13	Childhood Immunization Status (Combo 10)		ed	Quality Assura	tour pneumococcal conjugate (PCV); one hepatitis A (HepA); two or three rotavirus (RV); and two influenza (flu) vaccines ?~	Detecti on	Diseas e		4	Data	when they needed to administer vaccinations, not that patients did not necell them.	·		vacuum remes alse ingreet among vines non-Hepanic children (72.7%) and Aelan non-Hepanic children (75.7%) and lower among Black non-Hepanic children (65.8%) and Hepanic children (67.8%) (Hill et al., 2009).		"					
					their second birthday. The measure calculates a rate for each vaccine and nine separate combination rates.									An analysis of the National Immunization Survey-Child 2016 to 2017 found that the proportion of children who have received the combined 7-vaccine series is higher among children listed at or above the coverty							
														who have received the combined 7-reccine series is higher among children living at or above the poverty level (74.1%) than children fiving below the poverty level (82.0%; (Hill et al., 2020).							
											2015-2016 Work Group Discussions  - Measure currently uses several process to identify sexual activity		For Contractual Use: HEDISP: CHL	In RI, chlamydia diagnoses have sheadly increased in the last 10 years and disproportionately affect the Stack/Micros American population. In 2019, chlamydia rates were nearly seven times higher among Blacks/Micros Americans as companied to whites (1,2012 compared to 166.0 cases per 100,000) (Rhode Island Department of Health, 2016).							
			Contact	National Commit	Percentage of women ages 16 to 24 that	Preventi on/	Infectio		Address		notess			Rhode Island Department of Health, 2019.							
16	Chlampola Screening	0023	Endors ed	Commit tee for Quality Assura	Percentage of women ages 16 to 34 that were identified as sexually active and had at least one text for chiamydia during the measurement year.	Preventi on/ Early Detecti on	Diness e	Proces	Address ent and Adult	Claims	mai- assed			-in PI, chilamydia incidence (number of new cases per 198,899 population) was highest among Black/Micson Americans (1,502.7 per 190,690) and HispanioLadinos (H13.6), and lowest for Wilhes (\$56.4). Other scialingrups also had higher incidence than When - Native Hessian P(734.2), American Indian/Marks Native (£169), and Asian (\$21.1 ) (American Health Ranking, 2020).		Ye	s Mo	nu Menu			
				nce																	
				Center	Standardized Infection Ratio (SIR) of healthcare-associated, central line-						2001 Annual Review - Retained the measure because Rilperformance demonstrated opportunity		For Contractual Use: CDC: https://www.cdc.gov/nhsn/scute-care- hosphiliciabe/index.html	-Buying Value identified this to be a "dispartise-sensitive measure" using NQF's 2017 Dispartises Project Final Report (NQF, 2017).							
	CLARS: Occapil in Amora		Epitora	for Disease	Standardized Infection Ratio (SIR) of healthcare-associated, central line- associated bloodstream infections (CLARSI) will be calculated among patients in the following patient care locations:		Proteon	Quitness		Clinical	improvement.  - Participants expressed interested in retaining HW measures because of ut a composite.	ly an	hospitaliciabalindes.html	A national analysis of National Inpatient Survey date for 2016-2017 found that, compared to White patients, the odds of the occurrence of healthcare-associated infections (including CLABSI) were 0.94 for		No edis -					
17	CLABSI: Central Line-Associated Blood Stream infection (HAI-1)	0139	Endors ed	Control and	- Intensive Care Units (ICUs)	Hospital	Putient Stafety	0	All Ages	Clinical Data	a composition  2019 Armost Basines  Three is a list of variability in performance by houpital.  - One participant noised that these may be changes in public reporting as IH4 performance in business deposed from ICR apporting and instead will be reported.			A national analysis of National Inpatient Survey date for 2016-2017 found that, compared to White patients, the odds of the occurrence of healthcare-associated inflections (including CLASS) were 3.6 for Elacs, 4.50 th e Majoric, 5.50 for Associated inflections (including CLASS) were 3.6 for Elacs, 4.50 th e Majoric, 5.50 for Associated Associations were statistically significant vialually—vialues <-0.01. There was a statistically significant vialually—vialue <-0.01. There was a statistically significant vialually—vialue <-0.01. There was a statistically significant vialually considered in the comparison of the compar	No change	No edits - no change required	*		Core		
				on on	<ul> <li>Specially Care Areas (SCAs) - adult and pediatric long term acute care, bone marrow transplant, acute distants</li> </ul>							i as		****							
				Contar		ı I			- [		2001 Annual Deview - Harmond the measure because Rilperformance demonstrated opportunity improvement.		For Contractual Use: CDC: https://www.cdc.gov/nhsn/scute-care-hospitalicdff- msa/index.html	A national analysis of National Ingalized Survey data for 25th-25th Sound that, compared to White patients, the olds of the accounts of the attention execution of the control of the Nation Analysis of the Control of the National Analysis of the Control of the National Analysis of the Control of the National Analysis of the Nation						1 I T	1
				for Disease	Standardized infection ratio (SIR) of hospital- onset CDI Laboratory-interflex events						improvement.  -Participants expressed interested in retaining HW measures because of ut a composite.	y an		significant with p-values <0.0°. These was a statistically significant instruction between gender and race showing the most protective effect among female Asian/Pacific Islanders (Lays et al., 2000).		No edis -					
10	Ciostridium Difficile (C.diff.) Infections (HAI-6)	1717	Endors ed	Control and	Standardzed infection ratio (SIR) of hospital- onset CDI Laboratory-identified events (LabiD events) among all inpatients in the facility, excitaling well-baby numeries and reconstraintennive care units (NICUs)	Hospital	Putient Safety	Outcom	All Ages	Clinical Data	acility aned - Nated that this researce covers whole population venus a sub-population - Riperformance demonstrated significant opportunity for improvement			A national analysis of the LLS. National Hospital Discharge Surveys from 2001 to 2010 found that CDI Incidence was higher for White patients; however, Black tace was independently associated with mortality and severe CDL (SERICA that higher montality (24 % vs. 27 %, y = 0.0001), LDS 7 days (ST % vs. 22 %, y < 0.0001), and severe CDL (24 % vs. 19 %, y < 0.0001) (Argamany et al., 2016).	No change	No edits - no change required			Core		
				On On																	
											2019 Annual Review  - Riperformance as high relative to national benchmarks for this commercial	mb.	For Contractual Use: HEDIST: COL	-In RI, coloractal cancer screening rates are 78.1% for Whites, 76.2% for Blacks, and 68.2% for Hispanics (Americals Health Rankings, 2020).				+			
		9034	Endors ed	National Commit tee for Quality Assura	Percentage of adults 50-75 years of age who had appropriate screening for colorectal cancer	Preventi on/ Early Detecti on	Carcer	Propes	Adult and	Clinima/ Clinical Data	<ul> <li>- so percontance is togo seasons to reacons percontance for this commercial measures.</li> <li>- Participants thought the measure was of important clinical value and wants nation it.</li> <li>- Réchael noted that this is a PCMH measure.</li> </ul>	in the second	For OHC and CTC-RI Reporting: http://www.shic.ni.gov/shic-reformandpolicy-pomhinto.php	Helipanics (Minimizer Helitan Harrings, 2005).  In RI, coloristic concer convening time are \$2.2% for adults earning \$75,000 or more and 64.5% for adults earning less than \$25,000 (Minimizer Helita Starkings, 2005).		Ye	a Co	ne Core			
19	Colorectal Concer Screening	0034	ed	Quality Assura	cancer	Detecti on	Cancer		Adult and Older Adult	Data	-Michael noted that this is a PCMH measure.		http://www.shc.ngovoho-elbinandpolicy-jc/intenc.php	adults earning less than \$25,000 (Hondrich Hollin Rankings, 2005).  In Ri, coloractic concer covering rates are \$2,6% for colleges graduates and \$5.5% for adults with less than a high school degree (Hondrich Hollin Rankings, 2000).		,,,		ne Core			
											2018 Annual Review  - Recommended moving to Core for Primary Care based on a survey 2019 Annual Review		For Contractual Use: HEDIS*: CDC (Eye Exam rate)	less than a high school degree (America's Health Rankings, 2000).  -Buying Value identified this to be a "dispatities-sensitive measure" using NQF's 2017 Dispatities Project Final Report (ACF, 2017).							
											2019 Armail Solarious in the Plinary Care Set.  "Some participant node that the image are is clinically relevant and has clinically relevant a	na-	HEDIS*: CDC (Eye Exam rate)  For OHC and CTC-R1 Reporting: http://www.shic.ni.gov/shic-reformandpolicy-pomhinto.php	Final Report (NGF, 2017).  In RI, the percentage of adults who reported being told by a health professional that they have diabetes.							
											Another participant noted it is a CMS Star measure.  2015-2016 Work Stress-Discussions     Restonals not articulated.		ntp://www.ahic.rigovibilio-reformandpolicy-pombinfo.php	-in Pil, the percentage of adults who reported being told by a health professional that they have disbense jeculating predicitation and geratificial disbense) was 11.0% for Blacks, 10.0% for Hispanics, and 9.0% for Whites (Horeitzits Health Pankings, 2020).							
											Rationale not articulated			for water protectors seam content, cours, In R. districts provisionce is increasing meetly among Black non-Hapanic adults. RI adults whose primary/language is Spanish are diagnosed with diabetes 2x more often from tross whose first longuage is English (REOH 2014).							
				National	Percentage of patients 18-75 years of age									In Rt. districts in nearly 2x more common in lower income adults and adults with less education 14.5% of adults with annual incomes < 0.05 are depresent with schedule common to 7.00 of the com-							
20	Comprehensive Diabetes Care: Eye Exam	0055	Endors ed	Commit tee for Quality Assura	with diabetes who had a retiral or distent eye exam by an eye care professional during the manusement period or a negative retiral exam (no evidence of retinopathy) in the 12 months prior to the measurement ceriod	Chronic Bress	Diabete 4	Proces s	Adult and Older	Claims/ Clinical Data	nolessa etai- mand			4) PL (dibotes is rearry 2x more common is lower income adults and adults with less education (14.5% of adults with annual incomes «SIGE» are disposed with diabetes compared to 7.6% of adults with scores of 517% and 12.5% of adult without a high school diploma compared to 6.4% of adults with at least some college education) (SIDCH), 2014).		Ye	a Co	re Core			
				Assura nos	exam (no evidence of retropathy) in the 12 months prior to the measurement period				Adult					in RI, individuals with disabilities are disproportionally represented among the diabetic population (roughly fillfs of Ris have disabilities, but 40% of adult diabetes have disabilities). (RIDCH, 2014).							
														The Michigan Medical managed care performance on this measure was 6.4 percentage points higher for Whites than for Blacks (intel disparty research).							
														-8A Health System performance showed eye main rate of 29% for Bitack/Mrican Americans and 22% for other race/mails-racial people (MA Health System, 2001).							
														Compand to adults without disability, those with physical disabilities and those with cognitive limitations experienced more disabetes (Perichard et al., 2015).							
											2015-2016 Winds Conventions		Confront of the								
											2015-2016 Work Coup Discussions  - Dangerous guideline because it is medically unadvisable to lower some pr Afic values below \$16.	ierts!	For Contractual Use: HEDIS*: CDC (-diffs rate) For CHC and CTC-RI Reporting http://www.chic.ni.gov/obic-	-Buying Value identified this to be a "departise-narrative measure" using NQF's 2017 Departises Project Final Report (NQF, 2017).  -In Ri, the percentage of adults who reported being told by a health professional that they have diabetes.							
											<ul> <li>Massure increase preclusion criteria.</li> <li>NCOA's rating system includes this measure with highest ranking.</li> <li>HAA's good control (48.0%) is more aligned with the targeted patient pop.</li> </ul>	ation	reformendpolicy-pomblefo.php	-in Rt. the percentage of adults who reported being told by a health professional that they have diabetes (excluding prediabetes and gentational diabetes) was 11.0% for Blacks, 10.9% for Hispanics, and 9.9% for Whites (America's Health Rankings, 2020).							
											(commercially insured filledicald patients).			In Rt. diabetes prevalence is increasing mostly among Black non-Hispanic adults. Rt adults whose primary/language is Spanish are diagnosed with diabetes 2x more often than those whose first language is English (RDOH, 2014).							
														language is English (RDOH, 2014).							
	Comprehensive Diabetes Cyre:	pene	Endors	National Commit tee for	Percentage of members 16 - 75 years of age with diabetes (type 1 and type 2) whose most recent HbArc level is -06.0% during the measurement year.	Chronic	Diabete	Outcom	Adult and	Clinima/ Clinical Data	PORess.			In PL district is nearly 2x more common in lower income adults and adults with less education (14.5% of adults with annual incomes - 426k are diagnosed with diabetes compared to 7.5% of adults with incomes of 97% and 12.0% of adults without a high school diploma compared to 6.6% of adults with at least come college education (19.0%). (23.6%).		Ye	s Co	ne Core			
21	Comprehensive Diabetes Care: HbAsc Control (<8.0%)	4875	ed	Commit tee for Quality Assura	most recent HEATC level is <8.0% during the measurement year.	Care			Older Adult	Data	mand			In RI, individuals with disabilities are disproportionally represented among the diabetic population		V4	- 0	Con			
														(roughly 16% of Ris have disabilities, but 42% of adult disbetics in Ril have disabilities) (RIDOH, 2014).  In RI, adults whose primary language is Spanish are diagnosed with diabetes two times more often than those whose first language is English (RIDOH, 2014).							
														those whose first language is English (RECH, 2014).  -The Michigan Nedicial managed care performance on this measure was 6-4 percentage points higher							
														for Whites than for Blacks (state disparity research).  484 Health Swaters performance showed evereper rate of 20% for Black/African Americans and 10% for							
														other race/multi-racial people (MA-Health System, 2020).  Compared to adults without disability, those with physical disabilities and three with receiving							
					mis measure examines the percentage of individuals 16 years and older with concurrent use of measurings against an						2019 Annual Devise: Remove and re-categorine as Developmental. This is a topic of importance		For Contractual Use: PQA: https://linyurl.com/PQA-opiold-benzo-concurrent	Compand to adults without disability, those with physical disabilities and those with cognitive In a retrospective cohort study using national data from 2014-2019, White and Hispanic beneficiaries had higher rates of co							
22	Concurrent Use of Opioids and Benzodiszepines	2289	Endors ed	Pharma cy Quality Aliance	berzodszepines.	Sehavio rail	Substa nce	Proces	Adult	Claims	2019 Annual Review Township Control Annual Review Township Control Annual Review and Township Control Annual Co	-			No charge	No edis - no change revoked	s De	velo Devel			Development tal
				Allance	inclinidists filly years and other with concurrent use of prescription opioids and benzodisrepines. The discription includes individuals fill years and older by the first day of the measurement year with 2 or more	Heath	Abuse				2017 Account Devices  - Opinide in a state health priority			-in Ri, Black residents have higher rates of ovendose compared to White residents (\$7.1 per 100,000 person-years compared to \$6.4 per 100,000). Over time, we see that overdose death rates are increasing flastest among Black and Hapanic Rhode standers (Prevent Overdose Rt, 2020).		required	1 '	1 '			
											2000 Aroust Devise: NCQA significantly modified this measure so that performance will likely no	nger	For Contractual Use: HEDIST: CSP For OHC and CTC-RI Reporting http://www.chic.ni.gov/ohic- reformandpolicy-porthints/php	-Buying Value identified this to be a "dispartiser-sensitive measure" using NQF's 2017 Dispartises Project Final Report (NQF, 2017).							
											on comparation to prior year performance. Therefore, CHC is moving this measure from the Core Sett to the Menu Set for one year to allow payers an provident to gether baseline data.		For CHIC and CTC-Ri Reporting: http://www.ohic.ri.gov/ohic- reformandpolicy-pornhinto.php	4n RI, high blood pressure deproportionately impacts individuals of lower socioeconomic status. In 2017, 36:5% of adults with incomes below 200% of Federal Powery Level (FPR.) test linear hypertension, compared to 27.7% of adults with incomes at or above 400% FPR. (Rhode Island Department of Health, 2017).							
				National Commit	Percentage of patients 18 to 65 years of age who had a diagnosis of twoesterator (47%)	Chronic			Adult	Claims	2019 Annual Devises - The Work Group agreed to adopt NCQK's changes to the measure.	The specifications for OHC and CTC-RI reporting are for the 50*196 - 8/30*19 reporting period and therefore align with the		compared to 27, 7% of adults with incomes at or above 400% EPE, (Rhode Island Department of Health, 2017).			Mo	nu Manu			
22	Controlling High Blood Pressure	0018	Endors ed	Commit tee for Quality Assura	Percentage of patients 18 to 65 years of age who had a diagnosis of hypertension (HTN) and whose blood pressure (SP) was adequately controlled (+140/60) during the measurement war.	Eness Care	Cardiov ascular	e outcom	Adult and Older Adult	Claims/ Clinical Data	nai- ased - Measure used by CTC-Rt SCSSRR & Tufs, also by MSSR and Medicare I	Mutta zons specifications, not the HEDIS 2019 specification which were recommended by the CHIC Measure Alignment Work Group. Awork group will be discussing this discrepan		-in RI, high blood pressure rates are highest for the Mallindoid (SLON) and Other Race (45-6N) categories. Rates are 35.7% for Blacks, 34.3% for Whites, 36.0% for Hopanics, and 15.2% for Asians (America's Health Rankings, 2020).		Ye	Me (88 10-5 in 200	nu Menu (Move Core to Co for 201 2021	1		
				nce							<ul> <li>Considerable overlap between this measure and "Comprehensive Diabete Care: Controlling Blood Pressure."</li> </ul>	in segmentaler 2078.		<ul> <li>In an NHMCS survey (2011-2014), among all adults with hypertension, the overall prevalence of hypertension control among non-Hapanic white (52.7%) adults was higher than among non-Hapanic black (48.5%), non-Hapanic Asian (43.5%), and Hapanic (47.4%) adults. (Yoon et al., 2015)</li> </ul>							
														(48.5%), non-Hepanic Asian (43.5%), and Hepanic (47.4%) adults. (Youn et al., 2015)						1 1 1	

24	Depression Revision at Sia Months	6711	Endors ed	Misson da Communication (Communication (Communicati	Percentage of shall patients ago 10 and other in Princip deposition of purposes of the controlled section of the controlled and patient of the controlled section of an appear of the controlled section of an appear of the controlled section of the deposits of controlled section of the deposits of controlled section of the deposits of controlled section of the bandward.	ACARIN CIRIO	Mercul Heath	Outcom 6	All Ages	Ciolest Product Clean tone Oter been	Substitution of the common with children in Substitution of the common with children in substitution of the common with children in substitution of the common with children in common with children in children in common with children in children in common with children in children in children in a list of common with children in children in a list of common with children substitution in a list of children substitution substitution in a list of children substitution in a list of children substitution substitution substitution substitution substitution substitu	MCCAL The company and the CCAL CT 1	The all found of the all the a	No dange	No editic - no change required	Yes	Rhenu	bles			Menu	
25	Depression Rentesion or Desponse for Adults and Adults	MA	NA.	National Commit tee for Quality Augus 1008	The presented of constant 12 years of large and man of the constant 12 years of large and man of the constant 12 years of large and larg	Acate Case	Mercal Heath	Outcom 6	All Ages	Electro sic Pondard Pondard Rose- Electron Based a 4	And the contractions of the contraction of the cont	For Commentation Indian Indian Chair	All any security of the Part o	No changes	No edition - no change expelled	Yes	Crevito presente I	Creatio prents I			Davelopmen sal	
24	Depression dozening and Falled Up for Adolescents and Adults	N NA.	NA.	National Constitution for County Autority Autority Relation	Precenting of numbers 12 years of age and only the preceding of numbers 12 years of age and dependent of the preceding of the	Provents on Early Delection	Mortal Heath	Pisces s	Addess ent and Adult	Citizent Production one- Date toward	Section Actions  1. The territory and the measure as a top party for development  1. The territory and action of the territory and the territory and the territory and the territory and	For Environment trave vision—Cold	Annual section of the set of September 1992, and the set of Se			York	Develo priverta I	Owesto preents I				
27	Developmental Screening in the First Three Years of Life	5649	No Leagar Endors ed	Oregon Health & Science Universility	Precurage of children sowered for risk of developments between all social delays, the children of the children of the children of fact trees, and this This is a measure of the social children of the children of children of the children of the children of children of the children of the the children of the children of	Proventi on/ Early Delecti on	NA.	Proces s	Pedatri c	Chaineal Produced States Codes	Continued to the contin	For Commonstill as an OME, and CTS-Riffugueing.  They have selected and common production of the selected and they are selected and they are selected as a selected and they are selected as a selected and they are selected as a	control with the beautiful the second of the plants for the control and contro			Yes	Core (Revisit for 2002)	Core (Revisit for 2022)				
28	Diseases Someolog for Program  Diseases who has thing and antipage and a strong and a strong and a strong against the edited as a strong against the edited	1922	Endors ed	National Commit Guality Autors NO	Parcentage of patients till - Se permit of sea with schildproteins in basic discolar pile was beginned an entgegelsket stellarbeit was beginned an entgegelsket stellarbeit an entgelsket stellarbeit og ble skrivet og det	Chronica Bross. Care	Mircrail Health	Process s.	Add	Cisites Product con- tract	gick begand until houses that four distances  - less grackes masses	For Common value shadow con o	Song the contribution of t	No change	No edits - no change required	Yes					Mena	
29	Elective DeliveryPrior to 28 Completed We eta Geression (PC 61)	- 0469	Endors ed	The Jaiet Connexi asion	This research assessed policies with section singled deliveries or executive consenses section, at **-32" and **-22" when the dispersion companie. The research are fine consenses that aboves periodic care [PG-CC Consenses Control, PG-CC Assessed Section, PG-CC Assessed Section in Manufacture, PG-CC Assessed Section, PG-CC Assessed Section in Manufacture,	Hospital	Progna ncy	Outcom e	Address ent and Adult	Cinimal Product Ciricul Ional- Data based	difficulties lives consciously from a This, national rate is 4%  - Boost the regispositions of Trains at This, national rate is 4%  - Concern calsed that the denominator is small and therefore problematic for measurement for small hoppidals.  - It was noted that there is a state task force working on early induction.	For Commission Line T.C. FP-GE Tripps Transmal joint commission outphinasses TLCSID1A-Peri tripps Transmal	dang sa ansiste fina is in triggeries unter source required CP and Direction Front Anni Anguine CP. 2007. 2007 personal filt rises was lighted to describe all decidence and decidence of the control	No change	No editions no change required	Yes	Manu		Menu	Menu		
20	Emergency Department (ED) Visits per 1,000	NA.	NA.	National Commit tee for Quality Assura 508	Rate of ED visits per 1,000 member months	Populati on Health	Emerge ncy Care	Outcom e	Adult and Pediatri c	Coins Facility based	2015-2016 Work Group Discussions	For Community The CTC:	to to U.S. in 2011, the ED violatizate for non-Helganic Black or African American persons (ET violation and Signature) are light a first from the Frequence (E) violation per 50%, to Anthonyon. Exist four for sold and the person of the Signature Control (Exist Signature C			Yes		Mess				
31	Exclusive Brasst Mik Feeding (PC-68)	0480	Endors ed	The Joint Commit selon	PC-Gs assesses the number of newborns exclusively find breast milk curing the newborn's entire hospitalization and a second rate. PC-Gds which is subset of the first, which includes only those newborns whose mothers close to exclusively fined breast milk. This reseause is a part of a set of five radionally implemented measures that address perinatel care.	Hospital	Pregna ncy	Proces s	Pedatri c	Claims/ Professor Claical ional- Data based	reamoned manual from Acute care recipital set because repercimance is stronger than national performance and will be replaced in the future by the new CMS materials measures.	For Constructed Unite T.C.: PO-66 TSC: PO-66 Topp: Ill navus juint commission orgiviesses (TUCS021AFWs ann John	And the second of the second o	No change	No edits - no change required	Yes	Menu			blenu		
22	Fluoride Varnish	MA	NA.	Ri Depart ment of Health	Percentage of children, age 6-3 years, who inceleded a fluction worked application in primary case forcing the measurement periodic on the properties of the	Presenti on	Oral Health	Proces s	Pedani c	Cirical Profus Data Iona- based	2016 Annual Decision  "The decision of the work group was to emulate the specifications of the Developmental Screening measure substituting the CPT code for developmenta screening for the CPT code for founde varnish.	For Commenced Units  Floating for min  Specification	on its developed defined properties of inconference investigate, not seen recentrating of other involvation and consideration of the conference involvation and consideration and public for the first developed properties. The conference involvation in the conference in the conferenc			Yes	Manu	Mess				
23	Follow-Up After Emergency Department Visit for Acobol and Other Drug Dependence	3680	Endors ed	National Commit tee for Quality Assum 100	The percentage of emergency department (SD) yields for members 13 years of age and older with a principal diagnosis of allotted or other drug (MCD) department, who had a bolice of the drug (MCD) department, who had a bolice of yields MCD. The measure 11 has percentage of DJ visits for which the amenter recorded follow-oy within 30 days of the SD visit.  2. The percentage of SD visits for which the	Hospital	Emerge ncy Care	Proces s	Al Ages	Claims Profess Claims ionsi- based	months; and one in the hird (\$\frac{1}{2}\$ to \$\frac{1}{2}\$ months; does not follow to \$\frac{1}{2}\$ the clotical \$\frac{1}{2}\$ for the hird (\$\frac{1}{2}\$ the hird (\$1	For Comments of Units: HEDIST FLIA	diaping Maka sizerfider this in bina "Magaetine-entrolline measura" using NGFV 2017 Diapartice Project Familiarpoin (MGF, 2017).  **In a study of Marked berthe-entrols colores from "Si citates in 2008 year including Rijk, the orbit of Maka- up Aller microscore and distale CFD discharges ware linear among white errans a Visious Annotations person-dup Malance of orbital among discharges ware linear among which were discharged and in the basic of discharges seen when the Malance of orbital among discharges ware orbital from a final and discharge of the discharges of the Malance of the discharge of the Malance of the Malance of the Malance of the Malance of the discharge of the Malance of the Malance of the Malance of the Malance of the discharge of the Malance of the Malance of the Malance of the Malance of the discharge of the Malance of the Malance of the Malance of the discharge of the Malance of the Malance of the Malance of the discharge of the Malance of the Malance of the discharge of the Malance of the Malance of the discharge of discharge of the discharge of the discharge of the discharge of discharge of	No change for MY 2021 Proposed thanges for IMY 2022 (1) Expand the demonstrator to locate EO visits due to overdose of drugs with common losters operation in visit due to overdose of drugs with common obsessor postersistics "any" diagnosis position. (2) Expand the numerator to slave titure op within with SCO indicated in "any diagnosis position. (2) Expand the numerator to diagnosis position. (2) Expand the manufact to the control of the	Major edits - rotain an Manu measure	Yes	Mesu		Menu			Menu
34	Follow-Up After Emergency Department Visit for Mental Illness	3609	Endors ed	National Commit see for Quality Assura nos	2. The percentage of ED visits for which the The percentage of emergency department (ED) visits for members if years of age and older with a principal diagnost of energial litests, with had a follow-up with for methal litests. The under are reported. 1. The percentage of ED visits for which the emergency consideration of the ED visits. The SED visit. 2. The percentage of ED visits for which the	Hospital	Emerge noy Care	Process s	Al Ages	Profess Claims ionsi- based	<ul> <li>Occupation of final-legis for means and tracticular these are accuse with created.</li> <li>Price for acceptance or measures because and finight file performances for 20-day.</li> <li>-Resident but a record from Cores to Mellow because performing protected out that foil crease using average performance as being distinct polytic performance and there is action performance and the record of the foil created and the file of the foil created and the foil created and the file of t</li></ul>	For Commensal Use: HEDIS** FLM	Outpig Nakes identified this to be a Magastien-centralise measure" using NGFY 2007 Departmen Project Family Report (MSF, 2007).  As a today of Marke in the ore-service advance from 15 states in 2009 (not including RR), the odds of sever- and 20 delp Marke-graiter measts about 50 deutages were bosen among mans, Albrack Asserticas, and the Market was the department of the model deutages were bosen among mans, Albrack Asserticas, and beneficiates with department and other model deutages compared with other preplication, deprocess Crosses et al., 2017).	No shange	No edis - no charge required	Yes	Menu		Menu		Monu	

					Percentage of discharges for members 6			-			2001 Account Review		For Contractual Use:	4a.ping blake identified this to be a "disparities-associate measure" using NQF's 2017 Disparities Project									
	Follow-Us After Hospitalization	576	Endors ed	National Commit tas for Quality Assura	years of age and older who were hospitalized for treatment of selected mental health desorters and who had an CP viol, an intensive OP encounter, or partial hospitalization with a mental health partitioner. "The orders are reported: 1) the percentage of members with recolved follow- py within 2 days of descharge, 20 the percent of members who recolved follow-up within 7 days of discharge.	i Hospital	Mortali Health	Proces s	Adult and Pedani	Proless Claims ionsi- based	-Participant political out that ISI performance in which is national average in their driven by high performance and there are still low performence in Rr. Restalland due to opportunity four improvement. 2019 Aversuid Review Political as a Chron Manasure for behavioral health houghteis. - Participants in occommended this measure be included to provide incentive for communications between imprieter and outparted techniques to leading provides.	Use if the facility has an adequate payer-specific denominator size.	HEDIST: FUH (7-day ratio)	Final Report INCF, 2017).  A Makey skip of the form the Medical Expenditure Drand Survey (2004-02110) assessed the quality of enapplied transmissed expended for the state of	No shance	No edis - no change required				Core	Con	Men	
35	Follow-Up After Hospitalization for Mental Blness (7-Cus)	5%	ed	Quality Assura nce	percent of members who received follow-up- within 7 days of discharge	Hospital	Heath		Pedani	Claims lonsi- based	2017 Acrossi Sincinz  - Nat applicatable for primary case because (1) specifications do not accept a follow- up left with a PCDP and (2) PCDP is not necessarily notified if a follow-up in performed by a behavioral health provided 2015-2016 by Mos Genum Software in 2015-2016 by Mos Genum Software	size.		Progle with developmental disability had a mean of 1.74 (50 1.64) hospitalizations in 200504, compared with 32 (50 0.00) hospitalizations for people without developmental disability. The proportion of people without developmental disability has in policy on the regulation and people without developmental disability has in policy on the regulation and people with the People people with the proposition of disability has in policy on the regulation and disability were innover fleely to these exultate hospitalizations in that there frame (question at all 2016).	No change	change required	Yes	Core		Core	Com	Men	
											<ul> <li>The plans are looking a? Yays or less. For earme ? days seemed too short, while 30 tays seemed too leng.</li> <li>2017 formal Steden</li> <li>Participants suppress relating the measure because of the value of the survey questions at indicating quality of case and due to opportunity for improvement in RI hospitals.</li> </ul>		For Contractual Use: CMS: https://www.ahrq.gov/cahpe/kunveye- guidance/hospital/index.html	For CG CAMPS:  A MA-Health System found that all racialleshelic minorities performed lower than Whites on: Care Coordination, Provider Communication, and Provider Plating. Asians had lower patient experience on all ambitation composels (MH-AMES System, 2556-2518).									
				Cantars for	27-hons survey instrument with 7 domain-						2015 2016 What Group Characterisms  - Pilit swerage is arisinate to the rest large absolute rate is still low (75%)  - Descharged in straints on now a new domain  - Coupy agreed to include all the domains/spections  - Coupy agreed to large the "Many" response  - Coupy agreed to large the "Many" response			-A.M.Hassift System found that non-English-speaking gatiersts are none likely to recommend their provider. Non-English-speaking patients have lower patient superience access in the areas of Care Control									
26	HCMPS	0166	Endors ed	for Medicar e & Medical d Service	27-bans survey instrument with 7 donals- level composites including: communication with doctors, communication with nurses, responsionness of hospital staff, pain common communication about medicines, cleanliness and quistof the hospital environment, and descharge information.	Hospital	NA.	Patient Experie nce	Adult	Survey Facility- based				Case digital beneficiarie with a disability were now likely to apport being unable to get reveals health care company to the indicative without a long life. West 120 (150, 120):  A national analysis of responses to the 25th 25th SMM CMPS as very bound tout, companied with White lead for living. American Indicativities leading living and land individual feature (MPC) beneficiaries. And the leading living livin	No change	No edits - no change required	Yes	Menu		Core			
														ANN beneficiaries ware 4-6 prints to 1 a 7-100 citally discitative Ann England Canada van VII 2 and 1									
				Control	This measure-estimates the hospital-level, nick-standardood rate of unplanned, all- cause readmission after admission for any eligible condition within 20 days of hospital						2001 Annual Duslaw  -Publicipatis suppose resisting the measure for the Acute Care Hospital  -Publicipatis suppose only if was it was by a paper in Sethenbook shallow  Heaping Contracts, glow the measure explicitly excludes admissions primarily for porphishing cleanure.		For Contractual Use: CME: https://www.qualitynet.org/lines/Seaa/Rbdelffc8001998824275e me=2000_HMR_ME_SpeciaReport.pdf	Plast AP-Cause Readmission: - Guying Natur derelfied this to be a "dispartise-sensitive measure" using NQF's 2017 Dispartises Project and Final Report (NQF, 2017).									
27	Hospital-aide Readmit (READM- 20-HOSP-HIDE)	1789	Endors ed	Canters for Medicar e & Medical d Service s	This measure estimates the bacquiteries, all cases maderial coil est of unplaced, all cases maderial coil after definition for any eligible condition within 20 days of houghts discharge (PSERS) for prisents aged it sind summary (PSERS) for prisents aged it sind summary (PSERS) for prisent aged it simma- weigned results of the different models, or or each of the fall simple specially objects for each first fall simple specially objects production categories or production categories or production categories or production categories or production categories, and production categories or production categories or production categories or production categories or production categories or production categories or production categories and some production categories production categories and some production categories and some production some production and some production some som	Hospital	Patient Safety	Outcom e	Add	Claims Facility- based	psychiatric desasse.  2011-2014 White Genus Discussions  - Pol same as realized aways; - about 15%.  - This measure in difficult to risk adject.			-The California Medicaid managed care readmissions rate uses 4.4 percentage points forwer for Whites Was for Blacks (state departies messors).  **Happacis was relisered field or monthalistics compared to Whites. The risk-educated Ballhood of So- day materialism among Blacks compared with Whites was higher coveral (Bass et al., 2018).	Regular updates to codes referenced in specifications	Minor edits - no change required	Yes	Menu		Core			
				1	procedure categoriest: surgesylgynecology, general medicine, cardionepinatory, cardiovascular, and neutrilogy, each of which will be described in greater detail below. The measures also invite state that househal The total number of house that all patients						2021 horsel Review		For Contractual Use:	Medicare and Medicald patients were significantly more Bledy's be madmitted compared with privately insured patients. Unknowed patients were less Bledy to be madmitted place et al., 2015; "Objety Walan Sentified this to be a "Supartise-sensitive measure" using MGPs 2017 Dispartise Project									
28	Hours of physical restraint use (MSIPG-2)	0640	Endors ed	The Joint Commi ssion	admitted to a hospital-based inputient psychiatric setting were maintained in physical restoint. This measure is a part of a set of seven nationally implemented measures that address hospital-based incorrect overhittic services that are used in	Hospital	Patient Safety	Proces s	All Ages	Clinical Data	2001 Armand Depling  -Resistant in Silvan-Armand Health Versphal Measure Set because of opportunity for improvement.  2014 Armand Engling  Decision and American Security Secu		For Commission Use: TSC: HBPS: 2 https://inanual.joincommission.org/Infeases/TSCSS2NAHospi assotipationPsychiatricServices.html	Dept visual section 2 to 10 to 1 Visualities excision measure* using YLCF 3 2017 Dispertises Project from Project Force	No change	No edits - no change required	Yes				Menu		
		0641	Endors	The Joint Commission	The Joint Commission's accordination seconds:  The total number of hours that all patients admissed on a hospital-based inputient psychiatric setting were held in seclusion. This measure is a part of all set of seven rationally implemented measures that address torapital-based sparient psychiatric services that are used in The Joint Commission's accordation process.		Patient Safety	Proces s	All Ages	Ciristaal Data	Four persoperts voted in favor of this measure.     The medicant and this is an important measure for hubbliored busht sedicate.     The medicant medicate in the sedicate of opportunity for improvement.		For Contractual Use: TUC: MEPS-0 THE HIPS-0 Asset Parket Psychiatric Services Anni asset Pparket Psychiatric Services Anni	In a netrogechia consistenti study of all systems (n + 60) i seam ti timi. January 1000 trough August 2004 (1000 trough August 2004) (1000 trough Au	No change	No edis - no change required	Yes				Menu		
28	House of sections are property	0641	Endors ed	Commi	nationally implemented measures that address hospital-based inputient psychiatric services that are used in The Joint Commission's accreditation process.	нара	Salety	•	ALAQUE.	Data	2019 Armusi Staviese Include as a Manu Manaure for behavioral health hospitals.  - Sis participant value in favor of this measure.  2019 Armusi Staviese		For Contractual Use: HEDSP: Bill (Combo 2 rate)	This difference of organism whom the rumbor of incidents of sections are consistent inductionly inflore boards were interesting properly board and 200 sections. The contraction of the	No charge	change required	765				MALL		
											30th Amend Enrice; - There is Nigh performance on the measure mistrice to national benchmarks: - Participants in commended whating this measure due to low absolute performance and to circuit importance.  2017 Annual Enrice; - Cortico 2 adopted instead because these is more storm for improvement and because them are two performing choices of measures.		PRACTICAL STREET	U. I. to an 2-74-7 vaccine first an instrument on the administration of the controlled is set in 3-14-97 vaccine for femalise (77% vaccinetate), that in the relation for the 1-femalism (ACM 77 vaccine felf-10 secondated), and fifth in the relation for the 1-12-pt vaccine felf-10 vaccinetated) (9-fixed estand KCSZ COLANT, 2009).  -The Medicald managed care performance was 4.7% fower for Whitese than for Blacks in Cultionia and									
40	Immunizations for Adolescents (Combo 2)	1407	Endors ed	National Commit tae for Quality Assura nos	Percentage of adolescents 13 years of age who had the recommended immunications (meningeococal vectors and one stemus, diphtheria toxicids and aceliular pertussis vacche (Tdap) or one teterus, diphtheria boxidis vacche (Td) by their 13th bithday.	Preventi on/ Early Detecti on	Infectio us Diseas e	Proces s	Address of	Claims Profess Clinical ional- Data based	Secular tree we we have parameter decided measures.  2015-0016 Work Comput Discussions  - Usable and network Enseaure set, even if state baseline rates are high, want to conflow to monitor this to ensure rates remain high.  - Some of the accomplate matters are because profess missed the date by when they resided to administrar vaccinations, not that patients did not receive them.	Ri is using the updated version of this measure which includes the HPV vaccine.		1.5% higher for Whites than for Blacke in Michigan (mind dignality research), or the U.B. is 20%, an processing of Higher and indexesses \$450 pp. on 5-5° who near recorded at least 1 does of manipoporous various was higher companied with White addresses \$75.7%, The secretarity of distinctions again 15-15° does were reclosed at least 1 foreign of mentiographic various was leaver for those who live in poor, low-, and middle-incores house-holds companied with those from high-incores househald (APPIO), 20%.			Yes	Menu	Meru				
				nce	toxids vaccine (Td), by their 12th bithday.						when they needed to administer vaccinations, not that patients did not receive them.			been to take and an appear of the property of									
											2019 Annual Stanlars  - No Ottewath in adding it to the PC set as there are already enough measures and this may be snow appropriate at the ACO beau.  - One person membrand that SERT seemed before under PC.		For Contractual Use: HEDSP: EXT	-Buying Value identified this to be a "dispartise-sensitive measure" using N2F's 2017 Dispartises Project Final Report (N2F, 2017).									
					Percentage of adolescent and adult members with a new episode of alcohol or other drus (ADD) slatus or decendence who						2017 Annual Review  - Not feasible at the primary care-level because of small denominators, but can be feasible at the ACO-level			in RI, rates of alcohol use among both adults and teers, alcohol use disorder, and unmet treatment seed are all well above nadional levels (Potols Intel® Disorderment of districtions Healthcare Development (Intelligent & Healthcare, 2016).  4 Rooks kinders across all page groups have higher rates of reseding but not resching treatment for Blidd daug use composed the residence 2015-05 (Fig. 1915).	No change for MY 2021 (1) Change the Proposed changes for MY 2022 (1) Change the reseases from *sembler-based" in "splando- based." (5) Leighten the angelies SCE look-dack partid from 60 days to 180 days for defining a "here wiploaded of SCE treatment." (5) Remove the "here wiploaded SCE treatment." (5) Remove the *semination of SCE treatment." (6) Remove the *semination of SCE treatment." (7) Remove the *semination of SCE treatment." (8) Remove the *semination of SCE treatment." (								
41	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment	0004	Endors ed	National Commit ten for Cuality Assura non	received the following  Initiation of ACD Treatment. The percentage of members who inliate teatment through an inpatient ACD admission, outpatient visit, intensive	Chronic Brees Care	Substa nce Abuse	Proces s	Addesc ent and Adult	Proless Claims ional- based	2015-2016 Wark Group Decreasing  - Suggestion that using claims range and be a valid methodology because of bundled range, but YoCk valid by year the health plans  - Shoon for engineering CL-1% date to the measure.  - Room for engineering			+600 structure across as large groups may right fails or reseasing our non-real civility or relatively or relative	pendo from or days to 180-tays for defining a "new opicide of SLD treatment." (i) Remove the measure numerator requirement that psychosocial treatment accompany pharmacotherapy for treatment of opicid and alcohol use disorders. (4) Add stratification for	Major edits - move to Manu measure	Yes	Menu					Com
	Dependence Treatment			Assura nos	Proceedings of administrate and sub- members with an eviglobed attraction or and option of the contraction of the extraction of AGO Treatment. The extraction of the Statement. The statement of AGO Treatment and a statement through a regional AGO administry, outputer Vall, present outputer excursions or partie toup belongs of (AGO) within 14 days of the diagraphic (AGO) within 14 days of the diagraphic action of the AGO Treatment. The percentage of marendown who inhaland and the AGO Treatment and the percentage of the articles who inhaland and the AGO Treatment and the approximation of the days of the inhalance with a days of the inhalance with	Care	Abuse		Add	based				powerful of the or train your disease continued in the sease of design of cleants developing places.  All the continued of th	measure numerator resplanment true propherosci treatment accompany pharmacomhemopy for trustment accompany pharmacomhemopy for trustment of epicid and about is used assistances, (e) And medication for "behavioural learnt companies" (so occurring the content of all ages straffications, (-), (5) splittine current and all ages straffications, (-), (-), (-), (-), (-), (-), (-), (-)	Menu measure							
					actions ACU services of MAT within 34 days of the initiation visit									than whites for both types of treatment. Complaints departies for Bischa and Helpanics were largely epithent by differences in sociocomonic status and, a particular, great remotipyment and housing instability Houseut, the alcoholmisestment departly for Yadine Americans was not explained by sociocomonic or treatment variables (Saloner et al., 2013).	18-64 age stratification. (7) Court each new episode of SUD treatment in only one SUD diagnosis cohort.								
											2019 Janual Review This was originally added to the Primary Care Measure Set based on its use as a CTC incentive measure. The measure is still being used by CTC.		For Contractual Use: CTC:	A Riv 2Ch, the surray percentage of patients uses by such hospital with users reported as Within soil.  ECR, Michael van ECR, Alban seed SSH, Hendersbrudde blander van ECR, and belan en ECR, and eCR, a									
	Investigant Marks over 1 689			National Commit	This measure summarizes utilization of acute inpatient care and services in the following categories:	Street		Conti			2017 Forcest Resinus  - Time in a straight femorial incentive to reduce visits without a measure, but is required for reporting via CTC-98.  2015-2014 Views Group Stancestore.  - Considerand stong Securation of stillarision as a pair with ED visits.		CHC	oported an Nort-Hippanic Lutino-was (66/H), and patients were reported as unknown ethnicity was 2.0% PLOCH (2015) (Companio 20 SMD LLS. Census for PRode Island 5 rt 6 VH). A CTN Elast or African American, 28/H, Aslan, 0.1% Native Hexasian/Profile Islander, and GIN American Indian/Bassian Nation, 6.0% Some Other Race, 2.3% Two or More Received. 12-KN Hepanic Latino, 67-KN Nat Hepanic Latino, 1.0% Some Other Race, 2.3% Two or More Received. 12-KN Hepanic Latino, 67-KN Nat Hepanic Latino, 1.0% Some Other Race, 2.3% Two or More Received.									
42	Ingerient Visits per 1,000 (Inpatient Utilization - General Hospital/Acute)	NA.	NA.	National Commit tax for Quality Assura 1009	-Total inguisent -Maternity -Surgery -Medicine	Populati on Health	NA.	Cost' Resour ce Use	Adult	Clinical Facility- Data based				Nacional discharge and from Profile bland has designed of 100 declarate per la the state.  4 Disch bland Profile discharge of 4 declarate per la great own every period, 465 MBMs, 11 11 MBMs,  1.45 Nath, 0.15 Nacest can finderlysteads hallow, 0.27 Nation beaution Profile bland of 615 Tools or  1.45 Nath, 0.15 Nacest can finderlysteads hallow, 0.27 Nation beaution Profile bland of 615 Tools or  1.45 Nation State, 0.25 Nation beaution period of 100 Nation bland bland b			Yes		Manu				
											2009 Annual Review		For Contractual Use:										
											5000 Aread Bosine. NCCA Adoption the execute as a replacement for the infered Comprehensive Coalesias Care: Infecta America for Inspiroposity measure. The reseases Coalesias Care: Infecta America for Inspiroposity measure. The reseases conclused a Solving America for the Coalesia of th		For Contractual Use: HEDIS*: MED	4 FIT, Littley disease in most common among individuals who are law indicate. If it is among adults making -ddfs (another a lower extent individuals) and the analyse ddfs. Captured to 1.5% among adults making -ddfs (another a lower extention level) ddf (another a lower extention level) ddfs among adults with less than high school degree vs.1.6% among callege graduates) (America's Vestific Resilience, 2003). dis FIT, the percentage of adults with reported being table by a half it prefer action of text they have distincted.									
				National Commit	Percentage of members 18-65 years of age with disbettes type 1 and tipe 20 who				Add		year.  The National Kidney Foundation notes that this measure can more consistently identify and treat drovini kidney disease among patients with disbetter, a nigh-risk population, using recommended clicical practice guidelines. Performance of eAGPR and uACR tests, however, is low and may be improved through this measure.			percising personness are generated actionists, was 11.7% for tracks, 10.2% for this sequence, and 8.7% for White I principle. He will be I principle, 2005).  In Ri, disbeller previsionce is increasing mostly among Black non-Hispanic adults. RI adults whose primary/ranguage is Spesials are diagnosed with diabetes 2x more other than those whose first tranguage in English (EDCM 2005).									
43	Kidney Health Evaluation for Patients with Diabetes	NA.	NA.	Commit tee for Quality Assura 1009	Percentage of members 16-65 years of age with disbess (type 1 and type 2) who societed a licitory health evaluation, defined by an estimated glomestate fination sate (eGFR) and a units albumin-creatibite ratio (uACR), during the measurement year	Chronic Brees Care	Diabete 4	Proces s	Adult and Older Adult	Claims/ Profess Clinical ional- Data based				•in RI, disbettes is nearly 2x more common in lower income adults and adults with less education (14.5% of adults with annual incomer. 4252 are diagnosed with diabetes compared to 7.5% of adults with necessed of 7.5% and 12.5% of adults without a high school objects compared to 6.4% of adults with at teach occurs on the property of the research			Yes	Menu	Menu				
														4. Pt. (includuals with databilities are disproportionally represented among the disberts, population proughly fifth of Rts have databilities, but offs of aut distances have disabilities) (RDCR, 2014). The rate of end-ettage result diseased due to disbette is higher for Billicks and Happanics compared to Withhas (CT Core Measure Sin Private Review Constants) (EEE-culy). Assessment in these endocreated of disputes in productmance as it insides in once entrols), language, disability status,									
				National Commit	Percentage of children two years of *** =***						2009 Armset Seniory The Wark Chaps expressed interest in elevating this measure to the Primary Care. Cone Set in 2014 during the 2019 Annual Review. The Wark Group wheel that		For Contractual Use: HEDSY: LSC	In their solidical displaying algorithmic performance or remove tensor, securing, susquery, customy stems, few "Sigal, Personal Security to the control of									
44	Land Screening in Children	NA.	NA.	National Commit tax for Quality Assura non	Percentage of children two years of age who had one or more capillary or venous lead blood steam for lead poleoning by their second birthday.	Present on	NA.	Proces	Pedani	Profess Claims ional- based	2000 Areast Resize The HIMA Company appeared primerse in elevating this measure to the Primary Came Cost offer in 2001 during the 2014 Areast Broken. The HIMA Costy creat that there are clicial creates to the measure and cost for improvement. Further, the measure in a topic of importance in the state (year the append focusing sock and could get with contaction. The MIMA Costy promovement designing secondary could get use of company and the contaction of the contaction of the contaction.  2001 Areast Residue of the measure.  2001 Areast Residue of the measure.		For Contractual Use:	of all gipts. In 2015, two-trions (PTN) of all children of color in Rocch intendision of the four care close of Comma Falls. Particulate Providence, and Microsopical Amount there quantizes (PTN) of children fiving with for care colors were children of color (PTN) of hint ASC COLON, 7000 of depth of the color of the color children five to be a "Separation measure" units NOT's 2017 Dispression Discount.			Yes	Menu	Core				
											2000 Annual Shories CRSF removals the measure from the CY 2000 MBPS bilanaure Set because denominator sigility in determined by the situate to the critical sigility and obtained by the situate to the critical sigility clinicians, but not the sigility and contained to the child in sigility clinician, but arother to the obbasiscians or principles of the monitor. The measure does not to the obbasiscians or principles of the monitor. The measure does not account the insertance size the size mother in our present for the child's side of the control of the child's side of the child's s		For Contractual Use: Calife aCD4 #82 https://doc/hatth.gov/ep- ec/year=2020&feld_year_vake=1&globalyearfibe=2019	From Report (NGF, 2015).  49 RE(2015-0016), numbers who participated in the WEC program (H. 8%), resided in a core city (12.0%), and that a self-opposed disability (At 1%) had a higher prevaience of being diagnosed with depression during programs; compared with their counterparts (RDOHF)-regrams; RBA Assessment Monitoring Systems, 2018).									
45	Maternal Degression Screening	1401	No Longer Endors ed	National Commit tee for Quality Assura 1000	Percentage of children 6 months of age who had documentation of a maternal depression screening for the mother	Preventi on/ Early Detecti on	Patient Safety	Proces s	Pedatri	Clinical Profess. Data lonal- based	Ball Health date of recommend sempling the measure without conversation with the WIRE Charges.  2010 A record Depline 17th extension of the select in any value-based contracts.  1 For participates model that the measure aligned with state health priorities and recommended contracts of participates with extension of the selection of the selection with those efforts.  - One health priority priorities and for the exploration with those efforts.  - One health priority priorities and for the exploration with those efforts.  - One health priority priorities and for the exploration with those efforts.  - One health priorities and fort the exploration of the measure is contacted.  - One health priorities are the exploration of the ex			4n RI (2010-2015), mothers who participated in the WIC program (15. TK), nesided in a core oby (14.9%), and had a self-reposed disability (34.8%) had a higher prevalence of Postpartum Deposition Symptoms (2015) removed with this construction (2015) in December 2014, assessment Mondrolon Causes. 2016.			Yes	Menu (Flexish for 2022)	Manu (Revisit for 2022)				
				nce							recommended considering the resease in conjunction with those electricities and recommended principles and that they do not use this measure in contracts due to small partition research and that they do not use this measure in contracts due to small partition research. 2019 Millerathy Care Measures Work Carson Chicagosians.  2019 Millerathy Care Measures Work Carson Chicagosians.			An analysis of maternal depression screening at a large health system in Monoscot band that women sees see likely to be screened to propose an depression (PSC) (Theyware Allican-Annolan Indiana) (Add). Lawer reads of screening was sold soldwared from the sees well read with Medicans or Medical prought than 24, or were non-seles English speakers. (Sidebotton et al., 2021)									
				ABA- PCPI (Americ an							that is small number issues.  (6)15 Marrier for Manuscret Work Grain Characteristics  - Improve Manuscret Work Grain Characteristics  - Improve Manuscret Monta France And Control Characteristics  - Some healthcok book an institute being characteristic by activities; but a client's postationer, but agreement that a mother is most leight to see a client's postationar institute the CONTROL Monta Control Co		For Contractual Use: CAIG MPS: 9300 tops: Topp.cms, gov/mipsisspione-measures/quality- measures/Tathr-qualityMeasures/Epy=2000	Guyleg Walse Identified this to be a "Sispantiles-sensitive measure" using NQF's 2017 Dispanties Project Foral Report (NQF, 2017).  In a Rill study of pospersom health care utilization between Hapanic and non-Hapanic White women using									
46	Maternity Care: Post-Partum Follow-Up and Care Coordination	NA.	NA.	ABBA- PCPI (Americ an Medical Associa Sor- conven ed Physici an Consort ium for Perform ance	Percentage of patients, regardless of age, who gave birth during a 12-month period who were seen for post-perture care within 8 weeks of giving birth who-received a breast feeding voluntation and deutedon, por- parture depression screening, post-perture glucoes acreening for gestrooted disbeted patients, and family and contraceptive planning	Presenti on	Pregna ncy	Proces s	Adult	Claims/ Profess Clinical ional- Data based	on that component of the measure.  2019 Armust Review  Prescipant need the importance of behavioral health screenings during prenated and postparturn case.  One sentificant need the BDDH strongly expounts the measure, but			in a Sinusy of prospection habitic one utilization between kingaria, and con-kingaria; (f)the sources with a Shook asserted projects; (F)the sources with a Shook asserted projects; (F)the sources of the source filteration; (F)the Sinus (F)the sources that con-kingaria; (F)the sources that children of Hisparia; (Water sources) and higher codes of not thinking a 1-mark (brack-up)the (7.1.2 million) (C) 1.1.2 million; (C) 1.1.2 mi	No changes	No edits - no change required	Yes					Menu	
				an Consort ium for Perform ance	glucose screening for gertational diabetes patients, and family and contraceptive planning						and postpathers can.  - One participant content that DOH strongly supports the measure, but acknowledge the foreign associated with a chically defend burdled measure. The participant content that DOH would support the implementation of the neasure. If engineeration was possible.  - Engineeration was possible.  - Very Commission of the COM measure Operation Degreesion.  - Very Commission of the Commission			-The Medical managed care performance was higher for Withhes than it was for Blacke by 11. 1% in California and you Zin. 18 fallings in Jases-departities research.  -There was high rates of postpartum hospital admissions and emergency department visits among somen with intellectual and developments dealities and a significantly elevated risk of thespital selfizations for popularities reasoned companies with modern amons (film et al., 2015).		required							
				more							alonther certificated order that the measures is used in MDS.		I .									- 1	

											2019 Subsectors Health Measures Work Group Discousions 4 Cross for Incomment	For Contractual Use:	-Ruying Value identified this to be a "disperitee-sensitive measure" using NQF's 2017 Disperites Project Final Report (NQF, 2017).										$\neg$
47	Metabolic Monitoring for Children and Adolescente on Antipagcherica	2800	NA.	National Commits to for Quality Assurance	The precentings of children and delabecarts. 1-1-yearnings of children and adultions integrated the precent and the precent and the metabolic testing.	Chronic Shees Care	Mortal Health	Process s	Pedani d	Probas Chains ionsi- bassed	- Bast produce messare	7900	The second of th	Y No change	No edition on change required	Yes						dena	
42	Methicilio-resistant Staphylosocous Aunous (or MRSA) Blood Infections (RA-S)	1716	Endors ed	Canter for Diseas e Control and Preventi	Standardized inflaction ratio (SIRI) of hospital- onest unique blood source SREAL laboratory identified exents (JabiD exents) among all impatients in the facility	Hospital	Patient Salety	Outcom e	All Ages	Clinical Facility Data based	2011 Annual Review  -Restricted the measure because although RI performance on the measure has been failth than the shadout already in invited year (other than in 2015), perfolgant as operated miserated in invited in inviteding because of its offly it is 1444 competition.  2015 SPORE Valve Compact Communities.	For Communial Use: CDC: https://www.cdc.gov/rhen/scute-care-hospitalicdff- ensachdes.html	Anatomia analysis of hadronal ligiblent Survey data for 2016-2017 fround that, compared to WYHe patient the odds of the occurrence of healthcare-associated inflictions (including MISAN) ever £81 for Black, \$23 for Hepsiles, \$2.5 for Asian/Pucific Related, and 5.1 for Native Associate, Anatomic Miseas and 5.1 for Native Associated A	i. ii. No change	No edis - no charge required	Yes			Menu				
43	Patients Discharged on Multiple Antipsycholic Bedications with Appropriate Justification (HBPS- 5)	6560	Endors ed	The Joint Commit salon	was proportion or passense uniconsignar soon in hoopial-based inpatient psychiatric setting on two or more attipsychotro medications with appropriate justification. This measure is a past of a set of severe microrally implemented measures that address hoopial-based inpatient psychiatric services that are used in the Just or Controllation's	Hospital	Mortal Health	Proces s	Al Ages	Claimal Clinical Data	- Nation that this is measure course whole incondition were as the occurrence of the Control	For Communical Union: TUC: MRPA-6 https://imman.pichtcommission.org/indexases/TUC2025AH-bssptal assottpsafesePsychiatricServices.html	Budge Jahns Hordford his in the A "Stagediller-servicies reasons" using H2F's 2017 Departies Project Parall Report (M2F, 2017) Department of the services of the services of disposition for the services of	No change	No edits - no change required	Yes				Menu			
50	PCMH CMPS Survey (for Primary Cine) - Questions Not Specified	NA.	NA.	National Consent tes for Coulty Assists Access	MCOA developer the optional Distriction in proclass a spain y price and their proclass a spain y price and their proclass a spain y price and their conducts crossing the most process and proclass and Spainer (CAPPS) Distric- tion of the spainer of the spainer of their process and spainer of proclass and spainer operations as a stock process and process and proclass and proclass and proclass and proclass and control company that proclass are sense of proclass and -developeration of -developeration of -deve	NA.	564	Padant Experia nca	All Ages	Survey Problem Societies States of S	- The control of the	For Commission (see September 1997) and the Commission of Commission (see September 1997) and the Commission of Co	The GO CONTROL AND ADDRESS AND			Yes		hlana					
51	Plan (ACO) Al-Cause Readinission	1768	Endors ed	National Commit tes for Cuality Assura non	For patients to princt of ay and colour, if a number of accisite planted stays clarify the measurement year that were followed by an accine resofts about on a ray diagnosis of an 20 days and the predicted potacisticly of an accine commission of the production of the following categories.  1. Count of their inopial Stays* (decrominator)  2. Count of 20-Day Readministors (with their country)	Hospital	Patient Safety	Outcom e	Add	Claims Facility based	The Committee of the Co	Ear Communical Uses	Body the confident for the 1 to 1 t			Yes	Menu						
52	Presatel & Postpanium Care - Postpanium Care Rate	1517	No Longer Endors ed	National Commit tes for County Assura coe	Percentage of deliveries of five boths between Scientified of the part prior to the between Scientified of the part prior to the measurement part. For these southers, the measurement part. For these southers, the measurement part part prior to present and potentiation case. Part of the proposition case. The percentage of dealed in Part of percentage with our between 21 and 66 days after delivery.	Preventi col Early Delecti on	Progras	Process s.	Addissic est and Adult	Chairnaí Probas Cliticial ionaí- Cata basad	The control finate of	For Commond liter (#200F- PPC (Prosperture Care rate)	Calcutura and by state in terriginal (place-displanter research).  -There are high rates of postparture hospital admissions and emergency department visits among women with imitiencual and developmental disabilities and a slightificately elevated risk of shaspital satisfactors for pepchiatric reasons compared with medical reasons (Mitta, Manika, 2017).	Updated the World Specification to indicate that cample value indicates and allowed by Mer 2000, food is allowed for Mer 2000.	Moor edits -no charge required	Yes	Menu				Core		
53	Presant & Pospanium Care - Treethese of Presant Care	5817	No Legger Endors ed	National Commodities for Couldly Assura 608	Precenting of delinents of the total between formations of the party per total between formations of the party per total between formations or the party per total per total per period and proposed or produced and proposed or produced on the precenting of delinents formations or produced on the precenting of delinents formations or produced on the delinent or delined as programments to the delinent or delined as programments are delinent or delined as formations of the delinent of the party period of the period of t	Proventi on Early Collecti on	Pragna ncy	Process s.	Address ert and Adult	Chiena Problem Chical com- Chical based	The second secon	To Common Line. 4500-190, The disease of Prevaled Case (de)	They was controlled in the "Assessment of the Second Secon	About relationship (bits to Tomolous of Physiol Cox., liquid on the spinit Specification to dispose that copying the control of the control	Minor edits no charge required	Yes					Cose		
54	Screening for Metabolic Disorders	NA.	NA.	Cantars for Medicar e & Medical d Service	Percentage of patients discharged from an inpatient Psychiatric Facility (PF) with a prescription for one or more routinely archedulate artipsychotic medications for which a structured metabolic screening for four elements was completed in the 12 months prior to discharge either prior to or distinct below DE own.	Medicali on Manage ment	Mercal Health	Proces s	Asia	Claims/ Clinical Data	2014 Armed Stringer - Benning from Beninderschlasten Heinpfall Messum Sied because of high performance, within companies across hospitals.  2019 Armed Stringer - Brichian as Aller Messum Stringer Beninderschlasse in Stringer Beninderschlasse für behannte Messum hospitals.  - Three perforpers vollet in Stringer Stringer med Start Strin in a very important.  - Bellinger spicies and is a proprieted media Start Stringer media.	For Contractual Use: https://www.qualitynet.org/fine/Selt/Yau06Q1c2001881917finea enPE_Programble_y6.0.p.df	Actions in this hashes administration and in the first hashes being the option by the option of the policy of the			Yes							
55	Seven Septis and Septic Shock Management Bundle (SSP-1)	8500	Endors ed	Henry Ford Hospital	Percentage of organisms age 18 and older with segue, servers seguit, or seguit shock that sociale treatment consistent with sociale treatment consistent with Schwieley Seguid, company guidelines, such as texture, ottoming based ordered, and texture, ottoming based ordered, and the security of the contract of the cont	Hospital	Pusient Statety	Process s.	ASE	Cirical Data	2021 Neveral Bisses.  "Amount of Security On Transportation of the Security of the Security One	For Communication Uses  The Communication Co	Mining the reason is split as the second of the reason is set of the complete of the reason in the reason is split as the reason in the reason is set of the reason in the reason in the reason in the reason in the reason is reason in the rea	No change	No editi - no change required	Yes			Menu				
54	Social Determinants of Health Screen	NA.	NA.	RI DOHNS	The percentage of attributed patients who were screened for Social Determinants of Health using an SCH446 approved screening tool, where the Accountable Entity (AG) has documented the screening and results.	Social Determinants of Health	NA.	Proces s	All Ages	Survey Intelligence Survey	Total Person Designs     Ho Colpicion si instalialeg au a Developmental measure.     Ordin Avenual Operation     -The Wind Concept Recibid to adopt this measure in all measure sets as it addresses a strategic profity.	For Davelgreental Work: http://www.schtn.ingsvillordels/Okliptadel/Documents/AGAG_G Chij Massure, Driett., 102417 pdf	GGCM by selection, relation that "monitories in the environments when people are born, live, issues, socio, GGCM by selection, relation that "monitories in the environments when people are born, live issues, This can include safe housing transportation and neighborhoods; calcul, countries and velenical published are designed and counter sources or undiscus dates believed and velenic published or that itself, singular, and the very label, and more pleasing People* 2005.	Minor updates on attribution to AEs and an example of how to use 2 codes for reporting	Mnor edits - no change required	Yes	Davelo priserbi	Develo presenta I	Davelo preenta I			Developmen al	Developmen tal
\$7	Statin Therapy for Patients with Cardiov socialer Disease	NA.	NA.	National Commit tee for Quality Assura non	Ferchange or mane 27—15 years of age and ferralises 45–75 years of days during the measurements year. Also were facilitied as measurements year, who were facilitied as disease (MGCDG) and were dispensed or facilities (MGCDG) and were dispensed or they mentioned only are facilities and property of the property of the second of the property of 15 Received Entire Therapy. The period of 15 Received Entire Therapy The specified as it has left and contained to the were dispensed upon placina MGCDG and were dispensed upon submanifestable the property during the measurements of the property of the property of the measurements of the property of the prop	Chronic Bress Care	Cardiov ascular	Process s.	Add	Ciains	An interest disease  An interest disease  An interest disease could encounting health care systems to follow up with  A interest of money may be an interest as a fine of the county  1 in the first promision to money hear encounters as they do not always reschare  region. Interest deprivation gain.  10 of the first promision to money hear encounters as the county of the county  and to de GMT encounting when Change to disease has to further work on how to  uses having and encounter date.	For Cheesingment Work: (4CDS): GPC	Budge van des dereited fan in kan at Vegende eenstelle en eeuwer 'en sig GET 3007 Departeen Pergel Budge van een kan kan kan hij de persecheide A sende compresed eit Wilden in he destelle en reide jed Budge van een kan kan hij de persecheide A sende compresed eit Wilden in he destelle en reide jed Budge jede van de 2,50 km c. 0.5 km jeze jede van de 2,00 km jez jede jede van de 2,00 km jez jede jede van de 2,00 km jez jede jede jede jede jede jede jede			Yes	Develo proerta	Develo preenta I					
58	Timely Transmission of Transition Record	2643	No Legger Endors ed	ABA- PCPI (Americ an Madical Macical Caracit Caracit In Physici an Caracit In Perform many	Parametage, of patients, supportions of age, and confidence from an impact coloring to the sea of patient coloring to the sea of the	Hospital	NA.	Process s	All Ages	Colonal Professional Inter- Dates Inter-	The contract displace designed from the contract to the contra	For Common view Common view of Commo	The state of the s			Yes	Menu						

						1					- 1	2001 Aroust Review Restained in Menu Set because although RI performance is high, data across		For Contractual Use: ClaS:	Phode talant, care coordination measures (NAPQ, 2018): In 2515, adult palients who did not receive good communication about discharge information. White								
				ALSA-								2019 Annual Review micros as Affens Measure for behavioral health hospitals, but remove for acute care hospitals (saven only have access to date for IPFOR hospitals).		https://cmit.cms.gov/CMT_public.Report/bleasure?measureid= d	200 (9.7%), Stack (9.6%), Asian (*1.2%), Non-Hapanic (9.6%), Hepanic (9.2%) in 2011, and hospital printers who strongly disagree or disagree that staff book their preferences and those of their family and caregiver into account with endocking with the patient discharge health care would be - White (5.5%), Stack (8.25%), multiple races (8.29%), Non-Hapanic (9.6%), Hapanic (8.2%).								
				PCPI (Americ an Medical Associa	Percentage of callents, recardless of age.							<ul> <li>Sight perticipants voted in favor of this measure.</li> <li>A participant could that this was an original GHIC requirement of issues hospital contracts.</li> <li>A participant could that the measure is difficult to implement, but that the measure is important.</li> </ul>			National, care coordination measures (MHO2, 2016): — at years from 2005-2015, the percentage of hospitalized solid patients with head failure who were given complete without discharge instructions was lower for framelican indiane and flasks Nations (AMNe) than for White (in 2015, AVNH was 50 fill his not White was 14 (71)). — at years from 2005-2014, he percentage of dual hospital patients who did not receive good								
59	Transition Record with Specified Elements Received by Discharged Patients	0649	No Longer Endors	conven ed Physici	decharged from an inpatient facility to home or any other site of care, or their careoveris'.	Hospital	NA.	Proces s	All Ages	Clinical Data	Profess ional- based	2015-2016 Work Group Discussions  - Viseard as a joint accountability measure — hospitals and practices; more difficult but will inform reasons for readmissions.			on plants on a contraction, any participant acts an open participant, participant, and ANNA patients than White patients (n. 2014, 10.0% for Whites, 12.4% for Stacks, 12.3% for Asians, 11.1% for NHCPL, and 12.1% for ANNA, -1.024, Elline, ELSSE, ANNA (4.9%), and multiple-race (E.1%) patients were more likely than White -1.024. Elline, ELSSE, ANNA (4.9%), and multiple-race (E.1%) patients were more likely than White -1.024. Elline, ELSSE, ANNA (4.9%), and multiple-race (E.1%) patients were more likely than White -1.024. Elline, ELSSE, ANNA (4.9%), and multiple-race (E.1%) patients were more likely than White -1.024. Elline, ELSSE, ANNA (4.9%), and multiple-race (E.1%) patients were more likely than White -1.024. Elline, ELSSE, ANNA (4.9%), and multiple-race (E.1%) patients were more likely than White -1.024. Elline, ELSSE, ANNA (4.9%), and multiple-race (E.1%) patients were more likely than White -1.024. Elline, ELSSE, ANNA (4.9%), and multiple-race (E.1%) patients were more likely than White -1.024. Elline, ELSSE, ANNA (4.9%), and multiple-race (E.1%) patients were more likely than White -1.024. Elline, ELSSE, ANNA (4.9%), and multiple-race (E.1%) patients were more likely than White -1.024. Elline, ELSSE, ANNA (4.9%), and multiple-race (E.1%) patients were more likely than White -1.024. Elline, ELSSE, ANNA (4.9%), and multiple-race (E.1%) patients were more likely than White -1.024. Elline, ELSSE, ANNA (4.9%), and multiple-race (E.1%) patients were more likely than the -1.024. Elline, ELSSE, ELSSE, ANNA (4.9%), and multiple-race (E.1%) patients were more likely than the -1.024. Elline, ELSSE, ELSSE, ANNA (4.9%), and multiple-race (E.1%) patients were more likely than the -1.024. Elline, ELSSE, ELSSE, ANNA (4.9%), and multiple-race (E.1%) patients were supple-race (E.1%).	No change	No edis - no change	Yes	Menu			Menu	
			ed	onwer ed Physici an Concert ium for Perform ance	who received a transition record (and with whom a review of all included information was documented) at the time of discharge							Only 2016 When Group Chancesings:  - Visualized as a pior accountability researce — hospitals and practices; more difficult but will find measure for machinesions.  - More patient-focused, represent standard of care.  - Legislation that caregisters have to distrainable of care activity constitute with these researces. Celf-data calculation in "its, public reporting in "It", will need to accept with epoplars and "It".			(3.8%) patients to strongly disagree or disagree that they understood how to manage their health after discharge. In 2014, Black (7.5%), NROPI IS 11%, ARW (7.4%), and multiple-race (711%) unfents were more likely		required						
				ance improve ment)											than Withis (£0%) patients to strongly disagree or disagree that staff sook their preferences and those of their families and casegiver lists account when deciding what the patient's discharge health case would be. In 2014, Withis (£3%), Stack (£3%), AARN (£7%), and multiple-race (£5%) patients whose preferred.								
															would be, 4-254, White (J.BN), Black (J.BN), ARM (4-7N), and multiple-case (4.5N) patients whose preferred temporary was Equation were list its large than White (J.F.), Black (J.F.), ARM (J.F.), and multiple-case (J.N), patients was professed temporary and Equation 100 and Equation 100 and and established shall preference and these or filter findles and caregiver into account when deciding what the patients deciding what the second se								
												2012 Annual Disolate:  - This Work Cloup exposes all interest in revisiting this topic when the ECDS vention of the annual via available.  - In the Work Cloud proposes and labels In the Company of t		For Davelopmental Work: HEDIS*: ASF	<ul> <li>-Buying Value identified this to be a "dispatitive-sensitive measure" using NQF's 2017 Dispatities Project Final Report (NQF, 2017).</li> <li>-In II, rates of alcohol use among both adults and trees, alcohol use disorder, and unwet</li> </ul>								
												<ul> <li>The measure is not used in any situe-based contracts and requires concean documentation of the screen.</li> <li>One participant noted that there is good clinical rationals to the measure and data collection may be more feasible given ongoing state initiatives.</li> </ul>			treatment need are all well above national levels (Phode Island Department of Sehavioral Healthcare Developmental Disabilities & Hospitals, 2019).								
					Percentage of members 16 years of age and sider who were screened for unhealthy alcohol use using a standardized tool and, if screened positive, received appropriate							2018 Annual Review:  - Millissa will lead measure-development, but this is of lower priority than the three depression measures. The group decided to move towards ECOS measures and prioritized this measure over SSRT.			In Ri in 2019, excessive distaking ipercentage of adults who reported brings disking (four or more journme) or five or more jume) disks on one occasion in the past 20-bays for chanalic disking (sight or more journey or 16th more jume) disks per veels you at 15th for Missianaid astegacy, 11-8% for Miscke, 28-9% for Whitee, and 18-9% for Hispanics (America's Health Stankings, 2009).								
60	Unhealthy Alcohol Use Screening and Follow-Up	NA.	NA.	National Commit tee for Quality Assura nos	Percentage of members 16 years of age and cider who were screened for unhealthy alcohol use using a standardized tool and, if screened positive, societed appropriate follow-up-care.  - Lithrealthy Alcohol Live Screening. The percentage of members with had a systematic screening for unhealthy alcohol use.	Preventi on/ Early Detecti on	Substa nce Abuse	Proces s	Adult	Clinical Data					in an analysis of ERFSS data from 13 states and the District of Columbia, a higher percentage of persons with a household income -2001, of the fixedian powerly level were asked about blogs persons as the property of the person of the person of the person of the power power in the person of being asked about blogs distribution one than other racialistication groups (NUSY)(51-51), all, 2005).	No change	No edits - no change required	Yes	Develo process	Develo pmenta			Davelopmen tal
				nce	use.  Power in the percentage of members who consend positive for unhealthy alcoholisses and nacided brid counseling or other follow-up care within 2 months of a positive screening.										In a study using national data, compared to Whites, radiallethnic releasible had two-thirds the odds of receiving an abonal identiveredien over the time-year period (CR-700, SRCC) 0.39–0.39. This departily increased after adjusting the asolescommic and ordinact conflowance ACR-700-70.27 SRCC1 0.39–0.00; The most procurated departies were observed among U.Sborn and foreign-born Hapasics (n. Iribbas) (blast etc.) 2519.								
															—in a tody uning totional cists, Blacks and Hispanics were 3.5-8.1 percentages points less likely than whites to complete treatment for alcohol and drugs, and likelve-feminisms were 4.7 percentage points less likely or complete treatment for alcohol and drugs, city falson feminisms to the than white for both speed of treatment. Completion dispatifies for Blacks and Heppanics were largely explained by differences in sociococoronic status and, in particul, years unemprised and housing.								
												2016 Aroust Desire:  2016 Aroust Desire:  Desire Training the measures from the Sehavioral Health Core Set to the Menu Set to make it easier for plans to renegoties a behavioral health plot. The		For Contractual Use: CMS MPC #421 https://ppc.cms.gov/mips/septors-measures/quality- measures/hory-quality/Measures/kpy=2020	explained by differences in socioeconomic status and, in particular, great unemplayment and housing -Quying balan identified that to be a "Sapartise-sensitive measure" using NQF's 2017 Dispartises Project Final Paper (NQF, 2017).								
					Percentage of patients aged 18 years and dider who were screened for unbealthy should use using a maternatic accession							Work Group wanted to maintain the measure in Menu as it is important to allow plans to use these measures in contracts.		meanurer?nb=qualiyMeanuresBpy=0000	In RI, rates of alcohol use among both adults and teens, alcohol use disorder, and unmet treatment need are all well above national levels (Phode Island Department of Behavioral Healthcare Developmental Disobition & Hospitals, 2019).								
				ABA- PCPI (Americ an Medical	Percentage of patients aged 18 years and other has uses accumulate for entaility and the patients aged and the patients aged and the patients aged aged and the patients aged aged aged aged and the patients aged aged aged and patients aged aged aged and patients aged aged aged and patients aged aged aged aged aged aged aged aged							2019 Subscions' Hastin Measures: Work Group:  One of the biggest issues facing the state.  Robust measure that all completes providers should be held accountable.			-Rhode islanders across all age groups have higher rates of needing but not receiving treatment for illicit draig use compand to the ration since 20%-20% the same is true among 15-75 and 18-25-year side needing but not receiving treatment for existance uses (Phode Island Cepartment of Behavioral Healthcare Developmental Disabilities & Hospitals, 2019).	Updated the lookback period to identify patients screened for unhealthy alcohol use in the last 12 month rives previously 24 months.							
61	Unhealthy Drug and Alcohol Use: Screening & Brief Counseling	2152	Endors ed	tion- conven ed Physici	dider who were screened for unhealthy alcohol use using a systematic screening method at least once within the last 12 months.	Prevention/ Early Detecti	Substa nce Abuse	Proces s	Adult	Clinical Data	Profess ional- based				-in Poin 2019, excessive dirisking genominage of adults who reported brings drinking flour or more learnment or five or more jump! drinks on one occasion in the part 20 days! or channels drinking (sight or more learnme) or 15 or more jump! drinks per week) was \$1.5% for Multimatic casegory, 21.6% for Mance, 23.9% for Whites, and \$1.9% for Happanics (Permicrati Health Residings, 2005).	Updated to include three rates: (1) patients screened in the last 12 months; (2) patients who were identified as unhealthy alcohol users who	Major change - netain as Manu measure	Yes	Menu	Mesu			Menu
				an Consort ium for Perform ance Improve ment)	<ol> <li>Hercentage of patients aged till years and older who were identified as unhealthy alcohol users who received brief counseling 3) Percentage of patients aged till years and</li> </ol>	on									In an analysis of SRFSS data from 13 states and the District of Columbia, a higher percentage of persons with a household income -200% of the federal govern/ level were asked about bings	received brief counseling and (3) patients who were cosened in the last 52 months AND who received brief counseling Eldersfled as unhealthy alcohol users.	measure						
				ance Improve ment)	cider who were acreemed for unhealthy alcohol use using a systematic occessing method at least once within the last 12 months AND who received brief courseling if identified as unhealthy alcohol users.										disking than were persons with an income 1200% of the foliated powerly level. Hispanic abulta reported being asked about being dirinking more than other racialization groups (filtrifulget-Gly et al., 1200). In a track of the property of the common of t								
					sperated as unhealthy alcohol users.										In a study using stational class, Blacks and Hispanics were 1.54.1 percentages points less likely than White so complice treatment for statiohal and dispig, and likeline American were 4.7 percentages points less likely to complete treatment for accordance of the complete contraction from their points less likely to complete treatment for accordance class, College College Americans land better experienced by differences in socioeconomic statia and, in particular great unemployment and nousing establish. However, the accordance dispanish college class college Co								
												2019 Annual Review  -Remove from the primary care set since the ACO is the appropriate level of accountability and inswertion.		For Contractual Use: HEDIST: LEP	Companies to White patients, dates and Happanic patients are less tillady to be precisived opioids.  Black patients and patients of other moce are most likely to receive an epicid precipitor to treat their back pain was that accounting for socioeconomic status, health insurance status and general health status (files and Lis. 2005).								
			No	National Commit	Percentage of members with a primery				Asia			2017 Annual Review  ROUS Identified opportunity for improvement on this measure, and it is also included in the MPS measure set.			-Blacks are more likely to report having low back pain and corresponding physical functioning concerns to Historica and Caucasians. Opicid usage did increase amone individuals with qualitic								
62	Use of imaging Studies for Low Back Pain	8662	Longer Endors ed	Commit tee for Quality Assura non	Percentage of members with a primary diagnosis of law back pain who did not have an imaging study (plain X-ray, MRI, CT scan) within 28 days of the diagnosis.	Overus	Muscul oskelet al	Proces s	Adult and Older Adult	Claims	Profess ional- based	2015-2016 Work Geoup Discussions - Rationale not articulated			Insurance companed to individuals with private insurance (faint, 2012).  Low body pain patients will lever acclosecommiss status may have higher health care costs due to enable benefit podaces. Eviduals receiving underso companied on due to low back pain in visios with lever median household individuals will higher undersojement state spicially had larger length of disability, which were beginning association will religious model cases; (Crimine et a.), 2007.)			Yes	Menu				
												2019 Annual Review  - Recommended moving to Developmental since plans cannot yet implement.		For Contractual Use: HEDIS*: DMS	duping Value identified this to be a "dispartise-sensitive measure" using NQF's 2017 Dispartises Project Final Report (NGF, 2017).  In Rt. 15/0% of adults are depressed. Roses are highest among multiracial individuals (26.5%),								
					The percentage of members 12 years of age							2017 Annual Deview  - ECDS measures will become a standard for HEDS in the future  - Reconsider removal in future years once the group-officially adopts "Depression Screening and Folios-Up for Adolescents and Adults"			4) (1, Yan'n or doubt as Operation From a ton register among mutration involvable grazing, followed by Whitese (21.5%), Repaired (17.1%), Chapter (14.6%) and Blacks (17.1%), Depression is most common among influiduates who are low-income (20.6% among adults making 425% compand to 15.5% among adults making 425% compand to 15.5% among adults making 425% and have a lower education level (22.5% among adults with less than high school degree ve 5.6% among college production) (American Health Rankings, 2000).								
					The percentage of members 12 years of age and dider with a diagnosis of major depression or dysthymia, who have a PHQ-0 tool administered at least once during a flux-month period. Two cases are reported. 1, 1,000 Goverage. The percentage of members 12 and older with a diagnosis of monitor depression or during for whom a final or disposal of monitor depression or during for whom a final or disposal or depression or during for whom a final or disposal or disposal or depression or during for whom a final or disposal or depression or during for whom a final or disposal or depression or during for whom a final or disposal or depression or during for whom a final or disposal or depression or during for whom a final or disposal or depression or during for whom a final disposal or during the depression of depression or during for whom a final disposal or during the depression of depression depre							2016 Behavioral Health Measures Clicoussion  - Would almost serve as a supplement or introductory measure for the DRR measure.  - New H-DSR measure that should be a past of multi-year contacts to improve			than high school-degree vs 96.0% among college graduates() (America's Health Pankings, 2000).  -According to 2015-2014 BRPSS data, non-Haspanic, Black Rhode Intenders reported slightly higher rates of being disposed with degreeation (22.7%) than non-Haspanic, Within (20.7%) and Haspanic (28.7%) residents (50 Stan Incroducts Model Health Assessment) (27.7%).								
62	Uslization of the PWQ-9 to Monitor Depression Symptoms for Adolescents and Adults	NA.	NA.	National Commit tee for Quality Assura nce		Acute Care	Mercul Health	Proces s	All Ages	Electro nic Clinical Data System	Profess ional- based	**remore resultance that endure be a part or must-year contracts to improve econes.			-in a study of nationally representative data, for persons with past-year depressive decreer, 63.7% of Latinos, 60.7% of Aulana, and 50.8% of African Americans, compared with 40.2% of non-Latino Whites, did not access anywate-ware meantle-health waterners. Cleantinis in the listification of both	No change	No edits - no change required	Yes	Develo priverto	Develo pmenta			Dawilopmen tal
				nce	neam pain can necess any electronic crinical qualify data. 2. Ultization of PHQ-6. The percentage of PHQ-9 ultization, Members with a diagnosis of major depression or dysthymia whose measure data are reportately using PCDS and, had an outpatient encounter with a PHQ- 9 scorer present in their record of the same assessment period as the encounter.										having access to and receiving adequate care for depression were significantly different for Asians and APICAM AMERICAM Incomercial to receive the Market APICAM AMERICAM AMERICAM Adelical convent Lator, Asian/profile Instruct, and Essex's years have less the large to have an depression algorish than the commercial. After an even designate, light on reference and Latory youth were less likely than white youth to have received an artificing received an artificing received and applications of the commercial and access to the commercial access to the commerc								
					assessment period as the encounter.										Glack and Asian adults were less likely to be screened for degression than white adults. Latinx adults								
												2019 Accual Review		For Contractual Use:	were more likely to be screened for depression. Post-crossing, Block adults, Letino rasius, and Asian adults were less. Riely to receive mental health care than their while counterpasts (Hither et al., 2015). "Only of Orbiters In IS and considered controlled to contempt or others. Hispanic Children II 13th, overveight and 21th Cobergs and Mont-Repairs Education."								
					Percentage of members 3–17 years of age who had no convenient with a DPD or							2019 Annual Racking Retain in the Core Set, as there are limited pediatric measures in the Core Set.  2018 Annual Racking - Work Group discided to retain both versions of the measure in the Primary Care.		For contractual class:  HEDIS*: WCC  Please refer to "Special Nides" for the version of the measure found in the PCMH measure set.	White children (12% overweight, 15% obese) have the regnest rates of overweight and obesity, compared to White children (12% overweight, 15% obese) and Other or Multiple Races (11% overweight and								
	Weight Assessment and Counseling for Nutrition and Physical Activity for Children	0024	Endors ed	National Commit tee for Quality Assura nos	Percentage of resolvers 3-47 years of age- who had an outpatient view with a PSP or CBAIGNS and who had a violence of the Standing of wing the measurement year.  - Counseling for martino.  - Counseling for prejude activity.  - Secures 858 forms for yearth vary with age and gender, this measure equilities whether 550 percentile is assessed on the them as already with the country of the percentile is assessed on the them as already with violen.	Preventi on/ Early Detecti on	Obesity	Proces s	Pedani	Claims/ Clinical Data	Professi ional- based	Fact.  - Grows preferred the all-or nothing imassure as it is more indust and not ownly buildings and the all-or nothing imassures as it is more indust and not ownly buildings and the custom build already exists.  - One participant preferred the HCDG measures so that there are three pediatric measures instanted of one.	The CHC PCBH blassure Set includes a modified vension of this measures that bots at an all-o-nothing composite rate on the measurest tree component rate: SBM Assessment, Caussaling for Numbion, and Caussaling for Physical Activity, For more information, with <u>Plant Research Conduction Section</u> .	For OHC and CTC-RI Reporting: http://www.ahic.ni.govichio-reformandpolicy-pomitinfo.php	96% obese). Soys have higher rates of obesity in every age group among all racelethnicities except for non-Hepanic Black gifs who have slightly higher rates of obesity than non-Hepanic Black boys (PRIKds Court, 2019). —Among youth aged 2-16 in 2015-2016, the prevalence of obesity is higher among Black and Hispanic.			Yes	Core	Core			
	Physical Activity for Children Adolescents		ed	Assura non	Counseling for physical activity.     Bacause Still norms for youth vary with age and gender, this measure evaluates whether	Detecti on	Commity		•	Data	based		Counseling for Nutrition, and Counseling for Physical Activity. For more information, veil: <a href="https://doi.org/10.1007/C-35-3018">https://doi.org/10.1007/C-35-3018</a>		-Monog yours ages 2 - Mon 2015-2016, to pre-sentice or occurry in reginer among stacks and Heighanic yearth compared to Whites and Asian youth for both girt and boys (CDC, 2017)GMI has been found to underestinate body fatness in South Asian children and to overrestinate body fat composition in African American children (Ryst et al., 2018).					- Cult			
					www.yelContails is assessed rather than an absolute GMEvalue.							3017 Account Decision  - Deality is an important health liseue  - Discussion initiaty about servaring this measure because it is not the best measure and the assessments and optowers to have a significant impact in medicing obseity  - Decided to being the measure because there were no before atternations and a			tody fat composition in African American children (Ryrd et al., 2018).  -Cheety among children with developmental disabilities (28.7%) and audism (28.4% also appears significantly higher compared with children in the general population (Fox et al., 2014).								
65	Live Births Weighing Less Than 2,500 Grams	1382	Endors ed	for Disease 6	Percentage of five births that weighed less than 2,500 grams in the state during the reporting period	Hospital	Pregna ncy	Outcom	Pedani	Clinical Data	Profess ional- based	**************************************			-in PL, the percentage of live births that are less than 2,500 grams at birth is <b>Nigher among Blacks</b> (1290), Anlano (190), and Repairs (190) than among Writes (19) (Amond It would Kansings).	N/A- first year measure for 2002 CHC Aligned bleasure Sets	NA	Yes	TBD		780	Mess	
				_						_				l .									