	Crossv	walk of All RI	OHIC Aligno	d Measure	Sets	This spreadsheet in ACO, Acute Care H Care Measure Sets	scludes all five RCO (cepital, Behavioral)	HC Aligned Measure Set Health Hospital, Eschavio	ts in aggregate, specifically to nai Health, Masemby, and Pris	nary	opcomed 7-0-2021		ī							OHIC Alic	oned Measure Sets for 2021		
		NOF	NGP Endors ement Status as of Enteres	Stewar	Description		Contra	Measur e Type	Brook Du	Facility- based or profes			Link to Measure Specifications (Nats: Caternal to NEOS MY 2000 specifications, then to CMS specifications films MPS 2009 then eCOM 2007) before	Equity Assessment  In their authors of disposition is notices are as indicate or any attriction increases disphility.		Degree of Chance	in Morest		Maternity Care an	nd Acute Care Ho	apital Measure Sets Updated fo Sebavi oral Matern Health by Hospit Care al	2022, others are not Outpatient Behavioral	Outpatient Behavioral
1	Mateure Name  30-Day MC-Dass Uspinned Pateristation following Psychiatra Navigation and Security Psychiatra Security Se			Canters for Medicar e it Medical d Service a	For remition 10 years of age and older, the southern 40 years of a southern 40 years o	Propried on Health	Conditi de Patient Salvey	Custom e		based	Committee of the Commit	Special forms	when became CPC the quantitations are provided for all distances in the PCC distances and position and for COMMISSION CONTRACTOR (ALL PROVIDED AND IN COMMISSION CONTRACTOR (ALL PROVIDED AND THE PCC AND	The control of the co	Summary of Changes for 81 (921) 691 (982)  Region quillies to sold softwared in specifications.	Moor	Acquire Measure Set2	ACO	y Care		Meath to the Managar Cane of the Managar Manag	Health Mectal Health	Paractical Section of
2	Adult Migir Paperative Dissorter	NA.	NA.	Americ all Psychological ogical Associa sion	Paramagn, a madral arccase of judiciose agos it il para and allow allow a disputation of the parameter of the control of the parameter of the control of the parameter of the control of the parameter of the para	Acate Care	Aftertail Health	Process a	Adult Com	ernal Produca Ecal Rossi- Dassed	Collection Control Con		For Comment of the Comme	The Control of Control			Yes					Menu (Resold for 2002)	
3	Adult Major Depressive Disorder (MEC) Sociole Non Assessment	0154	Endors ed	ABB-PPCPI (Amaric an Medical Association of Physicial an Connect lum for Perform ance inprove ment)	Percentage of platents aged 19 years and older with new disposits or received regional or respective diseases (Figure and American Compressed Control (Figure and American) and advantage to with its which a new disposits or recurrent epocies was identified.	Present on Early Detecti on	Mercal Health	Proces s	Asse Cir.	Profused ional- ional- tassed	2014 front from:  "The State of State o		Fig. Commons line.  Code (ACM Print)  Togot (Boog Aces)	Age of the control of the St. Vigillation incomes counter (Sec. Sec. Sec. Sec. Sec. Sec. Sec. Sec.			Yes	Menu				Menu	
4	Advance Care Plan	6226	Endors ed	CMS	Percentage of patients aged 65 years and distribution as advance case plan of the patient of the patient of the patient of medical record or documentation in the medical record that an advance case plan was discussed but the patient did not wish or was not also to make a surrogate decision, maker or provide an advance case plan.	Other	Padent Safety	Proces s	Older Clir Adult Clir Date	mali icali b	Still Annual Resource  Still Annual Resource  For Still Resource and Resource		For Commissional Unite:  Calls MIPSE (MC Calls MIPSE) (MC Calls MIPSE (MC Calls MIPSE) (MC	California et les Bardy than Whites to discus professors and to bene a long wit, all associal the later pin is fully accounted by sychociation. Assisse and the salling than Whites the evidence since the real early in the soling with. Black White delineance employed years once to 625 (pockessors) in their soling pins. Early soling and esplanted extensive private [Carl, 2013]. Hear-Higgsick white were more lateral pins and accounted to the pins of the control of the control of the excellent pilot 4 of 150 of 1 2-2 (s) of the origination after solid of 1-2 (s) of 1-2 (s) of 10 control pilot is control to the 3 beams are professor from a red of the control of the control of the control of the control of the solid of the control o			Yes	Menu					
5	Alonal & Other Ding Use Disorder Trammer Provided or Alonal & Other Ding Use Alonal & Other Ding Use Alonal & Other Ding Use Other Statement & Other Ding (SOB-24)	1664	No Leagur Endors ed	The Julie Commit auton auton	The reservoir is spirred at an in-cord size which because it is equivalent at the condition of the condition	Hospital	Substan Rich Albane	Process a	AME GIR	Professes Rose- tensed	Control of the Contro		To Comment of the Com	Song Was and worked for the A Nazierian sension entered was \$10.000 A 100 Members Protein Song Was and	Money to destination 12 20 th section "The control of the control	Olecuse. If change is needed to 2001	Yes			Manu (Ravista for 2002)	Memos Shanida for 2003)		
6	American College of Surgeons – Centers for Disease Control and Prevention (ACS-CDC) Harmonized Procedure Specific Surgical Site Infection (SSI)	753	Endors ed	for Diseas e Control and	Hostope measure for the tacety adjurred Standardized Infaction Ratio (SIR) of deep incisional and organispace Surgical Site Infactions (SSI) at the primary incision site among adult patients aged >= 18 years as	Hospital	Patient Safety	Outcom	Adult Cir.	ical Facility-	2001 Annual Rusine **Heminist the massive because Rijseformance demonstrated opportunity for improvementParticipants expressed interested in retaining HM measures because of stilly as a composite.		For Contractual Use: CDC: https://www.cdc.gov/nhan/acute-care-hospitalissilindes.htm	In a cross-sectional study of 146 241 participants from multiple states, Medicald insurance status and filling in a low-income size code were associated with higher 656 rates after collectorary, even other adjusted for circularities. For hystericativity, no local risk factors for were exemined in this study that statistically significant associations with Solitative adjustment for clinical risk (Circ st., 2016).	No change	No edix - no change required	Yes			Menu			
y	Surgical Site Infection (SSS) Overcome Management Autospressent Medication Management	0105	Endors ed	And Commit tee for Quality Assurance	reported triusing the ACS Material Surgicals Percentage of remoters to place at age and done not were treated with an indepensation readication, that of adaptions of many depression and who remained on an anticipants are indecident in leastment. Two anticipants are indecident in leastment. Two 1.5 Efficient Acubi Proses Treatment. The percentage of members who resimilated on an anticipants are medication for at least all days (12 weeks). 2.5 Efficient Continuation Prisame Treatment The percentage of remoters who remained The processing of the processing the processing the processing the processing the pro	Medicati on Manage ment	Mortal Health	Proces s	Adult Cis		DOI for event disease. The time through of the time is feating this measure back to the Printing Carlo field. DOI for most Beauty  **End from the Beauty  **End		For Commons titue: IEDSP: ABM	despire state detected to to las a Magaethe sension measure* using MCP* 2017 Dispatition Project  and A Significant Significan		nqued	Yes					Menu	
	Behavioral Health Flak Assassment Screenings	NA	NA.	PCPI (America an Medical Associa tion- conven ed Physici an Consort ium for	Percentage of patients, regardines of age, who gave birth during a 12-month period seen at least once for prevaile care who received a britishorth shallh consenting risk assessment that includes the bibliosing accessment that includes the bibliosing accession of the properties of the patients of the patient	Preventi on/ Early Detecti on	Mertal Health	Proces s	Adult Sur	Profess ionsi- based	(2) The result feature.  Only participate in mode for including performance out an authority as a sentence of the statement.  One participate in mode for including performance out an authority as sentences of the statement.  (2) The contract of the contract of the contract of the contract of the despetition is normal medium and authority and authorit	This measure has been relied by the measure streams and in a larger located in the CMS Medicals Chief Cons Sector 2016. Therefore, there are no earlier versions of specification availables.	For Commission Unit. NARCA Integral Commission Co. Bell-McG.	Comparison of the Comparison o	No change	No edis - no charge required	Yes	Menu			Com		
	Breat Cancer Screening	2372	Endors ed	National Commits too for Country Assura no.e	Percentage of some ISO 74 percent of age with bide a manningum to access for these cancer.	Provided on Early Delection	Cancer	Process s.	Adult and Older Adult	Professional Innais- based	STATEMENT AND ASSESSMENT OF THE ASSESSMENT OF TH		Fac Command One Markey CS. 08	Among these confidence is not a "Superior announce" and SEC 2010 Transaction from the Among and Confidence and			Yes		Core				
10	CAUTE Cather-Associated Urinary Tract Infection (MA-2)	0138	Endors ed	Canter for Disease a Control and Preventi	healthcare-associated, catheter-associated urinary text reference (CALTF) will be calculated among patients in the following patient care locations:  - Intensive Care Links (COLIs) (excluding patients in reconstal ICUs) (excluding patients in reconstal ICUs) (MCUs: Level IVI	Hospital	Patient Safety	Outcom e	All Ages Clar	ical Facility- s based	2021 Annual Dissions  -Resistant this measure because Riperformance demonstrated opportunity for  -Performance represent interested in retaining 14VI measures because of utility as  a composite.  2005-2006-Viron Consumination.		For Communical Use: CDC: https://www.cdc.gov/nhm/scute-care-boxphit/caudin/dac.html	on the U.S. In 2018 to previousless of a spec-date mannengously according to the Association Concer.  A national anniquies of National implication Science plans to 25th-2671 boats that, compared as White Particular Science of Scien	No change	No edits - no change required	Yes			Core			
11	Cervical Center Screening	8032	Endors ed	National Consents toe for Quality Assura	Processings of women 19-54 years of ago who were convened for carried concer and patter of the Storage carbon.  *Normal 3-64 years of ago with a second *Normal 3-64 years of ago with the second *PVI co-bessing performed every 5 years.	Prevent on/ Early Detecti on	Cancer	Process s	Asse Cir Cod	ernal Professor ical ional- bassed	And the second s		For Commonwhate HIGPL-CCS	Large time confidence for the 1-Napitive construction of the 2-Napitive Stage of the 1-Napitive Stage			Yes	Mensu	bleru				

					This measure assesses the number of nulliparous women with a term, singleton habulin a water modifier delivered by							2001 Annual Devices  - One participant noted that only one hospital's performance is available through Joint Commission.		For Contractual Use: TUC: PC-02 https://manual.jointcommission.org/neleases/TUC2021A/Perinatali	-Buying Value identified this to be a "dispartise-sensitive measure" using NOF's 2017 Dispartise Project Final Report (NOF, 2017).							
12	Cesarean Rate for Nulliparous Singleton Vertex (PC-02)	9471	Endors ed	The Joint Commit salon	tably in 3 vertice placehol detended by ceasarean section. This measure is part of a set of five nationally implemented measures that address perivatel care (PC-OT: Elective Delivery, PC-OD: American Streoder, PC-OE: Haidth Care-Associated Streodersam Infections in Newborns, PC-OE: Suctuative Stream Milk Feeding).	Hospital	Pregna ncy	Outcom	Address ent and Adult	Claims/ Clinical Data	Profess ional-	One participant name that only one hospitally performance is available through Jaint Commission and one should be readily available from the statels visitinocoid system for all birth significant opportunity for improvement in Riperformance on cerement because of significant opportunity for improvement in Riperformance on cerement because of significant opportunity for improvement in Riperformance on cerement because of significant opportunity for improvement in Riperformance.		24.000	<ul> <li>In Ricuting 2017-2019 censers an delivery rates were highest for white infants (22.5%), followed by blacks (22.0%), Hispanics (11.0%), American Indian/Waska Natives (20.9%) and Asian/Pacific Islanders (32.2%) (Islands of Direct, 2001).</li> </ul>	No change	No edis - ne charge required	in a	Nenu	Manu	Manu (Revisit Core for 2022)	
	angente verez (PC-42)			ssion	Delivery, PC-03: Antenatal Stanside, PC-04: Health Care-Associated Bloodstream			-	Adult	Data	based				-in California among Med-Cal patients the first-birth Cesarean rate is highest among African Americans (26.8%), followed by Asian/Pacific Islanders (26.8%), Hispanics (23.8%) and Whites		required				for 2022)	
					Broast Mik Feeding)							Otto Annual Soview There are no publicly available performance data for this measure this year, which makes it challenging for plans and providers to utilize the measure in contracts. Orthit Annual Duslaw		Ex Contested the	(23.8%) had the lowest rates (Lefts Get Healthy California, 2001).  All union takes bloodfact this to be a "denotifier execution measure" union MCC's 2017 Discovides Stroker.							
				ALC:								2018 Annual Review  - Some in the more Group noted that performing the screen is routine but that there are challenges getting the data out of the EHR to implement the measure.		For Contractual Use: CBIS eCQM; 9177 https://ecqi.healthit.gov/ep-ec?sptabs_epr1	-Buying Value identified this to be a "dispertise-sensitive measure" using NQF's 2017 Dispertise Project Final Report (N2F, 2815).							
				ABBA- PCPI (Americ an Medical								<ul> <li>Some in the Work (Long) failed that performing the screen is soluted out that these are classings getting the date out of the SFA to implement the measure.</li> <li>Recommanded moving the measures from the fails along the state. Core Set to the Mexico Set to make it existed the plants to renegotiate in obtavioural health place. The Work Group warded to maintain the measure in Menu are this important to allow plants to use them measurem in contraction.</li> </ul>			-in RI; rates of self-reponde depression and suicidal idention and suicida attempts among students are well above the national average, in a 2019-2014 survey, 2019, of middle sonod students reported depression, 387 reponder deverse technic featation, and this reponder deverse usicidal states, in the same survey, 2016 of high school students repond depression, 41% reponder occur suicide latestop, and 20% reported sonore suicide attempt (PE date throughout book Hardt Assessment, 2017).							
				Medical Associa Son-		Preventi						2016 Behavioral Health Measures Work Group Discussion			the same survey, 20th of high school students reported depression, 41th reported recent success dealers, and 20th reported recent suicide attempt (RI State Imounton Model Health Assessment, 2017).							
13	Child and Adolescent Major Depressive Disorder: Suicide Risk Assessment	1365	Endors ed	Associa for- conven ed Physici an Consort ium for Perform ance imprave	Percentage of patient visits for those patients aged 6 through 17 years with a diagnosis of major depressive disorder with an assessment for suicide disk	Preventi on/ Early Detecti on	Mortal Health	Proces	Pedatri	Clinical Data	Profess ional-	2019 Behavioral Health Measures Work Group Discussion  5 Stoold be included because it is required for behavioral health providers and will emphasize coordination of care.  • Remain in use by SH-COM			In Ri, according to the 2019 Youth Risk Behavior Survey, the percentage of high school students who seriously considered attempting suicide during the 12 months before the survey was similar between		ν.	in h	Nesu		Menu	
	HOM ASSESSMENT			an Consort	assessment for suicide risk	on on					based				Makes (12.1%) collisioned attempting searches during the 12 motions destine the state year assistant between the Makes (12.1%) and lisquestic establishing Blacks (12.4%). The percentage of students who make a plan about how they would attempt saidold was highest among Blacks (14.6%) and kepsanics (12.4%) and blowest among Withols (14.6%) and kepsanics (12.4%) and blowest among Withols (14.6%) and kepsanics (12.4%) and blowest among Whitele (12.7%) along middle schoolars. The concentage of schools who one broad sciency with the 12.4% along middle schoolars. The concentage of schools who are the proposed as easily all the 12.4% along middle schoolars. The concentage of schools who are the proposed as easily all the 12.4% along middle schoolars. The concentage of schools who are whose the proposed as a school of the 12.4% along middle schoolars. The concentage of schools who are whose the proposed as a school of the 12.4% along middle schoolars. The concentage of schools who are whose the proposed are schools as the 12.4% along middle schoolars. The concentage of schoolars who are thought are simply along the 12.4% along middle schoolars. The concentage of schoolars who are thought are simply along the 12.4% along middle schoolars. The concentage of schoolars who are thought are simply along the 12.4% along middle schoolars. The concentage of schoolars who are thought are simply as the 12.4% along middle schoolars. The concentage of schoolars who are thought are simply along the 12.4% along middle schoolars. The concentage of schoolars who are thought are simply as a school and the 12.4% along middle schoolars. The 12.4% along middle schoolars are schoolars are schoolars and the 12.4% along middle schoolars. The 12.4% along middle schoolars are schoolars.							
				Perform ance											suicide was highest among Blacks (16.2%) and Repenior (17.2%) and lowest among Whites (12.7%). Among middle schooliers, the percentage of students who ever thought seriously about killing themselves was highest among Hapanior (16.0%) and Blacks (16.0%) and lowest among Whites (15.2%)							
				(ment)											(Rhode Island Youth Risk Sehavior Survey, 2019).							
								-				2000 Annual Review		For Contractual Reporting HEDIST: WCV	Chit							
												2003 Annual Design.  NCOA combined the Adolescent Well Care measure with the Well-Child Veits in the Third, Fourth, Fifth and Saint Years of Life measure to create a new Child and Addressent Well-Care Veits measure. This new measure only has administrative specification.		HEDS*: WCV For CHC and CTC-Ri Reporting http://www.nbir.ii.org/internantosin-committee.nbn	Child: AMAACO performance for well-child wists in the first 15 months showed highest performance for Silacks. (DSN) and lowest performance for Other Race (Silht), and lower rates for Hepanics (Silht) than non- Hepanics (MRACO research, 2021).							
												specifications.  Adopting the adolescent age stratifications for the new Child and Adolescent Well-		http://www.shic.ri.gov/bhic-reformandpolicy-pomhinfo.php	-A MA Health System performance for well-child visits in the first 15 months showed higher performance in Whites (65%) than in Heparics (72%) (MH Health System, 2020).							
												Care Visits measure is the closest replacement to the previous Adolescent Well- Care Visit measure.			AMA ACO performance was similar for English and non-English language preference individuals, but lawer rates for Portuguese speakers (IRIACO research, 2021).							
				National											Children with severe disabilities are at a greater risk for receiving less than optimal health care than children with less debilitating conditions (Sannicando et al. 2017).							
54	Child and Adolescent Well-Care Visits	NA.	NA.	Commit tee for Quality Assura	Percentage of members 3-21 years of age who had at least one comprehensive well- care visit with a PCP or an OS/G/N practitioner during the measurement year	on/ Early	NA.	Proces s	Pedatri	Claims	Profess ional-				chains with less delicating contains palmicands of at, 2017).  Children with developmental disabilities have the most probund inequality in their health care experiences. Proloay et al., 2017).		· ·	in a	New Mer	.		
	Visits			Accura	practioner during the measurement year	Detecti on					based				Africaner							
															-884 Health System performance showed higher performance for Whites than for Blacks for ages 13-01: 87% White: 55% Black or African American (884 Health System, 2020).							
															-A MA ACO Well-Child 3-9 performance: 84% Aeian compared to 79% Other Race; 82% Hepanic or Latino compared to 77% on Hepanic or Latino. AMC: 79% Aeian compared to 68% multiple races; 72% Hepanic or Latino compared to 70% non-Hepanic or Latino (8M ACO nessant). 2007.							
															464 Health System performance showed higher performance for Whites than for Blacks (this was not true of the MA-ACO data) across all age ranges (64 Health System, 2020).							
												2019 Annual Raview —Hi performance in high relative to radional benchmarks. —Participants and that there is still room for absolute performance improvement and that this is an important pediatric measure.		For Contractual Use: HEDIS*: CIS (Combo 10 rate)	<ul> <li>4n 2018, 71% of Rhode Island's children by age 24 months were fully immunitied, above the national average of 69% (Rhode Island KIDS COUNT, 2000).</li> </ul>							
					Percentage of children 2 years of age who had four diptheria, setanus and acellular							and that this is an important pediatric measure.  Oth Coth Work Corum Discussions			-In analysis of the National Immunization Survey-Child 2016 to 2017 found that children enrolled in Medicalid or with no health insurance had lower vaccination coverage than privately insured children; among these groups, the previence of being completely unsuccinated was 1.3, 4.1, and 68 percent, recommissional size of 2020.							
				National Commit	persussis (DTaP); three polic (PN); one measies, mumps and rubells (MMR); three haemophilus influenza type © (HE); three	Preventi	Infectio			China	Drohau	2015-2016 Wink Chara Colorations .  A walklin and individual restaurces as a even if state baseline rates are high, want to make a state and individual restaurces as a security legic.  - Gross of the rate-compliant numbers are because provident initiated the date by when they needed to administrate vaccinations, not that patients did not receive than.			among these groups, the prevalence of being completely unsaccinated was 1.3, 4.1, and 6.9 percent, respectively (Hill et al., 2023).							
15	Childhood Immunization Status (Combo 10)	0038	Endors ed	National Commit tee for Quality Assura non	hepatitis B (HepBI), one chicken pax (VZV); four pneumococcal conjugate (PCV); one hepatitis A (HepAI); two or three rates/***	Preventi on/ Early Detecti on	Diseas e	Proces s	Pedatri	Claims/ Clinical Data	ional- based	<ul> <li>some of the non-compliant numbers are because providers missed the date by when they needed to administer vaccinations, not that patients did not receive them.</li> </ul>			-wn anaques or the National Immunication Survey-Child 2016-2017 Bound that coverage for the combined 3- seccine series was highest among White non-Hepanic children (72.7%) and Asian non-Hepanic children (75.7%) and lower among Black non-Hepanic children (85.8%) and Hepanic children (97.8%) HH et al.		Y	in h	lanu like	1		
				noe	Proceedings of citizens I years of against and for organization of control and the citizens and control and control and citizens and citizens and citizens (CTAPS) there polici (PV), true makesies, rumper and robelle (MRST) three hasenophilus influences type in (PRST) control and policity (PSST) and position (PSST), one officiens proc (PSST) for personanceccal conjugate (PSST), one of their extractive (PSST), and two influences (PSST) in according to the influences (PSST), and two influences (PSST) in concises by that accord before), the measure controllers a citizens of the controllers of their exceptance combination times.	on.									2000).  An analysis of the National Immunication Survey Child 2016 to 2017 found that the oraporter of children							
					separate combination rates.										who have neceived the combined 7-vaccine series is higher among children living at or above the poverty level (74.1%) than children living below the poverty level (74.1%) than children living below the poverty level (82.0%) (48 et al., 2020).							
						$\vdash$					_	2015-2016 Work Carup Cleauselions  - Measure currently uses several product to identify sexual activity		For Contractual Use: HEDIS*: CHL	In Rt, chlamydia diagnoses have steadily increased in the last 10 years and disproportionately affect the			_	-	1	$\overline{}$	
				National								- Measure currently uses several proxies to identify sessual activity		HEDS" OIL	<ul> <li>In continuous agrosses trave staticay increased in the last 15 years and captiporticities participally indicated the continuous participal in 2015, chilamydia rates were nearly seven times higher among Blacks/Militare Americane as compared to white (1,331.2 compared to 196.0 cases per 100,000). (Rhode island Department of Health, 2019).</li> </ul>							
16	Chlamptia Screening	0022	Endors ed	Commit tee for Quality Assura	Percentage of women ages 16 to 34 that were identified as excastly active and had at least one test for chlamydia during the measurement year.	on/ Early	Infectio us Disease	Proces s	Addesc ent and Adult	Cisins	Proless ional- based				-in RI, chiamydia Incidence (number of new cases per 198,800 population) was highest among Black/Rhican Americans (1,522.7 per 190,000) and HispanicLatinos (H13.4), and lowest for Whites		· ·	in a	New Mer	.		
				Assura nos	measurement year	Preventi on/ Early Detecti on			Adult		based				Black/Whican Americans (1,523.7 per 190,000) and HispanioLatinos (913.4), and lowest for Whites (350.4). Other racial groups also had higher incidence than Writes - halive Heussian PI (734.2), American Indian/Marka Native (454), and Asian (231.1) (American Health Rankings, 2000).							
				Center	Standardized infection Ratio (SIR) of healthcare-associated, central line- associated bloodstream infections (CLARSI) will be calculated among patients in the following patient care locations:							2001 Annual Rouleu  - Restrict the measure because Riperformance demonstrated opportunity for improvement.		For Contractual Use: CDC: https://www.cdc.gov/nhsn/scute-care- hospitaliciabs/index.html	-Buying Value identified this to be a "dispatitive-neastive measure" using NQF's 2017 Dispatitive Project Final Report (NQF, 2017).							
17	CLABSI: Central Line-Associated Blood Stream Infection (HAI-1)	0129	Endors ed	Disease a Country		Hospital	Patient Cotos	Outcom	All Ages	Clinical Data	Facility- based	-representative management or a second propose training that measures a opposition of the participants expressed interested in retaining that measures because of utility as a composite.			A national analysis of National impatient Survey date for 25%-2617 found that, compared to White patients, the odds of the occurrence of healthcare-associated inflections (including CLASS) were all for East, at 25 for National Patients (25 for National	No change	No edis - no change nequired	les.		Core		
	arood stream infection (HAR-1)		ed	and Preventi	Intensive Care Units (CUIs)     Specialty Care Areas (SCAs) - adult and		Janey	-	- 1		amend	2019 Amust Review There is a list of variability in performance by hospital.  One participant noted that there may be changes in public reporting as HM oenformance in being decorated from IDR recorded and instead will be recorded as			were statistically significant with p-values <0.01. There was a statistically significant interaction between gender and race showing the most protective effect among female Asian/Pacific Islanders (Leys et al., nonn).		required					
				on.	<ul> <li>Specially Care Areas (SCAs) - adult and pediatric long-term acute care, bone marrow transplant acute distants</li> </ul>						_			For Contractual Use:	A national analysis of National Invalided Supervisors by Stat. 2017 found that command to White national							
				Cantar								2001 Annual Review  Retained the measure because Rilperformance demonstrated opportunity for improvement.		For Contractual Use: CDC: https://www.cdc.gov/nhsn/acute-care-hospital/cdff- mna/index.html	A factorial analysis of Placeboal regulator Sourcey does for 2019-2017 Floated that, companies to whites palents for odds of the outcomesce of healistics—association infections, (plicating, colf) live well Get for Elisack, (202) for Velapacit, (3 60 for AspanSoulide Internation and Floated International All outcomes were statistically applicated internation between grander and race already subject on the color of the Charles Associated International All outcomes were statistically applicated internation between grander and race already subject to the color of the colo							
	Constitution Difference on April		Control	for Disease	Standardized infection ratio (SIR) of hospital- onset CDI Laboratory-identified events.		Detect	0.000			Parities.	-representative management or a second propose training that measures a opposition of the participants expressed interested in retaining that measures because of utility as a composite.			significant with p-values <0.01. There was a statistically significant interaction between gender and race showing the most protective effect among female Asian/Pacific Islanders (Leys et al., 2000).		No edits -					
10	Clostridium Difficile (C.diff.) Infections (HAI-6)	1717	Endors ed	Control	Standardized infection ratio (SIR) of hospital- onset CDI Laboratory-identified events (LabD events) among all inpatients in the facility, excluding well-baby numeries and neonatal intensive care units (NICUs)	Hospital	Safety	Outcom	All Ages	Clinical Data	Facility- based	2015-2016 Work Group Discussions  - Nated that this measure covers whole population versus a sub-population  - St performance demonstrated significant opportunity for improvement			A national analysis of the U.S. National Hospital Discharge Surveys from 2001 to 2010 found that CDI Incidence was higher for Withle patients; however, Black tace was independently associated with mortality and ensere CDE (Black hat higher monthly (24 % vs. 25 %, y < 0.0001), 30 × 7 days (37 % vs. 22 %, y < 0.0001), and severe CDI (24 % vs. 19 %, y < 0.0011) (Argamany et al., 2016).	No change	No edits - no change required	les.		Core		
				on on																		
									_			2019 Annual Review  - Ripperformance is high relative to rational benchmarks for this commercial-only		For Contractual Use: HEDISF: COL	In Ri, coloractal cancer screening rates are 78.1% for Whites, 76.2% for Blacks, and 48.2% for Hispanics (America's Health Rankings, 2020).							
	Culculated Construction	9034	Endors ed	National Commit tee for Quality Assura	Percentage of adults 50-75 years of age who had appropriate screening for colorectal cancer	Preventi on/ Early Detecti on	Cancer	Proces	Adult and Older Adult	Claims/ Clinical Data	Proless	<ul> <li>- to personance a right season to resonal personance for this commercial-only measure.</li> <li>- Participants thought the measure was of important clinical value and wanted to retain it.</li> <li>- Michael rolled that this is a PCSH measure.</li> </ul>		For CHC and CTC-Ri Reporting: http://www.chic.ni.govichio-reformandpolicy-pombinto.php	Preparate promises remove remove promoting access .  In RI, coloractic cancer accessing rates are \$2.2% for adults earning \$15,000 or more and 64.5% for adults earning less than \$25,000 (Horerical). Health Starkings, 2003.			les C	ione Cor			
19	Colorectal Concer Screening	0034	ed	Quality Assura	cancer	Detecti on	Carcer		Older Adult	Data	based	Netan E.  -Michael noted that this is a PCMH measure.		http://www.anic.ingovionic-retornandpolicy-pc/intens.php	adults saming less than \$25,000 (Hondrich Hold) Ramings, 2005; In Rt. colonical cancer screening rates are \$3.6% for colleges graduates and \$5.5% for adults with less than a high school degree (Hondrich Hold) Ramings, 2000;		, i		an ca			
												2019 Annual Review  - Recommended moving to Core for Primary Care based on a survey 2019 Annual Review		For Contractual Use: HEDIS*: CDC (Eye Exam rate)	Sees than a high echool degree (America's Health Rankings, 2000).  -Buying Value Identified this to be a "dispartise-sensitive measure" using NQF's 2017 Dispartises Project Final Report (NQF, 2017).							
												Sincete to Core status in the Primary Core Set.  "Some participants noted that this measure is clinically relevant and has claims-based tracking.		HEDIS*: CDC (Eye Szem rate) For CHIC and CTC-Ri Reporting: http://www.chic.ingovichic-reformandpolicy-pombinfo.php	Final Report (NOF, 2017).  In Rt. the percentage of adults who reported being bid by a health professional that they have diabetes.							
												Strongermended receives to Clone for Pitmany Care-based on a summer 2019 forced Service S		http://www.ahic.ni.gov/ohic-reformandpolicy-pcmhinfo.php	In RI, the percentage of adults who reported being told by a health professional that they have disbettes (excluding prediabetes and gentational disbettes) was 11.0% for Blacks, 10.8% for Hispanics, and 8.9% for Whites (Americals Health Rankings, 2020).							
															Not wisses presented tream notations, 2005.  R. disbettes previolence is increasing mostly among Black non-Hispanic adults. RI adults whose primary/language is Spanish are diagnosed with diabetes 2x more often from those whose first language is English (RECH; 2014).							
				100	Decreations of contacts of Warrant										response in emplish (HDCH), 2014)In RI, disbetts is nearly 2x more common in lower income adults and adults with less education.							
20	Comprehensive Diabetes Care: Eye Exam	0055	Endors ed	Commit tee for Quality Assura	Percentage of patients 10 rs years of age with diabetes who had a referral or dilated eye exam by an eye care professional during the massurement period or a negative retiral exam (no evidence of retinopathy) in the 12 months orior to the measurement period	Chronic liness	Diabete	Proces s	Adult and Older Adult	Claims/ Clinical Data	Profess ional-				4h PL, dishviss is ready 2x more common in lower income adults and adults with less education (14.5)% of adults with amount incomes «Stifts are disposed with disbelses compared to 7.6% of adults with scores of 1475% and 121% of adults without a high school diploma compared to 6.4% of adults with at least some college education) (PSDON, 2814).			les C	ione Cor	.		
	Eye Exam		ed	Assura non	<ul> <li>assurement period or a negative retinal exam (no evidence of retinopathy) in the 12 months prior to the measurement period</li> </ul>	Care	4		Adult	Data	based				In Right with disabilities are disproportionally represented among the diabetic population (nogly 19% of Right have disabilities, but 40% of adult diabetis have disabilities). (RDOH, 2014).							
					-										progrey rene or ne reserbitabilities, but 60% of adult datemen have disabilities; (RDCH, 2014).  -The Michigan Michicaid managed care performance on this measure was 6.4 percentage points higher.							
															tor winnes than for Blacks (intile disparity research).  -684 Health System performance showed eye exem rate of 29% for Black/Mrican Americans and 22%.							
															-664 Health System performance showed eye exom rate of 20% for Black/Mrican Americans and 32% for other race/multi-racial people (MA Health System, 2000).  -Companyd to adults without disability, those with physical disabilities and those with coontieve.							
															Compand to solute without disability, those with physical disabilities and those with cognitive limitations experienced more diabetes (Reichard et al., 2010).							
												2015-2016 Work Group Discussions  - Dangerous guideline because it is medically unadelsable to lower some patients'		For Contractual Use: HEDISP: CDC (18% rate)	-Buying Value identified this to be a "dispartise-sensitive measure" using NQF's 2017 Dispartise Project Final Report (NQF, 2017).							
												Afc values below 8%.  - Measure includes pt exclusion criteria.  - NCQA's rating system includes this measure with highest ranking.		For OHC and CTC-RI Reporting: http://www.chic.ni.gov/ahic- reformandpolicy-gomhinfo.php	In Ri, the percentage of adults who reported being told by a health professional that they have diabetes							
												<ul> <li>HbA1c good control (&lt;0.0%) is more aligned with the targeted patient population (commercially insured tiledicald patients).</li> </ul>			(seculating predictions and gerational distinst) was 11.0% for Blacks, 16.8% for Hispansics, and 8.9% for Whites (America's Heath Rankings, 2020).  In Distinction requirements information materials among Black and Allemanic adults. Of stalls whose							
															In RI, disheres prevalence is increasing mostly among Black non-Hispanic adults. RI adults whose primarylanguage is Spanish are diagnosed with diabetes 2x more often than those whose first language is Englan (RISCH, 2014).							
				National Commit	Percentage of members 16 - 25 years -1				April .						-in RI, disbettes is nearly 2x more common in lower income adults and adults with less a discassion (14.0% of adults with around incomes -435% are diagnosed with disbette compared to 7.6% of adults with accessed of 947% and 02.0% of adults without a high school diploma compared to 6.4% of adults with at least come college exclusion (1960-02.254).							
21	Comprehensive Diabetes Care: HbA1c Control (<8.0%)	0575	Endors ed	Commit tee for Quality Assura	Percentage of members 16: -75 years of age with diabetes (type 1 and type 2) whose most recent HbAfc level is -6i.0% during the measurement year.	Chronic Siness Care	Diabete 6	Outcom	and Older	Claims/ Clinical Data	Proless ional- based				recomes or varies and 12,0% of adults without a high school diploma compared to 6.4% of adults with at least some college education) (RIDOH, 2014).		Y	ten C	ione Cor			
				000	enderson year.				AM						In Ri, individuals with disabilities are disproportionally represented among the diabetic population (roughly 16% of Ris have disabilities, but 42% of adult diabetics in Rishave disabilities) (RDOH, 2014).							
															in Ri, adults whose primary language is Spanish are diagnosed with diabetes two times more other than those whose first language is English (RDOH, 2014).							
															-The Michigan Medicaid managed care performance on this measure was 6.4 percentage points higher for Whites than for Blacks (was disparty research).							
															-BBA Health System performance showed eye exam rate of 39% for Black/African Americans and 32% for other race/multi-racial people (MA Health System, 2020).							
					this measure examines the percentage of	$\vdash$					_	2019 Annual Review		For Contractual Use:	Compand to adults without disability, those with physical disabilities and those with cognitive In a setrospective other study using estimated ten 2014-2018, White and Hispanic beneficiaries					1	$\overline{}$	
				Pharma	includates 16 years and older with concurrent use of prescription opioids and benz odisorapines. The distributor includes individuals 16 years and older by the first day of the measurement year with 2 or more	Sahasir	Solven				Profess	2019 Account Bridger Agenous and no-comprise as Developmental. This is a topic of importance. Trave are currently other-element implementation issues that may be halped by ongoing PSEM* and vit. The Vitex Group-will reconsider the measures in the future for the primary care measures and other forms of the following of the primary care measures are supported by the primary care measures and other forms of the following of the primary care measures are supported by the primary care measures and other forms of the primary care measures are supported by the primary care measures and the primary care measures are supported by the primary care measures are considered by the primary care measures are careful to the primary careful t		PQA: https://tinyurl.com/PQA-opisid-benzo-concurrent	had higher rates of coprescription than did Black beneficiaries over the entire study period (Jeffrey et al., 2018).				maio ~-			
22	Concurrent Use of Opioids and Benzodiazepines	2289	Endors ed	Cy Quality Aliance	The denominator includes individuals 18	ral Health	nce Abuse	Proces s	Adult	Claims	ional- based	organg review width. The Wolk croup will reconsider the measure in the future for the primary care measure set.  2017 Annual Desirys.			In RI, Black residents have higher rates of ovendoes compared to White residents (\$7.1 per 100,800 person-years compared to 36.4 per 100,000). Over time, we see that overdoes death rates are increasing fastest among Black and Hispanic Rhode Islanders (Prevent Overdoe RI, 2020).		Y	les p	nenta pre	nta		Developmen tal
					years and occur by the first day of the measurement year with 2 or more							<ul> <li>Opicids is a state health priority</li> <li>Agreement that the measure will not be too difficult to implement given the robust</li> </ul>		Co-Contract (Inc.								
												2002 remain release.  NCQA significantly modified this measure so that performance will likely no longer be comparable to prior year performance. Therefore, CHC is moving this		For Contractual Use: HEDISP: CEP	-Buying Value identified this to be a "dispartise-sensitive measure" using NQF's 2017 Dispartise Project Final Report (N2F, 2017).							
												measure from the Core Set to the Menu Set for one-year to allow payers and providers to gether baseline data.		For GHC and CTC-RI Reporting http://www.chic.ni.gov/ohio- neltamandpolicy-pomilinfo.php	In Rt, high blood pressure disproportionately impacts individuals of lower accioeconomic status. In 2017, 36 SN of adults with incomes believe 2001s of Federal Proveity Level (FPL) had known hypertension, compared to 27 This of adults with incomes at or above 400% FFL Placeds tailed Expansion of Health,							
			Endors ed	National Commit tee for	Percentage of patients 18 to 65 years of age who had a diagnosis of hypertension (HTN) and whose blood pressure (BP) was adequately controlled (+140/60) during the measurement war.	Chronic	Cardo	Outcom	Asia	Claims/ Clinical Data	Proless	2018 Annual Devine  - The Work Group agreed to adopt NCQK's changes to the measure.	The specifications for OHC and CTC-RI reporting are for the 10*119 – 9/30*19 reporting period and therefore align with the HEDS 30*19 specifications, not the HEDS 30*19 report for shows				v		Nenu Meru Meru (Mo ) Core to C ) for (02) 202	:		
23	Controlling High Blood Pressure	9018	ed	Commit ten for Quality Assura	ans whose stood pressure (SP) was adequately controlled (<160/90) during the measurement year	Eness Care	Cardiov ascular		Adult and Older Adult	Data	based	2015-2016 Work Group Discussions  - Measure used by CTC-Rt, BCB5RF & Tufts, also by MSGP and Medicare S-Star.	which were recommended by the CHIC Measure Alignment Work Group. A work group will be discussing this discrepancy in September 2016.		4s RJ, high blood pressure rates are highest for the Maltracial (SS DN) and Other Race (45-BN) categories. Pasts are 35 7% for Blocks, 34.2% for Whites, 36.0% for Hispanics, and 15.2% for Asians (America's Health Rackings, 2029).		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	- S	Nenu Meru (Mo 1 (Mo 1 Core to C 1 (022) 202	0		
				_								Considerable overlap between this measure and "Comprehensive Diabetes Care: Controlling Stood Pressure."			In an NHANCS survey (2011-2014), among all adults with hypertension, the overall prevalence of hypersension control among non-Hapanic within (55.7%), adults was higher than among non-Hapanic black (86.5%), non-Hapanic Asian (45.5%), and Hapanic (47.4%) adults, (Your et al., 2014).							
															(68.5%), non-Hispanic Asian (43.5%), and Hispanic (47.4%) adults. (Yoon et al., 2015)							

_											I AMM terral Parties	Transcription										
24	Depression Revision at Six Months	al'11	Endors ed	Micross dis Commu- rally Microsoft meet	Percentage of shall patients ago 10 and other in Princip deposition of perpension of the percentage of the percentage of the percentage and percentage of the percentage of the percentage as a FFA-2 toom have found. The analysis of an object for percentage of the percentage of the percentage of the percentage of the percentage of the deposition of an object to the percentage of the percentage of the handward.	Acute Care	Minerali Pleatro	Outcom e	All Ages	Chainst Profession Control States	THE SECRET AND THE RESIDENCE AND THE SECRET AND THE	MCCAL TOPO LA CONTRACTOR CONTRA	In the Secret (1997), 2019. The secret (1997) is the secret (1997) and the secret (1997)			Visa	Menu	Meru			Menu	
25	Copression Revision or Response for Adelescens and Adults	NA	NA.	National Commit toe for Quality Assura 604	The posterings of meetings (1) years of ago at mission ThO2 from which as mission ThO2 from which as mission and the silver of t	Acade Case	Mortal Health	Outcom e	All Ages	Discrim sic Production Scient Circuit Scient System Based	International International Conference of the Mark School	Far Contractura late vector DISE	An analysis of the control of the co			Yes	Cavelo presta I	Develo previo			Davidgmen tel	
26	Supression Screening and Failing Up for Adolesseers and Adults	w NA	NA	Nacional Conseil Conseil County Associa nos	Precessing of numbers 10 years of age and dependent using a consideration to a set of consistent and an extension of the consistent and an extension of the consistency of the consistency of the consistency of consist	Provinced on Santy Detects on	Microsil Health	Process s	Address on and Address Address	Circuid Profits State Data State State	And the machines are seen as a series of the see and t	For Companyment track scales Colde	contained while the second of department for the content of the cold, while cold, and contained the cold of the co			Yes	Crevio presta, i	Develo presenta I				
27	Developmental flore ring in the First These Years of Life	1442	No Linger Endors ed	Ciregon Headh 4. Science Universi fy	Procurage of Children screward for risk of procurage of Children screward for risk of walk a membershale d convertige both the fact three years of fair. The as a measure plan of the children of the control of procurage of the control of procurage of the control of the children are unased to the control of the children are unased to the control of the co	Provided on/ Early Detection	564	Process s.	Pedani c	Chiatea Problem Chical Israel Chita Israel	Note formed Shopper  - Riskin the measure as there is apportunity for improvement and it is used in the PCMH-Holds and Medical AF programs.  - Cold Self of the risk include Shopperary.  - Cold Self of the risk include Shopperary.  - Cold Self of the risk include Shopperary.  - Management from its in shoppy algorid with what pediatricians should be doing.  - Measures should be applied at both ACO and provider levels.	For Commonation or OAC and ETC Relayangs (top however the Appendix on Americans), and a proper of the physical and a second property of the physic	And we can will design the property of the pro			Yes	Core (Ravial for 2023)	Core (Strink) for 2652)				
20	Dubent Spreading for Proping with Science with Science-science of Science Disorder which Am Dubing Ampropriations Medications  Management Medications	1922	Endors ed	National Commits toe for Coulty Assura non	Percentage of patients 18—16 years of Saga- with inclusionations of inclusion classes, who will be a supplemental or inclusion classes are to be a displace screening best during the displaces screening best during the displaces are supplementally parts.	Charles Brack Case	Alternal Health	Риссия в.	Adat	Chalina Productions to the Chalina Cha	The finance could be seen to the God framework of the finance of t	For Commont Law delices (Cont.)	The Manager (1997), 2019. The Manager (1997) was the Manager of th			Yes					Menu	
29	Elective DeliveryPrior to 38 Completed Wile ks Ge existion (PC- 81)	0469	Endors ed	The Joint Control asion	This measure assesses profess with marches region delivers or a sector consume sections at v = 27 and v = 26 versus of personne comproduce. This measure is a part of a set of the nationally explainments of 25 collections of 25 collections of 25 collections 25	Hospital	Progra noy	Outcom e	Addesc ert and Adult	Cisional Profesional Cisional Innai-	Scoon for egiptivement - 4 crass or not calcular cales a 4-b     Concern cased that the demonstance is unall and therefore problematic for measurement for small houghtsis.     It was noted that there is a state task force working on early induction.	For Commission Links TLC FO-GE frequences and processing organisation and photosome TLC SED A-Period sea Mission and photosome A-COMMISSION and A-COMMISSION AN	Annual Association (In Co. 1) and the control of th	No dange	No editi - no no change required	Yes	Menu		Mena	blens		
30	Emergency Department (ED) Visits per 1,000	NA.	NA.	National Commit tae for Quality Assura 100	Rate of ED visits per 1,000 member months	Populad on Health	Emerge ncy Care	Outcom e	Adult and Pedatri c	Claims Facilities based	2002 Around Studies This was obligated what to the Primary Care Manages Set Stands on its uses as a CTC boostele measure. The measurement of their guest by CTC.  1017 Ferror Manages - Throw is attempt framed booteline to modice which without a measure, but is required for symptomic part CTC-Set.  2015 2004 What Carego Setsmaniane - This is Setsmaniane control of the Setsmaniane Setsmaniane Companies and CTC-Setsmaniane - This is Setsmaniane controlled without allowed the Setsmaniane - This is Setsmaniane controlled on the Setsmaniane - This is Setsmaniane - This Setsmaniane	For Community like CTC: CTC	It is to 10.0 is 2000, to 300 visiting for non-imaginal bills of afficiant immediate partners (87 history and 98 persons (87 history and 98 persons (87 history 100 persons) and partners (18 persons) and the 10 persons (18 persons) and partners (18 persons) and the 10 persons (18 persons (1			Yes		Menu				
31	Exclusive Breast Milk Feeding (PC-48)	0480	Endors ed	The Joint Commi salon	PC-45 assesses the number of newborns schalling the beast milk caring the newborn's entire hospitalisation and a second rate, PC-456 which is authors of the fast, which includes only those newborns whose mothers chose to seculately fixed breast milk. This reseause is a part of a set of for rationally implemented measures that address perinated care.	Hospital	Pragna ncy	Proces s	Padani c	Claimal Proble Clirical ional- Data based	2001 Fermal Shower  - Homosom services from Acute Care Houghts set Because Poperformance in except than indicate plantimance and will be explaced in the factor by the reas- element of the proper form indicate plantimance and will be explaced in the factor by the rea Repetition repress in Mistering Content and Beauting distributions and participates agreed it could be explaced in the factor by the new CME materially care missaure.  More formal Shower  Facilities as a strong measure.	For Commission than: T.C. IP-CG T	Are contained the 2002-2000 Montain Consolitate Parel Scores South for agents with deballions of the 2002-2000 Montained Parel Scores South for agents with deballions of the 2002-2000 Montained with self-2002-2000 Montained Parel South Scores South Foreign South Scores South Foreign South Scores South Foreign South Foreign South Scores South Foreign South Scores South Foreign South Scores South Foreign South Foreign South Scores South Foreign Sou	No change	No edis - no change required	Yes	Mesu			Mesu		
32	Fluoride Varnish	MA	NA.	Rd Depart meet of Health	Percentage of children, age 6-3 years, who inceleded a fluction worked application in primary case forcing the measurement periodic on the properties of the	Presenti on	Oral Health	Proces s	Padani c	Clinical Profes Data ionsi- based	-Personal and Control and Personal and Personal Annual Persona	For Commenced Units  Florida Streets  Florida Streets  Searchister	on its developed defined properties of inconference investigate, not seen recentrating of other involvation and consideration of the conference involvation and consideration and position for the first developed properties. The conference involvation in conference in the conference			Yes	Menu	Mens				
22	Follow-Up After Emergency Department Visit for Acobal and Other Orug Dependence	3488	Endors ed	National Commit tee for Quality Assura noe	The percentage of emergency department (SD) visits for members 13 years of age and clare with a principal diagnosis of aborter or other drug (MOD) department, who had a follow on visitor AGO. Two mins are reported.  The percentage of DO visits for which the amenter recorded follow-up within 30 days of the SD visit.  The percentage of DO visits for which the amenter recorded follow-up within 30 days of the SD visit.	Hospital	Emerge ncy Care	Proces s.	All Ages	Cinima Profes Cinima Ionai- based	months), and one in the field (24 to 24 months), does not follow to 3.7 the officers 2002 Freeze (24 months) and the control (24 months) and the officers -face from Core to Stellar Anche Core in despite the seasons and opposition because (35 months) and the seasons and compressing service from the state beautiful.  In a fine beautiful.  Another in the control of the control of the control of the control of a december of the control of th	For Contractual Utus: HEDIST-FLA	disping Maka identified this in bits a "Magastion-entrolline measura" using NGFV 2007 Outpartise Project Familiaryou (MSF, 2007).  18 a study of March de bethe services ordines from 15 classe in 2000 year including R1, the colois of Maka- up Alem indicators are discript CFD discharges were liver among white versus Africas. Personalized person-day followed in colors among personalized was outparted for Maka- ptiness and the colors among personalized was outparted for Makaptiness and and colors are discharged from the colors among personalized was outparted for Makaptiness and and colors are discharged from the colors and colors and discharged from the colors and colors and discharged from the colors and colors and discharged from the colors and disc	No change	No edis - no change required	Yes	Menu		Menu			Menu
34	Follow-Up After Emergency Department Valit for Mexical Biness	2489	Endors ed	National Commit tee for Quality Assura noe	1. The processing of Elevancy within Schlags of the ED visit. 2. The purcessing of ED visit for which has the percessing of ED visit for which has the percessing of ED visit for which we (ED) while for members it years of age and other with an principal diagnosis of meetal librars, who had a biblew-you like for meetal librars, who had a biblew-you like for meetal librars. You believe you with 50 clarge of the ED visit. 1. The purcessings of ED visit for which has the ED visit. 2. The purcessing of ED visit for which has example or excellent follows you with 7 years of member or recorded follows you with 7 years of	Hospital	Emerge ncy Care	Proces s	All Ages	Profes Claims ional- basso	*Stockward of Principle (No. 1990) and the Control of Principle (No. 1990) and the Con	For Communical Unic HEDIS** FLMI	Outpig Nata sketting to be a "Lagartine-execution measure" using NGP+ 2007 Departies Project Familyappe (1967, 207).  A 100 page	No change	No edix - no change required	Yes	Menu		Menu		Menu	

					Percentage of discharges for members 6						2001 Fernal Review		For Contractual Use:										
					years of age and older who were hospitalized for treatment of selected mental health disorders and who had an OP visit, an intensive OP encounter, or partial hospitalization with a mental health.	d					<ul> <li>Participant pointed out that RJ performance valutive to rational average is being driven by high performers and there are still low performers in RI. Retained due to opportunity for improvement.</li> <li>2019 Annual Review</li> </ul>		HEDIS*: PUH (7-day rate)	Final Report (NGF, 2017).  A study using data from the Medical Expenditure Planel Survey (2004-2010) assumed the quality of outputer treatment purposes following operator prochabitor treatment among Blacks, White, and Lafone in the United States. Rates of State-on were generally by, practically rates of adequate treatment.									
25	Follow-Up After Hospitalization for Mental Illness (7-Day)	576	Endors ed	National Commit tae for Quality Assura	for treatment of selected mental health decretices and who had in OP viols, an intensive OP encounter, or partial hospitalization with a mental health practitioner. Two rates are reported: 1) the practitioner. Two rates are reported: 1) the processing of members who incolved follow yo within 3th days of dechange, 2) the process of members who received follow-up within 7 days of dechange.	Hospital	Mercal Health	Proces	Adult and Pedatri	Profess Claims ional- based	2013 Aroual Review rections as 2019 Minuser for behavioral health horipide Participants recommended this measure be included to provide incretive for communication between inputient and outpetient behavioral health providers. 2017 Aroual Species	Use if the facility has an adequate payer-specific denominator size.		(-28%) After adjustment for need and socialconomic status, the analyses showed that Blacks were less likely than Whites to receive any treatment or begin adequate follow-up-within 30 days of discharge (Carson et al., 2014).	No change	No edits - no change required	Yes	Core		Core	Com	Menu	
				100	within 7 days of discharge				•		<ul> <li>not apprecise for primary care because (r) specification do not accept a tolor- up visit with a PCP and (2) PCP is not necessarily notified if a follow-up in performed by a behavioral health provider</li> </ul>			Average with developmental basilisting has a final and 1.4 pt of 1.64 pt oppositions in 2000x0, companied with 1.55 (55 0.05) toughtablishors for people without development disability. The proposition of people without developmental disability having only one hospitalization was greater than the proposition for those with developmental disability. In comman, people with developmental disability were more fixely to have multiple to considerations in that time frame fusions or at 2010s.		required							
											2015-2016 Work Group Discussions  - The plans are looking at 7 days or less. For some 7 days seemed too short, while 20 days seemed too long.  2011 Annual Review.		For Contractual Use:	Far CG CAMPS									
											<ul> <li>The plans are looking of future or less. For some 7 days exemed too short, while 30 days exemed to less, and the future of the some district of the control short of the source of the value of the survey questions as indicating quality of care and due to opportunity for improvement in RI hoppital.</li> </ul>		Poli Collection Cent. CSBC: https://www.shrq.govicahpalas.nveya- guidance/hoopitalindes/html	A MA Hastin System found that all raciallesheld misorities performed lower than Whites on: Care Coordination, Provider Communication, and Provider Rating. Asians had lower patient experience on all ambulatory composite (MA Health System, 2016-2018).									
				Content	27-bens survey instrument with 7 domain-						Quint-Odnik Work Carson Chinassistans.  - Rith average is similar to the next average absolute rate is still low (70%).  - Discharged is include to the control average domain.  - Ginop agreed to include all the domains (spections elicity) agreed to include all the domains (spections elicity) are gones.			A.NA Health System found that soo-English-speaking patients are more likely to recommend their provider. Non-English-speaking patients have lower patient experience access in the annual of Cure Coordination, Provider Communication, and Provider Rating (MA Health System, 2018-2019).									
26	HCMPS	0166	Endors ed	for Medicar e & Medical d Service	27-bans survey instrument with 7 donals- level composites including: communication with doctors, communication with nurses, responsionness of hospital staff, pain common communication about medicines, cleanliness and quistof the hospital environment, and descharge information.	i, Hospital	NA.	Patient Experie nce	Asia	Survey Facility- based				-Oual eligible beneficiaries, with a disability were more likely to report being unable to get needed beath care compand to beneficiaries without a disability (14% worsons 15%) (CMS, 254%).  A national analysis of responses to the 254-2515 NMLOVAPPS survey found that, compared with White beneficiaries. American inclamification Native (AMM) and Asian Perofic Islander (AM) beneficiaries.	No charge	No edits - no change required	Yes	Menu		Core			
				Service	de charge information									A national analysis of responses to the 264-0515 NAMICAPPS is survey found that, compased with White beneficialists, whereince includinalists analysed (AMI) and nations Pacific Instance (PMP) beneficialists reported warrs a superinces, while Black beneficialists reported better experiences. Children's ANA beneficialists was weed-E-plottes on 2-100 casis; defacts beneficialists in Politicalists (AMI) and Politicalists (AMI) and AMI and									
					This measure-estimates the hospital-level, risk-standardized rate of unplanned, all- cause readmission after admission for any						2001 Avenual Review  -Participants supported intellining the measure for the Acute Care Hospital Measure Set but questioned why it was its use by a paper in Behavioral Health Hospital Contracts, given the measure explicitly excludes administrar primarily for psychiatric disease.		For Contractual Use: Code: https://www.qualitynet.org/files/Seaafifts/doi/1596042756 me=2000_HWR_ME_SpaceReport.pdf	Plant AF-Cause Readmission: - Buying Water identified this to be a "dispatition-sensitive measure" using NQF's 2017 Dispatition Project rena. Result Report (NGF, 2017).									
17	Hospital-wide Readmit (READM- 20-HOSP-HIDS)	1729	Endors ed	Content for Medicar e & Medical d Service s	This measure estimates the bacquiteries, all cases maderial coil est of unplaced, all cases maderial coil after definition for any eligible condition within 20 days of houghts discharge (PSERS) for prisents aged it sind summary (PSERS) for prisents aged it sind summary (PSERS) for prisent aged it simma- weigned results of the different models, or or each of the fall simple specially objects for each first fall simple specially colors production callinguist or production callinguist and predictions callinguist productions (and productions), and new case (consorting, and new case (consorting, and new case).	- Hospital	Patient Salety	Outcom	Asia	Claims Facility-	recipiori Corriccia, guiet tre measure expony excluses activascine primarry tor psychiatric disease.  2015-2016 Week Group Clarcoscions.  - Strame as national average - about 15%.  - This measure in difficult to thick adjust.		marving year, say, special separation	-The California Medicald managed care readmissions rate was 4.4 percentage points lower for Whites than for Bitacks (state disperties research).	Regular updates to codes referenced in specifications	Minor edits - no change required	Yes	Menu		Core			
	30-HOSP-HIDE)		ed	Medical d Service s	for each of the following specialty cohorts (groups of discharge condition categories or procedure categories): surgery/gynecology, general medicine, cardiorespiratory,		Salary	•		based	This measure is difficult to risk adjust.			Hispanics were at lewer daks of medinistics compand to White. The risk-adjusted fisalized of 20- day methnistics among Blacks companie with Whites was higher cerein [Bass et al., 2918].  Medicare and Medicald parletts were significantly more likely to be medited for compand with prismly insured patients. Unlessand patients were see takely to be medited [Bass et al., 2018].	specifications	change required	_						
					cardiovascular, and neurology, each of which will be described in greater detail below. The measure who hold-rates the househal. The total number of hours that all patients						2019 Annual Studing: Triclade as a Milmu Misesure for behavioral health hospitals.		For Contractual Union										
28	Hours of physical restraint use (HBIPG-2)	9649	Endors ed	The Joint Commi ssion	psychiatric setting were maintained in physical restnint. This measure is a part of a set of seven nationally implemented measures that address hospital-based	a Hospital	Patient Safety	Proces	All Ages	Clinical Data	recurs as a steam seasons for converse interest incopera.  Four participant said fine list on fills measure.  One participant said fine is an ingoster measure for behavioral health patients, with a history of fraums.  Another participant node that these is no additional burden to including the measure since behavioral health toughts already conclude it.		For community our: TIC: HBPS 2 https://manual.jointcommission.org/neleases/TJC2624AHospi asset/spatientPsychiatricServices.html	Duply what devoted the to be a "Espandine sensition trassaurs" using YECP 3207 Dispartice Project from Player (For Sensitive 1999). The sensitive of the Player (For Sensitive 1999) and the sensitive 1999 an	No change	No edits - no change required	Yes				Menu		
					inpatient psychiatric services that are used in The Joint Commission's accreditation recoses The total number of hours that all patients	0					<ul> <li>Auction participant noted that there is no additional burstens including the measure since behavioral health longitide already calculate it.</li> <li>2019 Annual Devices Proclude as a Meru Measure for behavioral health hospitals.</li> <li>Size participants valued in factor of this measure.</li> </ul>		For Commental Use: TUC: HBPS-3 https://manual.jointcommission.org/releases/TUC921AHospi	white patients was 1.22 (60% CI= 1.05 to 1.40, p = 0.007) (Schrister et al., 2020) In a retrospective consistential study of all spatients (n = 801) resided from January 1960 through August 1900 at 67th Cosmic Description Cosmic a manufacture.									
29	Hours of seclusion use (HBIPS-3)	0641	Endors ed	The Joint Commi ssion	The total number of hours that all patients admitted to a hospital-based inpatient psychiatric setting were held in sectuation. This measure is a part of a set of seven reasonally implemented measures that address hospital-based inpatient psychiatric services that are used in The John Commission's accreditation process.	Hospital	Patient Safety	Proces	All Ages	Clinical Data	Sis participants voted in favor of this measure.		https://manual.jointcommission.org/nésases/TJC2021AHospi assedtspatientPsychiatricServices.html	In a notice pecha comindation it safe yet all appoints (p. + 800) is same from January 1900 Brough August. 2000 in 16 of prisons Psychiatric Center, an anothers exceed propertie transit, being yet Willer's Intel. 2000 and Section of the Section of Section 16 of Sectio	No change	No edits - no change required	Yes				Menu		
					services that are used in The Joint Commission's accreditation process.						There is high performance on the measure relative to national benchmarks.  Participants recommended retailing this measure due to lose absolute performance and to clinical interpretation.		For Committual Use: HEDIST: 884 (Combo 2 rate)	According to the 2017 Antique are made in a coop, and a coop of the coop of th									
											Participants recommended retaining this measure due to low absolute performance and its clinical importance.  2017 Personal Review     Control 2 adopted chanked because there is more room for improvement and because their are few pediatric-focused measures.			3+4+0* reaction for females (77% vaccinated), third in the nation for the 1+8ex/CRY vaccine (85% vaccinated), and 65% in the nation for the 1+7-bay vaccine (65% vaccinated) (Rhode Island KDS CCKNT, 2008).  The Medical managed raw performance was 4.3% ***  The Medical managed raw performance was									
	Immunizations for Adolescents (Combo 2)	5407	Endors ed	National Commit tae for Cuality Assurance	Percentage of adolescents 13 years of age who had the recommended immunications (meningococcal vecicle and one stenus, dipthhesis toxicis and acellular persuasis vacche (Tdap) or one tetanus, dipthhesis toxicide vacche (Tdi (b) while 13th bittiday.	Preventi on/ Early Detecti on	Infactio us Disease e	Proces s	Addesc	Claima/ Profess Clinical lonal- Data based	2015-2016 Work Group Discussions	Ri is using the updated version of this measure which include the HPV vaccine.		-The Medical managed care performance was 4.7% lower for Wildes than for Blacks in California and 5.9% higher for Whites than for Blacks in Michigan (mins departy research).  In the U.S. in 2013, the percentage of Hispanic adalescents (BMN) ages 13-15 who ever received at			Yes	Menu	Menu				
-	(Combo 2)		ed	Quality Assura non	diphtheria toxicids and scellular pertussis vaccine (Tdap) or one tetanus, diphtheria toxicids vaccine (Td)) by their 12th birthday.	Detecti on	Diness		ert	Data based	<ul> <li>Unable and reviewer tensions set, even if state basefor rates are high; want to conflow to monitor this to assure rates remain like.</li> <li>Some of the non-compliant numbers are because providers missed the date by when they needed to administer vaccinations, not that patients did not receive them.</li> </ul>	the HPV vaccine.		on the U.S. in 2011, the percentage of Magazinic addrescents (MM) ages 12-15 who ever received at seast 1 cose of metrogeococci seccrise vars higher compared with White addrescents (15.15%). The seccretage of addrescents ages 15-15 who were received at least 1 down of memogracial vacciors was been for those with the place; been, and middle-income households compared with those from high-income shouseholds (MMD, 2016).									
														A literature review showed that people with disubilities have lower rates of immunitration uptake across a range of different vaccines then their hydrathy developing poems (O'Neill et al., 2019).									
											2012 Aroust Devices  No interest in adding it to the PC set as there are already enough measures and this rangular more appropriate at the ACO level.  - One person mentioned that ACO SERT command better called for PC.		For Contractual Use: HEDIST: ELT	-Buying Value identified this to be a "dispertise-sensitive measure" using NQF's 2017 Dispertise Project Final Report (NQF, 2017).									
											um requestion appropries as on PLD over.  - One person mentioned that SISST assemble between sized for PC.  2017 Annual Studies  - Not Season to the primary care-level because of small denominators, but can be feable at the primary care-level because of small denominators, but can be feable at the ACO-level.			<ul> <li>-in Ri, rates of sicohol use among both adults and teens, alcohol use disorder, and unmet treatment need are all well above national levels (Phode Island Department of Behavioral Healthcare Developmental Disabilities &amp; Hospitals, 2019).</li> </ul>									
					members with a new epicode of alcohol or other drug (ACID) abuse or dependence who received the following.   Initiation of ACID Treatment. The						feasible at the ACO-level 2015-2016 Wash, Group Clearuseign  *Suggestion that using claims may not be a valid methodology because of bunded rates, ACO-Level it year after year for health plans.  *Round for processing ACO-Level it year after year for health plans.  *Round for processing ACO-Level its year after year for health plans.			-Phode Inlanders across all age groups have higher rates of exeeding but not receiving treatment for little draig use compand to the ration since 20%-20% the same is true arrang \$5-17 and \$6-55-year side seeding but not receively pretament for substance use (Phode Inland Department of Bishavioral Healthcare Developmental Clastitides & Horpitals, 2019).									
41	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment	0004	Endors ed	National Commit tee for Quality Assura 100	Proceedings of administrate and sub-in- mentations with an employed all studies of their drug (PCO) States or dependence with secolated the following of the contract of + initiation of ACO. Treatment II. The secolated the following of the contract ACO administry, outputer Vall, present ACO administry, outputer Vall, present of explorer vall, present of (BAT) within 14 days of the diagraphic (BAT) within 14 days of the diagraphic action of the contract of the contract of the processing of marefules who initiated actions are actional to the contract of the contract days of the initiation with	Chronic Brees Care	Substa nce Abuse	Proces	Addesc ent and Adult	Profess Claims ional- based	bundled rates, but NCOA uses it year after year for health plans  • Interesting to see what CO-10 does to this measure.  • Room for Improvement			In Rin 2019, excessive dirinking (percentage of adults who reposed bings drinking (four or more features) or five or more (percent) or five			Yes	Menu					Com
				Assura nos	seehaath or medication assisted treatment (MAT) within 14 days of the diagnosis. • Engagement of ACID Treatment. The percentage of members who initiated treatment and who had her or more.																		
					additional ACIO services or MAT within 34 days of the initiation visit									4) a facility using limited calls, lastical and registric and in 3.4.1 particularly proofs and seeking from the second proofs and seeking proofs and seeking proofs and seeking proofs and seeking proofs are seeking to complete the seeking of the disorder and onlying (in) Affairs Americans into their many wholes for from types of restored or Completion despitalists for Electura and Happinics was imply experience and seeking and the second proofs of the second proofs and proofs a									
											2019 Ferrant Boolean This case organized added to the Primary Care bibasous Set based on its use as a CTC booston emassure. The measurer's still being used by CTC. 2017 Ferrant Bornary - There is arrestly officed booston or solution without a measure, but is exquired thresporting but CTC-5.		For Contractual Use: CTC:	CO 12.00 ft. to surge processing of plants, sure by an in-special contract receivable of the STR BOAL OF STR BOAL									
				National	This measure summarizes utilization of acute inpatient care and services in the following categories:						required for reporting via CTC-F8.  2015-2016 Who's Group Discussions a Crossidate Automotion of office and one of the control			SECTION AND THE CONTROL OF T									
42	inpatient Visits per 1,000 (inpatient Utilization - General Hospital/Acute)	NA.	NA	National Commit tee for Quality Assurance	Total inpatient - Maternity - Gurgery - Medicine	Populati on Health	NA.	Costi Resour ce Use	Asia	Clinical Facility- Data based				Nacional discharges which from Product has been frequent of and discharges in the sense.  4 Shade hashed regulary of or offer discharges, globes were regulary 455 MeV (MS MW), 15 15 MeV, 16			Yes		Menu				
					Medicine									Companed to 2010 U.S. Comus for Phode Inland: \$1.45K Welley, \$7% Black or African American, 2.0% Asian, 0.1% Native Heruslan/Pacific Inlander, and 0.0% American Indian/Rasioan Native, 6.0% Some Other Race, 3.3% Two or Nere Races. 12.4% Hillipanic/Lastino, 87.6% Not Hispanic/Lastro).									
											2000 Annual Review		For Contractual Use: HEDIS: NED	-in Ri, kidney-disease is most common among individuals who are low income (5.1% among adults									
											2000 Armset Bouley.  MCAA designed this measure as a replacement for the related Comprehensive Dobbets. Clear Medical American for Repringuity measure. The measure assesses the percentage of members 19-75 years of age with disbets who received a side of the percentage of members 19-75 years of age with disbets who received a side of the percentage of members 19-75 years of the percentage		HALIST HED	In D. Lidwy dissase in not common aroug identificate who are low income (5.1% among stalls making 450% compared to 1.5% among shalls making 450%), and have a lower advantage level (5.4% among stalls with less than high school degree vs.1.% among scales graduates) (America's Health Rastogs, 2005).									
														In P., the percentage of adults who reported being told by a health professional that they have diabetes execution greated between early execution greated abuses are greated at diabetes, the PS for Blacks, 16.8% for Rilapsoics, and 8.9% for Whites (Resolution's Health Rankings, 2023). In P. (diabetes prevalence is increasing mostly among Black non-Happanic adults. R1 adults whose									
43	Kidney Health Evaluation for Patients with Diabetes	NA.	NA.	National Commit tax for Quality Assura non	Percentage of members 16-45 years of age with diabeties (type 1 and type 2) who socied a kidney health evaluation, defined by an extensivel glome-and fittation rate (AGFR) and a unite albumic-creatinine ratio (AGR), during the measurement year.	Chronic Brees Care	Diabete s	Proces	Adult and Older Adult	Claims Profess Clinical ional- Data based	The National Kidney Foundation notes that this measure can more consistently identify and rest chinoic kidney have been similar to with control kidney have been similar been supported to the control of the control of a control of the control of t			<ul> <li>In It calculates prevainers is increasing mostly among stack non-respanse paties. In acute whose primery leaguage is Signative are diagnosed with diabetes 2x more often trun those whose first language is Englan (RIDOH, 2014).</li> <li>In It clubries is nearly 2x more common in lower income adults and adults with less education.</li> </ul>			Yes	Menu	Manu				
	- Land Colorado			Assura non	(eGFR) and a urine aburnin-creatinine ratio (uACR), during the measurement year	Care		-	Add	Data based				(14.5% of adults with annual incomes: <a and="" art="" blacks="" companied="" constitution="" cou<="" country="" diabetes="" disabet="" due="" for="" higher="" hispanics="" href="https://disable.compared to 7.5% of adults with incomes of 547% and 12.0% of adults without a high school diploma compared to 6.4% of adults with at least some college education) (RIDCH, 2014).&lt;/p&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;in R. individuals with disabilities are disproportionally represented among the diabetic population&lt;br&gt;youghly falls of Rin have disabilities, but 40% of add diabetes have disabilities (RDCH, 2014).  " is="" michael="" of="" overlating="" ratio="" td="" the="" to="" wread=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></a>									
														to inhibate (CT Core Measure See Annual Rockine Constants) (g)(Coulty-Assessment is these elidence of dispatcies in profermance as it initiates to stock, ethnicity, language, disability status, and/or social determinants of health?) See "Coulty Assessment Sources" tab for sources ()									
44	Lead Screening in Children	NA.	NA.	National Commit tae for Quality Assura nos	Percentage of children two years of age who had one or more capillary or venous lead blood tests for lead polisoning by their second birthday	Preventi d on	NA.	Proces	Pedatri	Profess Claims ional- based	2003 Around Review The First Copy appreciated interest in desading this measure to the Prinsary Core Cose Sell in 2021 during the 2019 Around Review. The Wild's Coopy meant that these are clothed invests to the measure and control the representant. Further, the company of the company of the company of the company of the company quality of water chitecracium. The Wild's Corea recommended delaying elevation to the Come Sect for one year in 2005 as taken payers and providers to work or		For Contractual Use: HEDISP: LSC	on 2019, 279 (27h) of the 22,547 Rhoda bished children under age six who were screened had confirmed executed total fast board story of 15 (2014). Other is being to the finar care child is (15th) where faur from an arrival of 15 (2014). The first form of 15 (2014) is the first form of 15 (2014) is the first form of 15 (2014). The first form of 15 (2014) is the first form of 15 (2014) in the first form of 15 (2014) is the first form of 15 (2014) in the first form of 15 (2014) is the first form of 15 (2014) in the first for			Yes	Manu	Core				
				Assura nos	birthday			-	-	based	operationalization of the measure.		For Contractual Use:	In the four care cities were children of color (Phode Inland KIDS COUNT, 2009).  - Auging Value Identified this to be a "Separation ennature" using NQFs 2017 Dispatition Project.									
											2000 Annual Review Child Immore the measure from the CY 2000 MPS blassure Set because denominator eligibility is determined by the visits to the childre eligibile clinician. The quality action sends not be antibuled to the child is eligible clinician, but rather to the Octatician or primary care provider of the mother. The measure does not account for instruction where the nother is not presented for the child.		For Contractual Use: Calls oCOst: 602 https://locq.healthit.gov/ep- ec?year=20006/eld_year_value=18.globalyearfilte=2019	From Report (NGF, 2015), nothers who participated in the WFC program (14.4%), revisiod in a core city (12.0%), and fast as 40 reported disability (14.1%) had a higher prevaience of being diagnosed with dispression during programs; compared with their counterparts (RIDOHF) regrams; RRAL Assessment Microbiolog Systems, 2018).									
			No	National Commit	Percentage of children 6 months of ace who	Presenti on/	Protection 1	p	0.411	Citornal Profess				during programs; compared with their counterparts (REDH-Programs; RRAM-Assessment Manhatring Systems, 2008).  4n RI (2010-2015), mothers who persicipated in the WIC program (15.1%), resided in a core oby (14.8%), and that a self-regional disability (24.8%) that a higher previous of Programs (15.9%) regions (PSO) compared with their counterparts (PSO) compared, Assessment Michael (Systems, 2019).				Menu	Manu				
45	Maternal Depression Screening	5401	No Longer Endors ed	National Commit tae for Quality Assura nos	Percentage of children 6 months of age who had documentation of a maternal degression screening for the mother	Preventi on/ Early Detecti on	Patient Statety	Proces s	redati c	Clinical Profess Data Ional Data based	sual Fallet fields for some comments removing the measure articles consensation with the Wiles Comments and C			POS) compared with their counterparts (RDOH) Pregnancy Risk Assessment Montaining Systems, 2016).  4-in analysis of maternal depression sciencing at a large health system in Minneauth Stand that women were less than the size of maternal depression protection. PPOI I think you were Micro-Montaining distance.			Yes	Menu (Revisit for 2022)	Menu (Revisit for 2022)				
											<ul> <li>One health plan participant said that they do not use this measure in contracts due to email number issues.</li> <li>2019 Memority Care Measures Work Group Discussions</li> <li>Important health issue and evidence that mother's respond to this intervention.</li> </ul>			An analysis of maternal depression screening at a large health system in Microsota band that women sees sees likely to be screened to protection depression (PSC) (They were Allican-Healtican Indiputation (Add). Lawer seed of screening was seed of science of the most wave interest with Medicane or Medical prought than 24, or were non-valve linguish speakers. (Sciencetion et al., 2021)									
				ANA- PCPI							due to samili numbri kissus.  2013 Manufordi in a Manussa Morió Caroni Namessione.  2013 Manufordi in a Manussa Morió Caroni Namessione.  3 prodicer le salle lisata se desidencia thall motivati saspondo so hai simervendico.  - Some le sallación ando san dembri designi cosamed la po adilatriciam rastheri than  2012 A Princial Residen.  2013 A Princial Residen.  - One participant crosel frair women diagnossed with pestimicinal diabetes during		For Commentual Use: CMG MIPS: #206 Pops: Topp.cms. gov/mips/septore-measures/quality- measures/Table-qualityMeasures.Egy=2000	-Buying Yalaw identified this to be a "Separtise-sensitive measure" using NQF's 2017 Dispartises Project Final Report (NQF, 2017).									
				ABBA- PCPI (America an Medical Associal Size- consum ed Physicia an Consorti ium for Perform ance ance ance ance ance ance ance ance	Percentage of patients, regardless of age, who gave birth during a 12-month period who were seen for post-cartum care within 8						pregrancy have low rates of postparture glacose screening after delivery, and the plast would be interested in prunsing developmental work to improve performance on that component of the measure.  2019 Annual Roview		measures/tab-qualityMeasures.Epy=2020	-in a Fil shady of peoplartum health care utilization between Heppanic and non-Heppanic White someon using the Rhook Blanch Programor, Plice Assessment Mechaning System (PRAMS), 2020-2003, companed to non-Helppanic Blade someon the Cultimor of Heppanic variance had Splager code in on the Intelligent and Cultimor (Inc. 127, 2015), Co. 11.27-0.47) or any well-bashy care (ACR 2.44, 50%, C11.66-7.15). Blooming et al., 2013.									
46	Maternity Care: Post-Partum Follow-Up and Care Coordination	NA.	NA.	onven ed Physici an	Percentage of patients, regardless of age, who gave birth during a 12-month period who were seen for post-perture care within 8 weeks of giving birth who-received a breast feeding voluntation and deutedon, por- parture depression screening, post-perture glucoes exceeding for gentational disbeted patients, and family and contraceptive planning	Preventi on	Pregna ncy	Proces s	Asia	Claims/ Profess Clinical ional- Data based	Pradicipants noted the importance of behavioral health screenings during prenatal and postpations case.  "One participant round that DCH strongly supports the measure, but acknowledges the burden sesociated with a clinically derived bundled measure. The participant noted that DCH would support the implementation of the measure.			Shomley et al., 2013)  The Medicald managed care performance was higher for Whites then it was for Blacks by 11.1% in California and by 9.2% in Michigan (state dispatition research).	No changes	No edits - no change required	Yes					Menu	
				Consort ium for Perform ance	pasents, and family and contraceptive planning						The participant noted that DOH would support the implementation of the measure if implementation was possible.  -Another participant roads that the HEDS measure Postpartum Depression Screening and Follow-Lip is new and the would rather wait until benchmarks were wouldn't and then usually use of their research and violon to Postpartum Company and the production of their research of violon to the participant of their research.			-There are high rates of postparture hospital admissions and emergency department visits among someon with intellectual and developmental disabilities and a significantly elevated risk of hospital utilizations for psychiatric reasons compand with medical reasons (Altra et al., 2017).									
				mprove							resemble and then revest use of that measure during the 2000 annual review.  whether contributed collect that the measure is used in MDS.		1										

												2019 Bahauloral Hasilih Messures Work Group Discussions	For Contractual Use:	-Suying Value identified this to be a "dispartise-sensitive measure" using NQF's 2017 Departies Project						-		
												Room for improvement     Best practice measure	HEDST: APM	Final Report (NUF, 2017).  There is little research on potential disparties in metabolic monitoring the youth prescribed antipelycholics. One study found that monitorinoidly was not associated with glacose or lipid acreening rates (Montes, et								
				National	The percentage of children and adolescents									**Time in sime resistance in particular systems institution in resistance in resistance and particular processor (pile in consenting time). The study found that receivable sign and associated with places or light scenering times (blommin, et al., 2015). However, among adults, in general, stituotifies are at much greater risk for disbetted than whotes (COC, 2006/JAPAC), 2018).  -Black adults were lies as likely to be monitored on all metabolic components, whomas Hispanics.								
47	Metabolic Monitoring for Children and Adolescents on Antipsychotics	2000	NA.	Commit tee for Quality Assura	The percentage of children and adolescents 5–17 years of age who had two or more antipsychotic prescriptions and had metabolic testing.	Chronic Brees Care	Mortal Health	Proces s	Pedatri	Claims	Profess ional- based			-Black dults were lists likely to be monitored on all metabolic components, whereas Hispanics were less likely to have glucose and high-deceily-fipoprotein cholesterol monitored but more likely to have high-certifies tested (Philips et al., 2015).  Zhildone with letelle claud difficultylautient-were more likely to be prescribed antipsychotics (2.1%).			Yes				Menu	
				16.0										Children with intellectual officially addition were more likely to be prescribed antipsycholica (2.0% times been prescribed an entry price). (25% with making compared with 5.1% of children without prescribed and times of the compared of the compared of the 5.0% of children without prescribed prescribed on the compared of the compared of the compared of the compared of the compared prescribed on the compared of the compared	,							
	Mathiritis essistent			Center for Diseas	Standardized infection ratio (SIR) of hospital-							2001 Annual Review - Herizand the measure because although RI performance on the measure has been better than the rational average in recent years (other than in 2018), participants expressed interested in retaining because of its utility in a HM composite.	For Costnatual Use: CDC: https://www.cdc.gov/nhen/scute-care-hospital/cdff- mea/index.html	A national analysis of National Inputers Survey date for 2016-2017 found that, compared to White patients the odds of the occurrence of healthcare-associated infections (including MRSA) were 64th for Black, 435 for Happens, 635 for Asimphy-Dick Inlander, and 1-5 for Marker American, All-outcome were statistically riginificant with y-valuer 40.01. There was a statistically significant interaction between pender and now having the most proteins effect among frains AsimphyRick Indiance (say, et al., and the statistically respectively).		No edis -						
48	Staphylococcus Aureus (or MRSA) Blood Infections (HA-5)	1716	Endors ed	Control and Preventi	onset unique blood source MPSA Laboratory identified events (LabD events) among all inpatients in the facility	Y Hospital	Patient Safety	Outcom	All Ages	Clinical Data	Facility- based	2015-2016 Work Group Discussions		were statistically significant with p-values <a href="https://doi.org/10.15">https://doi.org/10.15</a> and size showing the most protective effect among female Asian/Pacific Islanders (Leys et al., 2000).	No change	No edits - no change required	Yes			Menu		
	Dations Numberral on Multiple			OR. The	hospital-based injurient psychiatric setting on two or more artipsychotic medications.							<ul> <li>Nation that this measure covers which concludes versus a sub-concludes.</li> <li>2019 Amount Origing</li> <li>Exclude as a Alteria Measure for behavioral health hospitals.</li> <li>Four participant sated in face of this measure.</li> <li>A Barler participant and a payer participant noted that this is a very important measure.</li> </ul>	For Committeel Use: TUC: MBPS-6 https://manual.joint.commission.org/niseases/TUC9021AH-septralia- ased/foration-by-uchiatric/Services.html	-Buying Value Identified this to be a "dispartises-sensitive measure" using NQF's 2017 Dispartises Project Final Report (NQF, 2017).		No artico						
49	Patients Discharged on Multiple Artipsycholic Medications with Appropriate Justification (HBIPS- S)	8560	Endors ed	The Joint Commit ssion	houghal-based inpatient psychiatric setting on two-or more artispsychotic medications with appropriate justification. This measure is a past of a set of seven nationally implemented measures that address houghal-based inpatient psychiatric services that are used in The Joint Commission's	in Hospital	Mortal Health	Proces s	All Ages	Claims/ Clinical Data		<ul> <li>A Busin participant and a payor participant noted that this is a very important measure.</li> </ul>	assotrpationShychiatricServices html	No evidence of dispartities found during review. Lack of available data is not correlated with lack of dispartities.	No change	No edits - no change required	Yes			Menu		
												(College of Section 1) and the College of Section (College of Sect	For Communical Use: HEDS: http://doru.ncqs.org/index.php/performance- reasurement/heds-my-9000-2001 trest	For CO CAMPS:  -A NA Health System Sound that all recisionistic misorities performed lower than Whites or: Care Coordination, Provider Communication, and Provider Parity, Aware that lower patient experience on all ambiastry composite (Min Health Systems, 2610-2619).								
					NODA developed the optional Editation in Parliest Expension Reporting in In-In-Ip practice. Reporting in In-Ip practice. Reporting in In-Ip practice, capturing patient and family flexibilities, the In-IP practice, the IP practice and In-IP practice, the IP practice and IP practice, the IP practice an							Principling in Medicare Intelligent, CARP-Set Caricalification Service - (Adult Prinsary Care, Pediatric Care, and Specialist Care Surveys), and PCSM CARPS Survey (for Prinsary Care) - Questions Not Specified from the ACO Set. Neet step: A subgroup will meet to discuss measures of patient engagement in	Management 402-10-200-2001 Med	A MA Lister Common front over non-English-speaking gatients are more likely to recommend their								
				National	Consumer Assessment of Heathcare Providers and Systems (CAHPS) Patient- Centered Medical Home (PCMH) Survey. Secause consumer experience is a critical							light of the recommendation to drop all of the CA4PS surveys.  - One participant observed that the Work Group never clearly defined what elements in CA4PS should be used.  - Another participant said these are not commercial payment measures.		provider. Non-English-speaking patients have lower patient experience scenes in the amous of Caro Coordinate Provider Communication, and Provider Pating (MA Health System, 2016-2016).  —Out elicite beneficiaries with a disability-were more likely to recort believ unable to set needed.	•							
50	PCMH CAHPS Survey (for Primary Care) - Questions Not Specified	NA.	NA.	National Commit tee for Quality Assura	component of quality or care, guing more promisence to patient engagement is a crucial change to the PCMH program. The CAHPS PCMH Survey assesses several	NA.	NA.	Patient Experie nce	All Ages	Survey	Proless ional- based	<ul> <li>Another participant said the measures are being used for CTC and for PCMHs.</li> <li>A participant noted that filedicare ACOs use these measures, so there are available ACO data on performance.</li> <li>A participant noted that CMB is viewing patient engagement as very important.</li> </ul>		health care compared to beneficiaries without a disability (14% versus 10%) (CMS, 2016).  A national analysis of responses to the 2014-2015 NAMICAHPS survey found that, compared with White			Yes		Menu			
				nce								<ul> <li>Another participant said there is the problem of survey fatigue.</li> <li>A participant noted that removal of patient engagement measures may send the wrong message.</li> <li>2017 around Environ.</li> </ul>		A national analysis of responses to the 2014-2015 SMAIC-WPS survey four it but, companed with White beneficialities, American Indiana Markey (AMIS) and Albach Walfer Islander (API) beneficialities and American Indiana Markey (API) and American Indiana Markey (API) beneficialities and American American Indiana Markey (API) beneficialities and American Indiana Markey (API) beneficialities and American American Indiana Markey (API) beneficialities and American Indiana Markey (API) beneficialiti								
					-elormation -communication -Communication of care -Comprehensiveness -Gelf-management support and shared decision making.							<ul> <li>A participant rouse trust instruction of parent engaginement measurem may send the entropy measurem.</li> <li>2017 Formal Review</li> <li>2018 Armal Review</li> <li>2019 Armal Review</li></ul>		тына. Насаметнос атменский турскиу са пог нау ву деодгарку (мантно иг ж., 2019)								
										_			For Contractual Use:	-Buying Value identified this to be a "Separtities-executive measure" using NDF's 2017 Chaparities Project Final Report (NDF, 2017).								
				National	mamber of acute inpation gaps during the measurement gain that were followed by an acute readmission for any diagnosis within 30 days and the predicted probability of an acute readmission. Data are reported in the following categories:							2017 Armsel Review  - Nat appropriate for primary care practices.  - There was uncertainty around how this could be applied to ACOs. One member also noted that hospital-wide esadmission was more helpful.	For Contractual Use: HEDIST: PCR	-The California Medicald managed care readmissions rate was 4.4 percentage points lower for Whites than for Blacks (state discortise research).								
51	Plan (ACO) All-Cause Readmission	1760	Endors ed	National Commit tee for Quality Assura		Hospital	Patient Statety	Outcom	Asia	Cinims	Facility- based	2015-2016 Work Group Discussions - Rationals not articulated		Hispanics were at lower risks of madmissions congared to Whites. The risk-adjusted likelihood of 20- day madmission among Blacks compared with Whites was higher countil (Bass et al., 2018).			Yes	Menu				
				Accura nos	Count of Index Hospital Stays* (denominator)     Count of 30-Day Readmissions (sumerator)									Medicare and Medicaid patients were significantly more likely to be readmitted compared with prioritely insured patients. Unineured patients were less likely to be readmitted (lineu et al., 2018).								
									$\rightarrow$	$\dashv$	-	2001 Aroual Review  Participants exported stratifying performance by RELD because NCOA is requiring plans to stratify performance by reachinisticity for measurement year 2002 (performance dates or available in the first year).	For Contractual Use: HEDIS* PPC (Postpartum Care rate)	-Guying Value identified this to be a "disperifier-sensitive measure" using NQF's 2017 Disperifies Project Final Report (NDF, 2017).	+							
					Percentage of deliveries of five births between November 6 of the year prior to the	.						requiring plans to stratify performance by race/ethnicity for measurement year 2002 (performance data not available in the first year).		-in a Fit study of posspartum health care utilization between Hepanic and non-Hepanic while women using the Shook bland Physipson, Plats Assessment Motioning Systems (PANAS), 2000-2008, compared to mon-Hepanic Wilsham women the Collinson of Hepanic Wilsham the Digitar colors on Heranic Wilsham Warring a Y-week (Accludy (ACR 1.73, 50% CT 1.71-2.47) or any well-baddy care (ACR 3.64, 50% CT 1.667-7.0) gloromy et al., 50% CT 1.667-7.0)								
52	Prenatal & Postpartum Care - Postpartum Care Rate	1917	No Longer Endors ed	National Commit tee for Quality Assura	Percentage of deliveries of five births between hitwenther 6 of the year prior to the measurement year and hovember 5 of the measurement year. For these women, the measure assesses the following facets of prenatel and postpentum care.	Preventi on/ Early Detecti on	Progna	Proces	Address ent and Adult	Claims/ Clinical Data	Proless ional- based	Othe Annual Boolean  - One participant sale that while the specifications are a bit out of date, it is important to exame both mothers are societing postpartum case.  - Income participant supposed inclusion of the measure.  - Purclipants commended including the measure in the Core Set based on the availability of performance date.		search response, resident of the facility of the response withority man regards below for this retring a 1- week check-up (ACR 172, 90% CI 121-2.47) or any well-body care (ACR 2.44, 90% CI 1.657.10) (Bromley et al., 2012)	Lipdated the Hybrid Specification to indicate that eample size reduction is not allowed by MY 2000, but is allowed for MY 2001.	Minor edits - no change required	Yes	Menu			Core	
			ed	Accura nos	Rate 2: Postpartum Care. The percentage of deliveries that had a postpartum visit on or between 21 and 56 days after delivery	Detecti on or			Asiz	Data	based	Handparis recommendes incuraig the measure in the core set based on the availability of performance data.  2017 Annual Statem - Consensus to keep this measure even though it lost NQF endorsement because it addresses an important health sease.		-The Medicaid managed care performance was higher for Whites than it was for Blacks by 11.1% in California and by 9.2% in Midrigan (state disparities research).  -There are high rates of oostsartum hospital admissions and emergency department visits unrors.	MY 2021							
					secretiza and an any and canony							2015-2016 Work Group Discussions		-There are high rates of postpartum hospital admissions and emergency department visits among somes with instinctual and developmental disabilities and a significantly elevated risk of hospital utilizations for psychiatric reseases compared with medical reasons (Min., Monias, 2017).								
												<ul> <li>Opportunity for improvement for post-parature care, no opportunity for prevental 2001 + Fermal Bradiese         —Participants is supported estatifying preformance by RFLED because MNCOA is nequiling plasses to stratify performance by racceletristicity for measurement year 2002 (performance data not available in the first year).</li> </ul>	For Contractual Use: HEDIS*: PPC (Timeliness of Prenatal Care rate)	-Buying Value identified this to be a "Separtise-sensitive measure" using NOF's 2017 Dispartises Project Final Report (NOF 2017).								
												Add as a new faternity Core measure based on availability of data and alignment		-Batuwan 2014 and 2016 in Rhode Island, Black women (22.2%), Mappanic women (18.2%), American Indian and Alaskan Native women (21.2%), and Asian women (18.4%) were more ilisinjus nocinio deliqued prevastal case than Wibbs women (13.4%) (Rhode Island KDS COUNT, 2025).								
					Percentage of deliveries of the births between November 6 of the year prior to the management year and November 5 of the							with the First 1,000 Days Institute at Medicals.  2014 Accord Daines are a second or second or second to readership this research is fig. Many secret to readership this research is a parented immension and in a page reference and in a page reference and in the page reference and in the representation program. The Ginop felt it was official to have in the Core Set and be required to use for contracting alone performance is already Fight.  *Note from Core to Manua.		peoples present case than inter-women (12.4%) encode state (10.10. CCURN, 2005).  In Photo Island between 2014 and 2018, 18.2% of Happanic bables were born to women who received delayed or no prevented care, compared with 18.9% of all bables in the state (Photo Island IXOS COUNT, 2008).								
53	Prenatal & Postpartum Care - Timeliness of Prenatal Care	1917	No Longer Endors ed	National Commit tee for Quality Assura- nce	measurement year and November 5 of the measurement year. For these women, the measure assesses the following facets of previated and postpartum care.	Present on/ Early Detecti on	Progna	Proces	Address ent and Adult	Claims/ Clinical	Profess ional-	it a prenatal measure and is in a payer incentive program. The Group felt it was difficult to have in the Craw Set and be required to use for contracting since performance is already high.  - Move from Core to Manu.		-Between 2014 and 2016 in Rhode Island, women who did not graduate from high school were more likely to receive delayed presental case than somen with more than a high school education (22.4% compared to 13.1%) islands 2014 for gregars women in the flour core cities received delayed presental case (Rhode Island KEDS COLINT, 2019).	Added telebealth visits to Timeliness of Prenatal Cane. Ligidated the Hybrid Specification to indicate that sample size reduction is not allowed by MY 2000, but is allowed for	Minor edits - no	Yes				Core	
			ed	Accura nos	<ul> <li>Rate 1: Timeliness of Prenatal Care. The percentage of deliveries that received a prenatal care visit as a patient of the drapstration in the first timester or within 42 days of enrollment in the organization.</li> </ul>	On On			Asiz	Data	based	2017 Arcust Review  - Conservus that the measure was addresses an important health issue  - Specifications allow Category II CPT codes, which helps to avoid potential measurement issues		Calibria Melicial managed care performance for Whites was higher than for Blacks by 6.7% (non-departure research).	MY 2021							
					days of enrollment in the organization.							measurement issues  2015-2016 Work Garus Discussions  - Opportunity for improvement for post-partum care, no opportunity for prenatal		A 2016 National Vital Statistics Report showed that only \$1.5% of Native Hassalian or Other Pacific Mannier women begin care in the first trimester compared to 82.3% of non-Haparic White women (Osterman et al., 2018).								
												vials.		-Women with implientual/developmental disabilities or with limbal hearing had significantly higher PR of delaying prenatal care inflation until the second or trind trimester (netelectual/developmental disabilities adjusted RP-11, GPS, CP-10, 13, Tearly adjusted RP-11, GPS, CP-10, 13, Tearly adjusted RP-11, GPS, CP-10, GPS, CP-10, Tearly adjusted								
				Centers	Percentage of patients decharged from an invalided Described Carolity (DC) with a							2019 Annual Review Include as a Many Manager for habitational health househile	For Contractual Use: https://www.qualitys.cog/files/Selfcr/se/SR21c/S0159t1917filescar er/SF_Pigentite; yii.0.pdf	Visiones with missists and invalencement distantiless or with final framing had application physics 650 of significant forms of the physics								
54	Screening for Metabolic Disorders	NA.	NA.	Centers for Medicar e & Medical d Service	Percentage of patients discharged from an inpatient Psychiatric Facility (IPF) with a prescription for one or more noticely scheduled antipsychotic medications for which a structured metabolic acreeing for four elements was completed in the 12 months prior to discharge either prior to or	Medicati on Manage	Mortal Health	Proces	Asia	Claims/ Clinical Data		Other Account Deploys Procleds as a Makes Measure for behavioral health hospitals Three participant sode in flavor of this measure A failure participant and a payer participant rolled that this is a very important measure.	e-PF_PrograMet_v6.0.pdf	<ul> <li>Mea takey to have glacible and raip-delitary-oppyratest cholesteror mointained but more issue to have high-cardinat tested (Philips et al., 2015).</li> </ul>	No change	No edis - no change	Yes			Menu		
				Service	months prior to discharge either prior to or during the index PF stay	man						2001 Annual Review  -Residend because of opportunity for improvement.	For Contractual Use:	-Although there were no significant racial/whiric differences in rates of protocol completion at the onset of	-	required						
					Percentage of inpatients age 18 and older with sepain, severe sepain, or septic shock that sociele treatment consistent—in.							**************************************	CMS: https://www.qualitynet.org/files/Seebel/cliebl/0b700198ad19979ler mer/2-1_SEP_yS-9.pdf	Although these were no kignificant incidentitis differences in titles of protect completion of the created level Valls. Region billionis, nor from White platters experienced a greater increase in protection on completion rates (14) percentage pointing compared to Black patients (64) percentage pointing. The emergence of this chaptery level and no state performance improvements among hospitals with lighter proportions of Black patients, rough White and Black patients ablesed similar improvements when varied within the same hospital (circl et al., 2016).	1							
55	Severe Sepsis and Septic Shock Management Bundle (SEP-1)	8500	Endors ed	Henry Ford Hospital	Surviving Sepsis Campaign guidelines, such as lactate, obtaining blood cultures, administering broad spectrum antibiotics, fluid assurvitation survivales.	h Hospital	Patient Safety	Proces s	Adult	Clinical Data		MOD Ayrord Resize  Mod Ayrord Resize  Agroup Resize  Mod Ayrord Resize		treated within the same hospital (Col et al., 2018).  While standardized treatment protocols have been implemented, a wide variability in clinical outcomes pension across racing groups. Specifically, Black and Hissaelic populations are frequently second-second.	No change	No edite - no change required	Yes			Menu		
					Processings of Inguistrics age 18 and older with repolits, severa applie, or explicit shock that incelles treatment consistent with Sun-history Repolits Companing collections, such as lactate, obtaining blood cultures, administrating broad spectrum artibilistics, fluid resuscitation, vesspessor administration, reassessment of volume status and Sesse pediatrich, and repeat lactate initiations/embert							<ul> <li>-Another participant recommended waiting until DCH develops its statewide protocols before adopting the measure.</li> <li>-Some perticipants noted that this is an important measure.</li> </ul>		-While standardized treatment protocols have been implemented, a wide variability in clinical customes persins across social groups. Specifically, Elect and Hesparks populations are frequently associated with higher rates of densibility and marrially is expelled compact to be with population. While this is after attributed to systemic lass against intensity groups, a growing body of filterates has found palant, community, and highlight handle factors to desing cancel distances (Margio et al., 2014).		required						
						+				-	-	2001 Annual Bening  No objections to retaining as a Developmental measure.	For Davelopmental Work: http://www.eichts.ii.gou/Fortels/0Uploads/Documents/AG/AG_S0 OH_Measure_Draft_102417.pdf	Per 1,000 at-risk Black inputient discharges, 4.9 Black patients contracted postoperative sepsis. This rate -GOCH, by definition, indicate that "conditions in the environments where people are born, live, learn, work, -GOCH by definition, indicate that "conditions in the environments where people are born, live, learn, work, -GOCH by definition, indicate that "conditions in the environments where people are born, live, learn, work, -GOCH by definition, indicate that "conditions in the environments where people are born, live, learn, work, -GOCH by definition, indicate that "conditions in the environments where people are born, live, learn, work, -GOCH by definition, indicate that "conditions in the environments where people are born, live, learn, work, -GOCH by definition, indicate that "conditions in the environments where people are born, live, learn, work, -GOCH by definition, indicate that "conditions in the environments where people are born, live, learn, work, -GOCH by definition, indicate that "conditions in the environments where people are born, live, learn, work, -GOCH by definition, indicate that "conditions in the environments where people are born, live, learn, work, -GOCH by definition, indicate that "conditions in the environments where people are born, live, learn, work, -GOCH by definition, indicate that "conditions in the environments where people are born, live,				$\vdash$				
54	Social Determinants of Health Screen	NA.	NA.	RI SOHHS	The percentage of attributed patients who were screened for Social Determinants of Health using an EOH4G-approved screening tool, where the Accountable Ently (AE) has documented the screening and results.	Social Determinants of Health	NA.	Proces s	All Ages	Survey	Profess ional- based	No dejections to retaining as a Developmental measure.  2019 Annual Powlers  -The Work Group decided to adopt this measure in all measure sets as it addresses a strategic priority.	Oil Jahasura Craft, 102417 pdf	SGCH by deficitor, indicate that "conditions in the environments where people are born, live, learn, work, bigs, worship and age affect as wide range of health, functioning and quality-cliff outcomes and risks: "The can't hocke and housing, transportation and neighborhoods; coloris, declimination and violence solutions, pile opportunities and housing access to multilose fixed and physical activity opportunities; polluted all not exist, impugging and illness, which and more helped proping 2010;	Minor updates on attribution to AEs and an example of how to use Z codes for reporting	Minor edits - no change required	Yes	Develo preeda	Develo pmente I	Davelo proenta	Deutit tal	opmen Developmen tal
					documented the screening and results.  Hercentage of mass 27-75 years of age and females 40-75 years of age during the	10			-	-			For Developmental Work: HEDIST: SPC	-Stuying Value identified this to be a "dispartise-sampline measure" using NQF's 2017 Dispartises Project Final Report (NDF, 2017).	+	- mpanus						
				National Commit	measurement year, who were identified as having clinical atheroscientric cardiovascular disease (ASCND) and were dispensed at least moderate-intensity statin thereon the							2018 Armail Distings:  *Addition of this measure could encourage health care systems to follow up with purious to the first proceedings.  The proceedings of the first proceedings are required to the proceedings of the required to the proceedings of the seasons		Final Report (NDF, 2017).  -Blacks were less likely to be prescribed a statin compared with Withins in the disbetter meliture (odde selo, 65%; SSN CL, 0.4%–0.5%; P=0.00%) and attended controls cardiovascular disease (NDF, VD, VD, VD, VD, VD, VD, VD, VD, VD, VD								
57	Statin Therapy for Patients with Cardiovascular Disease	NA.	NA.	National Commit tee for Quality Assura non	they remained on for at least 60 percent of the treatment period. Two rates are reported 1. Received Statin Therapy. The percentage of members who were identified.	Chronic Bhees Care	Cardiov ascular	Proces s	Add	Claims		**************************************		groups (olds ratio, 0.3); (SR-C, 0.34–6.54; P-0.6009) (Datech et al., 2019)  -Factors independently associated with statis undertreatment were Black race (OR = 0.4) (SSR-C)  -SSR-C) = 0.0003; and statio-legibility based only on an elevated 10-year ACCVD (set; QR = 0.54  (SSR-C) (DSR-0.003; e-0.0012). Happinic patients were more failly to be on appropriate statis therapy when compared to Back patients (Bill first v. 27.00) (Selave-Perus et al., 2005).			Yes	Develo proents I	Develo pmente I			
				nud	Hercarrage or misms 127—To years or ago and females 467—To years of ago during the mismacurement year, who were foundful as mismacurement year, who were foundful as distances (ACCVO) and were dispressed at the season (ACCVO) and were dispressed or they remained on for all bases 600 percently attach through that they remained on for all bases 600 percent of the teamwork years of the season of years of the season of the										1							
												COLD TAXABLE STATES AND ADMINISTRATION OF THE PROPERTY OF THE	For Commentual Use: CMS: https://cmis.cms.gov/CMT_public/Reportfebassure/Imassureid=25	Phone librari care coordination measures (MHOQ, 2016): In 2016, also palem who did not excite good communication about discharge information—this last palem who did not excite paled communication about discharge information—this last 2016, add in palem in non-morphy glory or changes that all this last 2016, and caregive prime in non-morphy glory or changes that all the palem care caregive rises account when outdoor last the palem caregive parameters and those of their family and caregive rises account when outdoor last the palem caregive parameters.  See the parameters are considered to the parameters are caregive parameters and the palement parameters are parameters and the parameters are parameters are parameters.								
				ABA- PCPI								A participant noted that this was an original CHIC requirement of insurer hospital contracts.     A participant noted that the measure is difficult to implement but that the measure is incontract.		those of their family and caregiver into account when deciding what the polients discharge health care would be - White (5.6%), Black (6.29%), multiple races (6.29%), Non-Hopenic (6.6%), Hepenic (6.2%)								
				(Americ an Medical								Two providers noted that from a community point of view, it is frustrating and inappropriate for practices not to receive this information.     One paper representative said she was not sure if her plan could implement the		Name of the control process, the control process of the control proc								
50	Timely Transmission of Transition Record	0649	No Longer Endors ed	tion- conven ed Dhasin	Percentage of patients, regardless of age, decharged from an inpatient facility to home or any other sits of care for whom a transition record was transmitted to the designated health care provider for follow-up- care within 24 hours.	Hospital	NA.	Proces	All Ages	Clinical Data	Profess ional-	2017 Annual Stackey  1-less a transformative potential and is clinically-important, but data collection is difficult.		In all years from 2009-2014, the percentage of adult hospital patients who did not receive good communication about discharge information van lineer for Black, Asian, and ANN patients thin White patients (in 2014, 10.0% for White, 12.4% for Blacks, 12.2% for Asians, 11.1% for NHCPI, and 12.1% for Asians, 11.1% for NHCPI, and	No change	No edits - no change required	Yes	Menu		Com		
			ed	Associa faz- conven ed Physici an Consort ium for Perform ance improve ment)	designated health care provider for follow-up- care within 24 hours.	1						measure.  * Year of Entire State of Sta		6.1 In a Perry, and In a Perry, ASMN (43%), and multiple-race (\$1%) patients were more likely than White (3.5%) patients to strongly disagree or disagree that they understood how to manage their health after discharge.		required						
				ance Improve ment)								CMS PPCR program.  2015-0019 WWA Clessop Discussions  - 10688 as a Circularly-Incursed researce (EAF or patient-centered)  - 10688 as a Circularly-Incursed researce (EAF or patient-centered)  - 10688 as a Circularly-Incursed researce (EAF or patient-centered)  - The control of the control o		(J.INS) places to istrology catagles or catagles strotting understood now to searche the discharge.  10:2014, Black (J.F.SE), NROPP (B. 15), ARRW (J.R.S), and multiple race (J.T.S) patients were more listly than White (SCH) patients to strongly disagree or disagree that staff book this preference and drose of their families and categiver into account when caucifury what the patient's discharge health case sociot to.								
												<ul> <li>Legislation that caregivers have to do transition of care activity consistent with these measures. CMS data collection begins in "50, public reporting in "18; self- reported needs to be accepted before "88.</li> <li>Measures represented an important standard of care.</li> </ul>		incolor. In 2014, White (J. Biss, Stack (S. Biss, ARAN (4.7%), and multiple-race (4.5%) patients whose gentlemed languages was figurately were less tilling harm White (5.7%), Stack (7.5%), ARAN (7.4%), and multiple-race (7.1%) patients whose preferred language was English to strongly disagree or disagree that staff took their preferences and those of their families and caregiver into account when disciting what the								
														patient's discharge health care would be.								

												2019 Format Stations Techniques as a Missa Massaure for behavioral health hospitals, but remove for acute care hospitals (payers only have access to date for PFQR hospitals).  - Egit proficipants valued in New Office measure.		For Contractual Use: CASE: https://cmit.cms.gov/CMT_oublic.Report@easure?measureid=21 4	Phode latent care coordination measures (MNR), (2018):  4) 2751, soils printers who did not excelve good communication about discharge information—White (2018), about (20								
59	Transition Record with Specified Electronic With Specified Discharged Petiants	0543	No Legar Endors ed	AllA- PCPI (America and Salah Salah Alla-Sal	Percentage of judients, regardens of appearance of the percentage of judients, regardens of appearance of the percentage of the first of declarage of the percentage of the first of declarage of the percentage of the first of declarage of the percentage of the perc	Hospital	NA.	Process s	All Ages	Clinical Data	Profess iona- based	The principle of the best of the section of the sec			bear of the country of the state of the country of	No strange	No edito - no charge de ch	Yes	Menu		Menu		
60	Unhashly Alcohol Use Screening and Follow Up	564.	NA.	National Commit to the Assura Acces	Forumiting of numbers 10 years of age and other colors are successed for ordinating of the colors and the color	Present on Early Delecti on	Substa nce Abuse	Рюсев	AGE	Clinical Curs		Communications of the communication of the communic		To Dissipance stock white and a stock white a stoc	Angul Marchard State 1, National State of the Conference of the Co			Yes	Develo preeto I	Develo presota I		Constigues on less	
41	United by Drug and Alcohol Use. Screening & Brid Courseling	2152	Endors ed	ABBA- PCPI (America an Madical Associal discovere and Physical associal Commont Common	Forumitings of pallerins agad 18 person and other who was accessed all rates of one without a second and access of the control	Present on Early Delecti on	Substa nce Abuse	Process s	AGE	Clinical Cuta	Probes ional- based	CENTRALISMOS  AND THE CONTRALISMOST AND THE		For Comment and an activity of the Comment and activity of	Angel the consideration has the "territorial content and content (EU)" A 2017 against the production of the content and conten			Yes	Menu	blens		Menu	
62	Use of Imaging Studies for Low Back Pain	0052	No Longer Endors ed	National Commit tes for Quality Assura CO	Percentage of members with a primary p	Overus 6	Muncul oxialist al	Process s	Adult and Older Adult	Ciains	Profess iona- based	(2004) howest flower for discussion for a pripaying seas and show the ACO in the appropriate based of discussion from the pripaying seas and show the ACO in the appropriate based of the ACO and ACO		For Commental Uses	Compared to William person, the bear and reflexing angenter was the filter byte or prescribed appeared.  The second of the secon			Yes	Menu				
62	Utilization of the PMO-8 to Monday Course store Symptoms for Addressing and Audit	MA.	NA.	National Controls and Control Assura non	The presentings of resolven 11 years of age and called the diagnosis of large and called the diagnosis of la	Acate Care	Microsi Health	Process is	All Ages	Electro el Policial Custa System 4	Profess inner toward toward	Continued and the second and the sec		To Command one Health and American Health and American	Language language designed and the St. Negelest amounted and St. O'S 100° (September Regularization), and seek			Yes	Develo preents I	Develo presota I		Constigues to list	
64	Whigh? Assessment and Counseling for Nutrition and Psychol Activity for Challened Administration	0024	Endors ed	National Commit to for Quality Assura 1009	Percentage of members 3–17 years of age who tast an outpollers visit with a PSP or CALCHIM will when a sealons of the CALCHIM will when a sealons of the 1800 control of the control 1800 control of the control of the 1800 control of the control of the control of the 1800 control of the control of the control of the 1800 control of the control of the control of the 1800 control of the control of the control of the 1800 control of the control of the control of the control of the 1800 control of the con	Presents on/ Early Delecti on	Obesity	Process 8	Pedatri c	Claima/ Clinical Data	Proless ional- based	Continuous dange.  March 1 mer Control for a three as included on the control for the control	The COIC DEAM Name as fair includes a modified partition of the interessive that looks at an elf-or-ording composite rate of the measurest that looks at an elf-or-ording composite rate of the measurest three composers time. BM Assessment. Convending the Moston, and Consenting the Principle Admission, Convending the Convention of the C	For Commond like  46(0): MOC  Planes refer to "Yoursh Make" for the vention of the nonassur- flands in the PCAR measures and.  For OHIC use CT OHI Reporting.  For OHIC use CT OHIR Reporting.	Contractions for the extensional concepts of these Regular Colleges (Colleges Colleges) and the Colleges (Colleges)			Yes	Core	Core			
		1382	Endors ed	for Disease	Percentage of live births that weighed less than 2,500 grams in the state during the		Pregna ncy	Outcom	Pedatri	Clinical Data	Proless ional-	2011 Annual Review  - Mork group decided to add measure to the Mildennity Care Measure Set to fill an equity day for loss bothwester.			-in RI, the percentage of lise births that are less than 2,506 grams at birth is higher among Marks. [120], Salano (20), and Huganinia (20) Shan among Wildes (20) Summod's results Statistics].			Yes	TBD		TRO	Mess	