

Item	Topic	State	Year	Priority	Category	Sub-category	Target Population	Measurement	Indicator	Target	Current	Change	Notes	Source		
34	Depression Medication in Six Months	MD	2011	Endorsed	Adult Care	Medication	Outcomes	All Ages	Chronic Disease	Problems	Diabetes	No change	No notes or change required	Yes	Medication	Diabetes
35	Depression Medication or Response for Adolescents and Adults	MD	NA	NA	Adolescent Care	Medication	Outcomes	All Ages	Chronic Disease	Problems	Diabetes	No change	No notes or change required	Yes	Diabetes	Diabetes
36	Depression Medication and Follow-Up for Adolescents and Adults	MD	NA	NA	Adolescent Care	Medication	Outcomes	All Ages	Chronic Disease	Problems	Diabetes	No change	No notes or change required	Yes	Diabetes	Diabetes
37	Developmental Screening in the First Three Years of Life	MD	NA	NA	Children	Screening	Outcomes	All Ages	Chronic Disease	Problems	Diabetes	No change	No notes or change required	Yes	Diabetes	Diabetes
38	Emergency Department (ED) Visits per 1,000	MD	NA	NA	Adolescent Care	Medication	Outcomes	All Ages	Chronic Disease	Problems	Diabetes	No change	No notes or change required	Yes	Diabetes	Diabetes
39	Florida Medicaid	MD	NA	NA	Children	Screening	Outcomes	All Ages	Chronic Disease	Problems	Diabetes	No change	No notes or change required	Yes	Diabetes	Diabetes
40	Immunizations for Adolescents (Zoster)	MD	NA	NA	Adolescent Care	Medication	Outcomes	All Ages	Chronic Disease	Problems	Diabetes	No change	No notes or change required	Yes	Diabetes	Diabetes
41	Insulin Vials per 1,000 Hospital Discharges - General Hospital/Care	MD	NA	NA	Adolescent Care	Medication	Outcomes	All Ages	Chronic Disease	Problems	Diabetes	No change	No notes or change required	Yes	Diabetes	Diabetes
42	Kidney Health Evaluation for Patients with Diabetes	MD	NA	NA	Adolescent Care	Medication	Outcomes	All Ages	Chronic Disease	Problems	Diabetes	No change	No notes or change required	Yes	Diabetes	Diabetes
43	Last Screening in Children	MD	NA	NA	Children	Screening	Outcomes	All Ages	Chronic Disease	Problems	Diabetes	No change	No notes or change required	Yes	Diabetes	Diabetes

Study ID	Study Title	Year	Country	Population	Intervention	Comparator	Outcome	Effect Size	Quality	Notes
15	Mental Depression Screening	2015	NA	Adults	Screening for depression	No screening	Depression	Relative risk reduction	High	Screening for depression in primary care settings is associated with a higher prevalence of depression and improved management compared with no screening. The treatment effect was not statistically significant.
16	PCMH CMMES Survey for Physician and Care Team Satisfaction	2014	NA	Physicians and Care Team	PCMH CMMES	Traditional care	Satisfaction	Mean difference	High	PCMH CMMES was associated with higher satisfaction among physicians and care team members compared with traditional care.
17	Social Determinants of Health Screen	2014	NA	Adults	Screening for social determinants of health	No screening	Health outcomes	Relative risk reduction	High	Screening for social determinants of health was associated with improved health outcomes compared with no screening.
18	Statin Therapy for Patients with Cardiovascular Disease	2014	NA	Adults	Statin therapy	No statin therapy	Cardiovascular events	Relative risk reduction	High	Statin therapy was associated with a significant reduction in cardiovascular events compared with no statin therapy.
19	Urinary Alcohol Use Screening and Follow-Up	2013	NA	Adults	Urinary alcohol use screening	No screening	Alcohol use	Relative risk reduction	High	Urinary alcohol use screening was associated with a significant reduction in alcohol use compared with no screening.
20	Urinary Alcohol Use Screening and Blood Counseling	2013	NA	Adults	Urinary alcohol use screening and blood counseling	No screening	Alcohol use	Relative risk reduction	High	Urinary alcohol use screening and blood counseling was associated with a significant reduction in alcohol use compared with no screening.
21	Intervention of the PCMH to Monitor Depression Symptoms for Individuals and Families	2013	NA	Adults	PCMH intervention	Traditional care	Depression symptoms	Relative risk reduction	High	PCMH intervention was associated with a significant reduction in depression symptoms compared with traditional care.
22	Weight Assessment and Counseling for Pediatric and Adolescent Patients	2013	NA	Children and Adolescents	Weight assessment and counseling	No counseling	Weight status	Relative risk reduction	High	Weight assessment and counseling was associated with a significant reduction in weight status compared with no counseling.