

SIM Aligned ACO Measure Set
Total Measures: 58

Core Measures by Domain (11)

Behavioral Health (2)

- Follow-Up after Hospitalization for Mental Illness (7-day)
- Screening for Clinical Depression and Follow-Up Plan

Chronic Illness (2)

- Comprehensive Diabetes Care: Hemoglobin A1c (HbA1c) Control (<8.0%)
- Controlling High Blood Pressure

Consumer Experience (1)

- PCMH CAHPS (for primary care) - *questions not specified*

Preventive Care (6)

- Breast Cancer Screening
- Colorectal Cancer Screening
- Tobacco Use: Screening and Cessation Intervention
- Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents
- Developmental Screening In the First Three Years of Life
- Adult BMI Assessment

Menu Measures by Domain (47)

Behavioral Health (5)

- 30-day Psychiatric Inpatient Readmission
- Anti-Depressant Medication Management
- Follow-Up Care for Children Prescribed Attention - Deficit/Hyperactivity Disorder
- Initiation and Engagement of Alcohol and Other Drug Dependence Treatment
- Adherence to Antipsychotic Medications for Individuals with Schizophrenia - *Medicaid only*

Care Coordination (1)

- Care Transition Record Transmitted to Health Care Professional

Chronic Illness (5)

- Medication Management for People with Asthma
- Comprehensive Diabetes Care: Blood Pressure Control (<140/90 mmHg)
- Comprehensive Diabetes Care: Eye Exam
- Comprehensive Diabetes Care: Hemoglobin A1c (HbA1c) Poor Control (>9.0%)
- Comprehensive Diabetes Care: Medical Attention for Nephropathy

Consumer Experience (3)

- ACO CAHPS - Access to Specialist
- HCAHPS - *questions not specified*

Institutional Care (16)

- American College of Surgeons – Centers for Disease Control and Prevention (ACS-CDC) Harmonized Procedure Specific Surgical Site Infection (SSI) Outcome Measure
 - HAI-3: SSI: Colon - Surgical Site Infection for Colon Surgery
 - HAI-4: SSI: Hysterectomy - Surgical Site Infection for Abdominal Hysterectomy
- Cesarean Rate for Nulliparous Singleton Vertex (PC-02)
- Elective Delivery Prior to 39 Completed Weeks Gestation (PC-01)
- HAI-1: CLABSI: Central Line-Associated Blood Stream Infection
- HAI-2: CAUTI: Catheter-Associated Urinary Tract Infection
- HAI-5: Methicillin-resistant Staphylococcus Aureus (or MRSA) Blood Infections
- HAI-6: Clostridium Difficile (C.diff.) Infections
- PC-05: Exclusive Breast Milk Feeding
- READM-30-AMI: Heart Attack Readmission
- READM-30-HF: Heart Failure Readmission
- READM-30-HOSP-WIDE: Hospital-wide Readmission
- READM-30-PN: Pneumonia Readmission
- STK-4: Thrombolytic Therapy
- SUB-3 Alcohol & Other Drug Use Disorder Treatment Provided or Offered at Discharge and SUB-3a Alcohol & Other Drug Use Disorder Treatment at Discharge
- Follow-Up After Discharge from ED for Mental Health or Substance Abuse
- Transition Record with Specified Elements Received by Discharged Patients

Overuse (5)

- Appropriate Testing for Children with Pharyngitis
- Use of Imaging Studies for Low Back Pain
- Skilled Nursing Facility 30-Day All-Cause Readmission Measure (SNFRM)
- PointRight Pro 3.0 30-Day All-Cause SNF Rehospitalization
- Plan (ACO) All-Cause Readmission

Preventive Care (10)

- Cervical Cancer Screening
- Chlamydia Screening
- Adolescent Well Care Visits
- Human Papillomavirus (HPV) Vaccine for Female Adolescents
- Childhood Immunization Status
- Immunization Status for Adolescents
- Lead Screening for Children
- Annual Dental Visits – *Medicaid only*
- Frequency of Ongoing Prenatal Care – *Medicaid only*
- Prenatal and Postpartum Care: Postpartum Care Only

Utilization (3)

- Percentage of Prescriptions that are Generic Scripts
- Inpatient Visits/1000 (Inpatient Utilization - General Hospital/ Acute Care)
- ED visits per 1000