



OHIC Aligned Measure Sets

Updated November 1, 2021

Effective for insurer-provider contractual performance periods starting on or after January 1, 2022, for contracts subject to amendment or renewal on or after that date.

Table of Contents

Primary Care Measure Set (25 Measures)	2
Maternity Care Measure Set (8 Measures)	4
Outpatient Behavioral Health - Mental Health Measure Set (11 Measures)	5
Outpatient Behavioral Health - Substance Use Treatment Measure Set (3 Measures)	6
Acute Care Hospital Measure Set (15 Measures)	7
Behavioral Health Hospital Measure Set (9 Measures)	8
ACO Measure Set (30 Measures)	9
Acronyms	11



Primary Care Measure Set (25 Measures)

#	Measure Name	NQF	Steward	Source
Core Measure Set (8)				
Chronic Illness (3)				
1	Controlling High Blood Pressure	0018	NCQA	Claims/Clinical
2	Eye Exam for Patients with Diabetes	0055	NCQA	Claims/Clinical
3	Hemoglobin A1c Control for Patients with Diabetes: HbA1c Control (< 8.0%)	0575	NCQA	Claims/Clinical
Prevention (5)				
4	Breast Cancer Screening	2372	NCQA	Claims
5	Child and Adolescent Well-Care Visits (Adolescent Well-Care Visits Only, age bands 12-17 and 18-21)	NA	NCQA	Claims
6	Colorectal Cancer Screening	0034	NCQA	Claims/Clinical
7	Developmental Screening in the First Three Years of Life	1448	OHSU	Claims/Clinical
8	Lead Screening in Children	NA	NCQA	Claims
Menu Measure Set (8)				
Behavioral Health (1)				
1	Antidepressant Medication Management	0105	NCQA	Claims
Chronic Illness (1)				
2	Kidney Health Evaluation for Patients with Kidney Disease	NA	NCQA	Clinical
Consumer Experience (1)				
3	CAHPS Surveys, specifically CG CAHPS and/or PCMH CAHPS	NA	AHRQ/ NCQA	Survey
Preventive Care (4)				
4	Cervical Cancer Screening	0032	NCQA	Claims
5	Chlamydia Screening	0033	NCQA	Claims
6	Fluoride Varnish	NA	RIDOH	Clinical
7	Immunizations for Adolescents (Combo 2)	1407	NCQA	Clinical
Health Equity (1)				
8	The following measures, stratified by race, ethnicity, and language (REL): <ul style="list-style-type: none"> • Controlling High Blood Pressure • Developmental Screening in the First Three Years of Life • Eye Exams for Patients with Diabetes • Hemoglobin A1c Control for Patients with Diabetes: HbA1c Control (< 8.0%) 	NA	NCQA/ OHIC	Clinical
Developmental Measure Set (9)				



#	Measure Name	NQF	Steward	Source
Behavioral Health (3)				
1	Concurrent Use of Opioids and Benzodiazepines	3389	PQA	Claims
2	Depression Remission or Response for Adolescents and Adults	NA	NCQA	ECDS
3	Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults	NA	NCQA	ECDS
Chronic Illness (2)				
4	Follow-Up After Emergency Department Visit for People with High-Risk Multiple Chronic Conditions	NA	NCQA	Claims
5	Statin Therapy for Patients with Cardiovascular Disease	NA	NCQA	Claims
Preventive Care (3)				
6	Depression Screening and Follow-Up for Adolescents and Adults	NA	NCQA	ECDS
7	Substance Use Assessment in Primary Care	NA	IEHP	Claims
8	Unhealthy Alcohol Use Screening and Follow-Up	NA	NCQA	ECDS
Social Determinants of Health (1)				
9	Social Determinants of Health Screening	NA	RI EOHHS	Survey



Maternity Care Measure Set (8 Measures)

#	Measure Name	NQF	Steward	Source
Core Measure Set (3)				
Prenatal Care (2)				
1	Behavioral Health Risk Assessment Screenings	NA	AMA-PCPI	Clinical
2	Prenatal and Postpartum Care: Timeliness of Prenatal Care	1517	NCQA	Claims/Clinical
Postpartum Care (1)				
3	Prenatal and Postpartum Care: Postpartum Care	1517	NCQA	Claims/Clinical
Menu Measure Set (5)				
Labor and Delivery (2)				
1	Cesarean Rate for Nulliparous Singleton Vertex (PC-02)	0471	TJC	Claims/Clinical
2	Elective Delivery Prior to 39 Completed Weeks Gestation (PC-01)	0469	TJC	Claims/Clinical
Neonatal Care - Term Infants (1)				
3	Exclusive Breast Milk Feeding (PC-05)	0480	TJC	Claims/Clinical
Postpartum Care (1)				
4	Maternity Care: Post-Partum Follow-Up and Care Coordination	NA	AMA-PCPI	Claims/Clinical
Health Equity (1)				
5	The following measures, stratified by race, ethnicity, and language (REL): <ul style="list-style-type: none"> • Behavioral Health Risk Assessment Screenings • Prenatal and Postpartum Care: Postpartum Care • Prenatal and Postpartum Care: Timeliness of Prenatal Care 	NA	NCQA/OHIC	Clinical



Outpatient Behavioral Health – Mental Health Measure Set (11 Measures)

#	Measure Name	NQF	Steward	Source
Menu Measure Set (6)				
Acute Care (1)				
1	Depression Remission at Six Months	0711	MNCM	Claims/Clinical
Hospital (1)				
2	Follow-Up After Hospitalization for Mental Illness (7-Day)	0576	NCQA	Claims
Medication Management (1)				
3	Antidepressant Medication Management	0105	NCQA	Claims
Prevention (3)				
4	Adult Major Depressive Disorder (MDD): Suicide Risk Assessment	0104	AMA-PCPI	Clinical
5	Child and Adolescent Major Depressive Disorder: Suicide Risk Assessment	1365	AMA-PCPI	Clinical
6	Unhealthy Drug and Alcohol Use: Screening & Brief Counseling	2152	AMA-PCPI	Clinical
Developmental Measure Set (5)				
Acute Care (2)				
1	Depression Remission or Response for Adolescents and Adults	NA	NCQA	ECDS
2	Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults	NA	NCQA	ECDS
Preventive Care (2)				
3	Depression Screening and Follow-up for Adolescents and Adults	NA	NCQA	ECDS
4	Unhealthy Alcohol Use Screening and Follow-Up	NA	NCQA	ECDS
Social Determinants of Health (1)				
5	Social Determinants of Health Screening	NA	RI	Survey



Outpatient Behavioral Health – Substance Use Treatment Measure Set (3 Measures)

#	Measure Name	NQF	Steward	Source
Menu Measure Set (1)				
Chronic Illness (1)				
1	Initiation and Engagement of Substance Use Treatment	0004	NCQA	Claims
Developmental Measure Set (2)				
Behavioral Health (1)				
1	Concurrent Use of Opioids and Benzodiazepines	3389	PQA	Claims
Social Determinants of Health (1)				
2	Social Determinants of Health Screening	NA	RI EOHHS	Survey



Acute Care Hospital Measure Set (15 Measures)

Insurer contracts with hospitals participating in CMS' IPFQR program, including general acute care facilities, are subject to the Behavioral Health Hospital Measure Set. Insurer contracts with general acute care facilities participating in CMS' IPFQR program that are newly subject to the Behavioral Health Hospital Measure Set are also subject to the Acute Care Hospital Measure Set. When a measure appears in both the Behavioral Health Hospital and Acute Care Hospital Measure Sets, insurers are only required to use the measure once in their contracts with hospitals participating in CMS' IPFQR program.

#	Measure Name	NQF	Steward	Source
Core Measure Set (6)				
Hospital (6)				
1	CAHPS Survey, specifically HCAHPS	0166	AHRQ	Survey
2	Catheter-Associated Urinary Tract Infection (HAI-2)	0138	CDC	Clinical
3	Central Line-Associated Blood Stream Infection (HAI-1)	0139	CDC	Clinical
4	Clostridium Difficile (C.diff.) Infections (HAI-6)	1717	CDC	Clinical
5	Follow-Up After Hospitalization for Mental Illness (7-Day)	0576	NCQA	Claims
6	Hospital-wide Readmit (READM-30-HOSP-WIDE)	1789	CMS	Claims
Menu Measure Set (7)				
Hospital (8)				
1	Cesarean Rate for Nulliparous Singleton Vertex (PC-02)	0471	TJC	Claims
2	Elective Delivery Prior to 39 Completed Weeks Gestation (PC-01)	0469	TJC	Claims/Clinical
3	Follow-Up After Emergency Department Visit for Mental Illness	3489	NCQA	Claims
4	Follow-Up After Emergency Department Visit for Substance Use	3488	NCQA	Claims
5	Harmonized Procedure Specific Surgical Site Infection (SSI) Outcome Measure - HAI-3: SSI: Colon - Surgical Site Infection for Colon Surgery and HAI-4: SSI: Hysterectomy - Surgical Site Infection for Abdominal Hysterectomy	0753	ACS-CDC	Clinical
6	Methicillin-resistant Staphylococcus Aureus Blood Infections (HAI-5)	1716	CDC	Clinical
7	Severe Sepsis and Septic Shock: Management Bundle (SEP-1)	0500	HFH	Clinical
On Deck Measure Set (1)				
Health Equity (1)				
1	The following measure, stratified by race, ethnicity, and language (REL): <ul style="list-style-type: none"> Hospital-wide Readmit (<u><i>Move to Menu Set when CMS publishes stratified data</i></u>) 	NA	NCQA/OHIC	Clinical
Developmental Measure Set (1)				
Social Determinants of Health (1)				



#	Measure Name	NQF	Steward	Source
1	Social Determinants of Health Screening	NA	RI EOHHS	Survey

Behavioral Health Hospital Measure Set (9 Measures)

Insurer contracts with hospitals participating in CMS' IPFQR program, including general acute care facilities, are subject to the Behavioral Health Hospital Measure Set. Insurer contracts with general acute care facilities participating in CMS' IPFQR program that are newly subject to the Behavioral Health Hospital Measure Set are also subject to the Acute Care Hospital Measure Set. When a measure appears in both the Behavioral Health Hospital and Acute Care Hospital Measure Sets, insurers are only required to use the measure once in their contracts with hospitals participating in CMS' IPFQR program.

#	Measure Name	NQF	Steward	Source
Core Measure Set (1)				
Hospital (1)				
1	Follow-Up After Hospitalization for Mental Illness (7-Day)	0576	NCQA	Claims
Menu Measure Set (8)				
Hospital (6)				
1	Alcohol & Other Drug Use Disorder Treatment at Discharge (SUB-3a)	1664	TJC	Clinical
2	Hours of Physical Restraint Use (HBIPS-2)	0640	TJC	Clinical
3	Hours of Seclusion Use (HBIPS-3)	0641	TJC	Clinical
4	Patients Discharged on Multiple Antipsychotic Medications with Appropriate Justification (HBIPS-5)	3205	CMS	Claims
5	Tobacco Use Treatment at Discharge (TOB-3a)	1656	TJC	Clinical
6	Transition Record with Specified Elements Received by Discharged Patients	0649	AMA-PCPI	Clinical
Medication Management (1)				
7	Medication Continuation Following Inpatient Psychiatric Discharge	3205	CMS	Claims
Population Health (1)				
8	30-Day All-Cause Unplanned Readmission Following Psychiatric Hospitalization (<i>to be elevated to Core status for 2023</i>)	2860	CMS	Claims



ACO Measure Set (30 Measures)

#	Measure Name	NQF	Steward	Source
Core Measure Set (8)				
Chronic Illness (3)				
1	Controlling High Blood Pressure	0018	NCQA	Clinical
2	Eye Exam for Patients with Diabetes	0055	NCQA	Clinical
3	Hemoglobin A1c Control for Patients with Diabetes: HbA1c Control	0575	NCQA	Claims/Clinical
Hospital (3)				
4	Follow-Up After Hospitalization for Mental Illness (7-Day)	0576	NCQA	Claims
Prevention (4)				
5	Breast Cancer Screening	2372	NCQA	Claims
6	Child and Adolescent Well-Care Visits (Adolescent Well-Care Visits Only, age bands 12-17 and 18-21)	NA	NCQA	Claims
7	Colorectal Cancer Screening	0034	NCQA	Clinical
8	Developmental Screening in the First Three Years of Life	1448	OHSU	Clinical
Menu Measure Set (13)				
Chronic Illness (2)				
1	Initiation and Engagement of Substance Use Treatment	0004	NCQA	Claims
2	Kidney Health Evaluation for Patients with Kidney Disease	NA	NCQA	Claims/Clinical
Consumer Experience (1)				
3	CAHPS, specifically ACO CAHPS, CG CAHPS, HCAHPS, MIPS CAHPS, and/or PCMH CAHPS	NA	AHRQ/ CMS/ NCQA	Survey
Hospital (4)				
4	Follow-Up After Emergency Department Visit for Mental Illness	3489	NCQA	Claims
5	Follow-Up After Emergency Department Visit for Substance	3488	NCQA	Claims
6	Hospital-wide Readmit	1789	CMS	Claims
7	Plan (ACO) All-Cause Readmission	1768	NCQA	Claims
Overuse (1)				
8	Use of Imaging Studies for Low Back Pain	0052	NCQA	Claims
Preventive Care (4)				
9	Cervical Cancer Screening	0032	NCQA	Claims
10	Chlamydia Screening	0033	NCQA	Claims
11	Immunizations for Adolescents (Combo 2)	1407	NCQA	Clinical
12	Lead Screening in Children	NA	NCQA	Claims



#	Measure Name	NQF	Steward	Source
Menu Measure Set (13) Continued				
Health Equity (1)				
13	The following measures, stratified by race, ethnicity, and language (REL): <ul style="list-style-type: none"> Controlling High Blood Pressure Developmental Screening in the First Three Years of Life Eye Exams for Patients with Diabetes Hemoglobin A1c Control for Patients with Diabetes: HbA1c Control (< 8.0%) 	NA	NA	Clinical
Developmental Measure Set (9)				
Behavioral Health (3)				
1	Concurrent Use of Opioids and Benzodiazepines	3389	PQA	Claims
2	Depression Remission or Response for Adolescents and Adults	NA	NCQA	ECDS
3	Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults	NA	NCQA	ECDS
Chronic Illness (2)				
4	Follow-Up After Emergency Department Visit for People with High-Risk Multiple Chronic Conditions	NA	NCQA	Claims
5	Statin Therapy for Patients with Cardiovascular Disease	NA	NCQA	Claims
Preventive Care (3)				
6	Depression Screening and Follow-Up for Adolescents and Adults	NA	NCQA	ECDS
7	Substance Use Assessment in Primary Care	NA	IEHP	Claims
8	Unhealthy Alcohol Use Screening and Follow-Up	NA	NCQA	ECDS
Social Determinants of Health (1)				
9	Social Determinants of Health Screening	NA	RI EOHHS	Survey



Acronyms

ACS-CDC	American College of Surgeons – Centers for Disease Control and Prevention
AHRQ	Agency for Healthcare Research and Quality
AMA-PCPI	American Medical Association – Physician Consortium for Performance Improvement
CMS	Centers for Medicare & Medicaid Services
ECDS	Electronic Clinical Data Systems
HFH	Henry Ford Hospital
IEHP	Inland Empire Health Plan
MNCM	Minnesota Community Management
NCQA	National Committee for Quality Assurance
OHSU	Oregon Health & Science University
PQA	Pharmacy Quality Alliance
RI EOHHS	RI Executive Office of Health and Human Services
RIDOH	RI Department of Health
TJC	The Joint Commission